

JPW INDUSTRIES

WWW.JETTOOLS.COM

CATALOGUE 2019/20

TRADES CRAFTS INDUSTRY

JET HAND TOOLS



JET HAND TOOLS

JET HAND TOOLS

From a key all the way to a complete workshop trolley, JET Tools offers everything that professional manufacturers need. The tools are exclusiveely distributed by specialist shops, meaning that every purchase benefits from the expertise of on-site personnel.

Why JET Tools?

- Outstanding quality – products withstand demanding applications
- Fair price-performance ratio – professional tools for every budget
- Comprehensive selection of tools – product ranges specifically developed for your applications
- Professional service – high availability and proximity to customers

About us

Dear customer

The JPW Industries Group is a global leader in the field of wood and metal processing machines. The tools manufactured for us feature maximum robustness and precision. You benefit from both these outstanding performance features and the tools' affordable price.

Thanks to its global network of sales organisations and partner companies, JPW is able to offer local assistance to customers in every single market. High availability and professional, excellently trained personnel guarantee the best possible service – before, during and after purchase.

WORKSHOP TROLLEYS

ACCESSORIES **P. 9**

Page 4

TOOL CASES

Page 12

SOCKET SETS

Page 19

BIT SETS

Page 26

HAND TOOLS

Page 32

DIVERS

Page 36

AIR TOOLS

Page 43

SPARE PARTS & CONTENT

Spare parts | Page 53

Content lists | Page 64
















WORKSHOP TROLLEYS



WORKSHOP TROLLEYS
Page 4

ACCESSORIES
Page 9

WORKSHOP TROLLEY

ACCESSORIES P.9

TT-412-WKS

1000-027-247

1/4" 3/8" 1/2"

- Equipped with 412 quality tools
- Extendable and lockable tool wall for even more space and flexibility
- Bluetooth speaker – enjoy your favorite music on the job site
- 8 drawers with ball bearing, fully extendable, magnetic identification stripes, drawers with single lock mechanism
- 4 robust and oil resistant wheels (2 with locking brake)
- Side compartment with additional storage space and perforated plate
- EVA foam inserts, 2 colored, oil resistant and easy to clean
- «WORKSTATION», functionality, design and equippment – new defined

412-PCS.











Dimensions	
1/2"	10/11/12/13/14/15/16/17/18/19/21/22/24/27/30/32 mm
3/8"	8/9/10/11/12/13/14/15/16/17/18/19/20/21/22/24 mm
1/4"	4/4.5/5/5.5/6/7/8/9/10/11/12/13/14 mm
	835 × 540 × 980 (1'575) mm
	112.8 kg

WORKSHOP TROLLEY

ACCESSORIES **P.9**

TT-412

1000-027-248

1/4" 3/8" 1/2"

- Equipped with 412 quality tools
- 8 drawers with ball bearing, fully extendable, magnetic identification stripes, drawers with single lock mechanism
- 4 robust and oil resistant wheels (2 with locking brake)
- CNC milled EVA foam, robust, easy to clean, oil resistant, attractive looking metal finish

412-PCS.





Dimensions	
1/2"	10/11/12/13/14/15/16/17/18/19/21/22/24/27/30/32 mm
3/8"	8/9/10/11/12/13/14/15/16/17/18/19/20/21/22/24 mm
1/4"	4/4.5/5/5.5/6/7/8/9/10/11/12/13/14 mm
	780 × 455 × 985 mm
	97.5 kg

WORKSHOP TROLLEY

ACCESSORIES P.9

TT-318

1000-027-249

1/4" 3/8" 1/2"

- 8 drawers with ball bearing, fully extendable, magnetic identification stripes, drawers with single lock mechanism
- 4 robust and oil resistant wheels (2 with locking brake)
- CNC milled EVA foam, robust, easy to clean, oil resistant, attractive looking metal finish

318-PCS.





Dimensions	
1/2"	10/11/12/13/14/15/16/17/18/19/21/22/24/27/30/32 mm
3/8"	8/9/10/11/12/13/14/15/16/17/18/19/20/21/22/24 mm
1/4"	4/4.5/5/5.5/6/7/8/9/10/11/12/13/14 mm
	780 × 455 × 985 mm
	91 kg

WORKSHOP TROLLEY

ACCESSORIES P.9

TT-209

1000-027-250

1/4" 1/2"

- 8 drawers with ball bearing, fully extendable, magnetic identification stripes, drawers with single lock mechanism.
- 4 robust and oil resistant wheels (2 with locking brake)
- CNC milled EVA foam, robust, easy to clean, oil resistant, attractive looking metal finish

209-PCS.







Dimensions	
1/2"	10/11/12/13/14/15/16/17/18/19/21/22/24/27/30/32 mm
1/4"	4/4.5/5/5.5/6/7/8/9/10/11/12/13/14 mm
	780 × 455 × 985 mm
	80 kg

ACCESSORIES

WORKSHOP TROLLEYS

Trolley, empty



835 × 540 × 980 (1'575) mm
82.9 kg

1000-027-252	TT-WKS-MTY	«Workstation»

Trolley, empty




780 × 455 × 985 mm
67.65 kg

1000-027-253	TT-MTY	TT-412/TT-318/TT-209

Socket inlay


1/4" 3/8" 1/2"



525 × 395 × 35 mm

1000-027-254	TT-117-EVA	117-pcs.
2000-024-446	TT-117-EVA-MTY	empty

Wrench inlay



525 × 395 × 35 mm

1000-027-255	TT-41-EVA	41-pcs.
2000-024-447	TT-41-EVA-MTY	empty

Screwdriver inlay



525 × 395 × 35 mm

1000-027-256	TT-125-EVA	125-pcs.
2000-024-448	TT-125-EVA-MTY	empty

Plier inlay



525 × 395 × 35 mm

1000-027-257	TT-11-EVA	11-pcs.
2000-024-449	TT-11-EVA-MTY	empty

Measurement tools inlay



525 × 395 × 35 mm

1000-027-258	TT-16-EVA	16-pcs.
2000-024-450	TT-16-EVA-MTY	empty

Hammer inlay



525 × 395 × 35 mm

1000-027-259	TT-73-EVA	73-pcs.
2000-024-451	TT-73-EVA-MTY	empty

ACCESSORIES

WORKSHOP TROLLEYS

File inlay



525 × 395 × 35 mm

1000-027-260	TT-29-EVA	29-pcs.
2000-024-452	TT-29-EVA-MTY	empty

PVC cover



752 × 450 × 42 mm

2000-024-435	TT-CVR-ABS	(all models)

Socket/screwdriver inlay



525 × 395 × 35 mm

1000-027-261	TT-156-EVA	156-pcs.
2000-024-453	TT-156-EVA-MTY	empty

Wooden cover



735 × 435 × 8 mm

2000-024-436	TT-CVR-MDF	(all models)


Plier/wrench inlay



525 × 395 × 35 mm

1000-027-262	TT-29-2-EVA	29-pcs.
2000-024-454	TT-29-2-EVA-MTY	empty

Handle



2000-024-430	TT-WS-HNDL	For TT-412-WORKSTATION

File/hammer inlay



525 × 395 × 35 mm

1000-027-263	TT-24-EVA	24-pcs.
2000-024-455	TT-24-EVA-MTY	empty

Handle



2000-024-431	TT-HNDL	For TT-412/TT-318/ TT-209

Spare wheel



175 × 120 × 72 mm
0.76 kg

2000-024-433	TT-WHEEL	For trolley (all models)


Spare wheel with brake



180 × 180 × 72 mm
1.0 kg

2000-024-434	TT-BRAKE	For trolley (all models)

Bluetooth-Speaker



ø 85 × 52 mm
0.17 kg

2000-024-437	TT-SPEAKER	For TT-412 «WORKSTATION»

Charging cable for bluetooth-speaker



2000-024-438	TT-CABLE	USB/MICRO-USB

Single hook



2000-024-444	TT-2SH	For TT-412 «WORKSTATION»/ TT-412/TT-318/TT-209

Double hook



2000-024-445	TT-2DH	For TT-412 «WORKSTATION»/ TT-412/TT-318/TT-209

Spare key

2000-024-463	TT-WS-FRNTLKKY	For TT-412 «WORKSTATION», front
2000-024-440	TT-BKPNLKY	For TT-412 «WORKSTATION», backpanel
2000-024-443	TT-KEY	For TT-412/TT-318/TT-209

Spare locks

2000-024-441	TT-WS-FRNTLK	For TT-412 «WORKSTATION», front
2000-024-439	TT-BKPNLLK	For TT-412 «WORKSTATION», backpanel
2000-024-442	TT-FRNTLK	For TT-412/TT-318/TT-209

TOOL CASES



ABS TOOL CASE

DETAILS P.73

A-179-EXE

8000-000-071

1/4" 1/2"

PB SWISS TOOLS

- CNC milled EVA foam, robust, easy to clean, oil resistant, attractive looking metal finish
- Double stitched canvas pockets, for maximum durability
- Equipped with original PB SWISS TOOLS screwdrivers

179-PCS.








Dimensions	
1/2"	10/13/14/16/17/18/19/20/22/24/27/30/32 mm
1/4"	4/4.5/5/5.5/6/7/8/9/10/11/12/13/14 mm
	8/10/11/12/13/14/17/19/22 mm
	475 × 370 × 170 mm
	13 kg

ALU TOOL CASE

Y-114C

1000-027-091

1/4" 3/8"

- Perfect for home/DIY, service vehicles – with this case you've allways the right tool for the job
- Robust and compact tool case


114-PCS.











Dimensions	
3/8"	10/11/12/13/14/15/17/18/19/22/24mm
1/4"	4/4.5/5/5.5/6/7/8/9mm
	8/10/11/12/13/14/17/19mm
	365×275×145mm
	7.5kg

ALU TOOL CASE

DETAILS P.74

Y-128

1000-027-264

1/4" 1/2"

- Robust aluminium case
- Double stitched canvas pockets, for maximum durability
- 2 colored EVA foam insert for perfect organization
- Compact and lightweight, perfect for maintenance and service

128-PCS.







Dimensions	
1/2"	10/13/14/16/17/18/19/20/22mm
1/4"	4/4.5/5/5.5/6/7/8/9/10/11/12/13/14mm
	8/9/10/11/12/13/14/16/17mm
	460×370×115mm
	9.5kg

ALU TOOL CASE

DETAILS P.75

Y-136D

1000-027-265



1/4" 1/2"

- Our Best-Seller, now even better
- Essential when you're looking for a vast selection of tools
- Double stitched canvas pockets, for maximum durability
- Equipped with 169 tools
- 2 colored EVA foam insert for perfect organization
- Compact and lightweight, perfect for maintenance and service

169-PCS.





Dimensions	
1/2"	10/13/14/16/17/18/19/20/22/24/27/30/32 mm
1/4"	4/4.5/5/5.5/6/7/8/9/10/11/12/13/14 mm
	10/13/14/16/17/18/19/20/22 mm
	465×370×150 mm
	13 kg

ALU TOOL CASE

DETAILS P.76

Y-174-VDE

1000-027-266

1/4" 1/2"

- Extensive «allround» tool case with VDE screwdriver, perfect for service
- Double stitched canvas pockets, for maximum durability
- Equipped with 174 tools


174-PCS.











Dimensions	
1/2"	10/13/14/16/17/18/19/20/22/24/27/30/32 mm
1/4"	4/4.5/5/5.5/6/7/8/9/10/11/12/13/14 mm
	8/9/10/11/12/13/14/16/17 mm
	465 × 395 × 175 mm
	14.5 kg

ALU TOOL CASE

DETAILS P.77

Y-244

1000-027-267

1/4" 1/2"

- The perfect tool case for service, maintenance and workshops
- With robust trolley and telescopique handle
- Double stitched canvas pockets, for maximum durability
- Equipped with 244 tools


244-PCS.





Dimensions	
1/2"	10/13/14/16/17/18/19/20/22/24/27/30/32mm
1/4"	4/4.5/5/5.5/6/7/8/9/10/11/12/13/14mm
	8/9/10/11/12/13/14/17/19/22mm
	545×475×215mm
	19.3kg

SOCKET SETS



SOCKET SET

DETAILS P.78

X-546D

1000-028-357

1/4"

- Tool kit, indispensable in any workshop, service trolley etc.
- With 46 high-quality tools
- Robust plastic case with compact dimensions
- High-quality, sleek and sturdy ratchet with 72 teeth



46-PCS.

Dimensions

4/4.5/5/5.5/6/7/8/9/10/11/12/13/14mm	3/4/5/6/7/8mm
	4/5.5/7mm
	PH0/PH1/PH2/PH3
250×120×45mm	PZ0/PZ1/PZ2/PZ3
1.2kg	T8/T10/T15/T20/T25/T30/T40

SOCKET SET

DETAILS P.79

X-48

1000-027-220

1/4"

- CNC milled EVA foam, robust, easy to clean and attractive looking metal finish
- Thanks to precise finishing, each tool fits perfect
- Robust plastic case with metal locks and 2 hinges, very enduring even in harsh working environments
- Perfect for any workshop, tool box and service vehicle





48-PCS.

Dimensions

4/4.5/5/5.5/6/7/8/9/10/11/12/13/14mm	3/4/5/6/7/8mm
	3/4/4.5/5/6mm
	PH0/PH1/PH2/ PH3
260×180×60mm	PZ0/PZ1/PZ2/ PZ3
1.5kg	T8/T10/T15/T20/T25/T30/T40

SOCKET SET

DETAILS P.80

X-61

1000-027-221

3/8"

- CNC milled EVA foam, robust, easy to clean and attractive looking metal finish
- Thanks to precise finishing, each tool fits perfect
- Large variety of 3/8" tools
- Robust plastic case with 2 metal locks/hinges, very enduring even in harsh working environments





61-PCS.

Dimensions

5.5/6/7/8/10/11/12/13/14/15/16/17/18/19/20/21/22/24mm	3/4/5/6/7/8/10mm
Length 63mm: 8/9/10/11/12/13/14/15/17/19mm	5.5/7/8mm
345×275×80mm	PH1/PH2/PH3
4.5kg	PZ1/PZ2/PZ3
	T8/T10/T15/T20/T25/T27/T30/T40/T45/T50

SOCKET SET

DETAILS P.81

X-31

1000-027-222

1/2"

- CNC milled EVA foam, robust, easy to clean and attractive looking metal finish
- Thanks to precise finishing, each tool fits perfect
- With additional extra-long sockets for workshops and maintenance
- Robust plastic case with 2 metal locks/hinges, very enduring even in harsh working environments





31-PCS.

Dimensions

10/11/12/13/14/15/16/17/18/19/22/24/27/30/32mm	345×275×80mm
Length 77mm: 10/12/13/14/15/16/17/19/21/22/24mm	5.2kg

SOCKET SET

DETAILS **P.82**

X-582C

1000-027-227

1/4" 5/16" 1/2"

- Robust plastic case with 2 metal locks/hinges, very enduring even in harsh working environments
- Large variety of 1/4", 1/2" and 5/16" tools
- For maintenance and servie, also perfect as addiotional set for your workshop

82-PCS.



Dimensions

1/4"	4/4.5/5/5.5/6/7/8/9/10/11/12/13/14mm	5/16"	8/10/12/14mm
		5/16"	8/10/12mm
1/2"	13/14/15/16/17/18/19/22/24/27/30/32mm	5/16"	PH3/PH4
		5/16"	PZ3/PZ4
	3/4/5/6mm	5/16"	T40/T45/T50/T55
	4/5.5/7mm		
	PH1/PH2		8/10/11/12/13/14/17/19/22mm
	PZ1/PZ2		425×305×90mm
	T8/T10/T15/T20/T25/T30		6.4kg

SOCKET SET

DETAILS P.83

X-111

1000-027-223

1/4" 5/16" 1/2"

- CNC milled EVA foam, robust, easy to clean and attractive looking metal finish
- Thanks to precise finishing, each tool fits perfect
- Robust plastic case with 2 metal locks and 4 hinges, very enduring even in harsh working environments
- Large variety of 1/4", 1/2" and 5/16" tools

111-PCS.



Dimensions

1/4"	4/4.5/5/5.5/6/7/8/9/10/11/12/13/14mm	5/16"	7/8/9/10/12mm
		5/16"	5/7/8/10/12mm
1/2"	10/11/12/13/14/15/16/17/18/19/20/21/22/23/24/27/30/32mm	5/16"	PH1/PH2/PH3/PH4
		5/16"	PZ1/PZ2/PZ3/PZ4
	3/4/5/6/7/8mm	5/16"	T20/T25/T30/T45/T50/T55
	3/4/5/6mm		
	PH0/PH1/PH2		
	PZ0/PZ1/PZ2		425×305×90mm
	T8/T10/T15/T20/T25/T27/T30/T40		6.4kg

SOCKET SET

DETAILS **P.84**

X-165

1000-027-224

1/4" 1/2"

- CNC milled EVA foam, robust, easy to clean and attractive looking metal finish
- Thanks to precise finishing, each tool fits perfect
- Robust plastic case with 2 metal locks and 4 hinges, very enduring even in harsh working environments
- Percect for maintenance, service and your workshop, essential when you're looking for a vast selection of tools

165-PCS.



Dimensions

1/4"	4/4.5/5/5.5/6/7/8/9/10/11/12/13/14mm		5×5.5/6×7/8×9/10×11/12×13/14×15/16×17/18×19mm
1/2"	10/11/12/13/14/15/16/17/18/19/22/24/27/30/32mm		476×388×108mm
			9.9 kg

SOCKET SET

Z-715B

1000-003-396

3/4"

15-PCS.

- The tool set for heavy-duty work, for use where long levers are needed
- Strong tools of the highest quality, long service life guaranteed
- Tools delivered in sturdy metal case



Dimensions

	27/30/32/36/38/41/46/50/55/60 mm
	570×230×110 mm
	14 kg

SOCKET SET

Z-782I

1000-000-911

1/4" 5/16" 1/2"

82-PCS.


- INCH version
- 82 high quality tools
- 2 colored EVA foam insert for perfect organization
- Metal case



Dimensions

1/4"	1/8", 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 15/32", 1/2", 9/16"	5/16"	7/32", 1/4", 5/16", 3/8"
1/2"	9/16", 19/32", 5/8", 21/32", 11/16", 3/4", 25/32", 7/8", 15/16", 1 1/16", 1 3/16", 1 1/4"	5/16"	8/10/12 mm
	1/8", 5/32", 3/16", 1/4"	5/16"	PH3/PH4
	4/5.5/7 mm	5/16"	PZ3/PZ4
	PH1/PH2	5/16"	T40/T45/T50/T55
	PZ1/PZ2		1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8"
	T8/T10/T15/T20/T25/T30		435×280×70 mm
			6.1 kg

BIT SETS



BIT SET

DETAILS P.85

BT-22B

1000-027-238

1/4"

22-PCS.

- With snap-hook
- Color coded bits and magnetic bit holder



Dimensions	
	PH1 / 2×PH2
	PZ1/PZ2/ PZ3
	2×T10/2×T15/2×T20 /4×T25/2×T30/2×T40
	90×53×20mm
	0.16kg

BIT SET

DETAILS P.85

B-25B

1000-027-239

1/4"

25-PCS.

- Bits with 125mm length, essential for kitchen and sunshade mounting
- Robust platic case



Dimensions	
	3.5/4.5/5.5/6.5mm
	PH0/PH1/PH2/PH3
	PZ0/PZ1/PZ2/PZ3
	T5/T6/T7/T8/T9/T10/T15/T20/T25/T27/T30/T40
	215×125×50mm
	1.07kg

BIT SET

DETAILS **P.85/86**

B-31D

1000-027-235

B-31DB

1000-027-234

1/4"

31-PCS.

- Robust box with belt-clip
- Bits in S2-quality
- B-31B: bits with bore





Dimensions

	3/4/5/6 mm
	3/4/5/6 mm
	PH1/PH2 (2×)/PH3
	PZ1/PZ2 (2×) / PZ3
	2× T10 / 2× T15 / 2× T20 / 2× T25 / 2× T27/ 2× T30 / 2× T40
	105×70×45mm
	0.28kg

BIT SET

DETAILS **P.86/87**

BC-32D

1000-027-232

BC-32DB

1000-027-230

1/4"

32-PCS.

- Turnable belt-clip
- Chrome-plated bits, S2-quality, special design for up to 30% more torque
- Color coded bits
- BC-32DB: bits with bore





Dimensions

	3/4/5/6 mm
	3/4/5/6 mm
	PH1/PH2 (2×)/PH3
	PZ1/PZ2 (2×) / PZ3
	2× T10/2× T15/2× T20/2× T25/2× T27/2× T30/2× T40
	105×72×45mm
	0.26kg

BIT SET

DETAILS P.87

BC-38

1000-027-241

1/4"

38-PCS.

- Robust box from our latest generation – exclusive JET Design
- With anti-skid rubber coating
- Perfect 1/4" set for every tool box
- Chrome-plated bits, S2-quality, special design for up to 30% more torque
- Color coded bits



Dimensions	
1/4"	5/6/7/8/9/10/ 11/12/13/14 mm
	3/4/5 mm
	3/4/5 mm
	PH1/PH2/PH3
	PZ1/PZ2/PZ3
	T10/T15/T20/T25/T27/T30/T40
	155×104×59 mm
	0.8 kg

BIT SET

DETAILS P.88


BC-53TC

1000-027-225

1/4"

53-PCS.

- Robust box from our latest generation – exclusive JET Design
- With anti-skid rubber coating
- Chrome-plated bits, S2-quality, special design for up to 30% more torque
- Color coded bits
- Bits 25 and 75 mm



25 mm		75 mm	
	3/4/5/6 mm		3/4/5/6 mm
	3/4/5/6 mm		3/4/5/6 mm
	2×PH1/2×PH2/PH3		PH1/PH2/PH3
	2×PZ1/2×PZ2/PZ3		PZ1/PZ2/PZ3
	T10/T15/2×T20/2×T25/T27/2×T30/2×T40		T10/T15/T20/2×T25/T27/T30/T40
	155×104×59 mm		0.7 kg

BIT SET

Z-760B

1000-027-240

1/4"

60-PCS.

- Large selection of special bits
- Robust plastic case with foam insert



Dimensions	
	215×125×50mm
	0.67kg

BIT SET

DETAILS P.88

BC-71D

1000-027-236

1/4"

71-PCS.

- Bit set with huge selection of bits 25 and 75mm
- Chrome-plated bits, Color coded bits, S2-quality
- Robust plastic box



25mm	
	3×4/3×5/3×6mm
	3×4/3×6mm
	3×PH1/3×PH2/3×PH3
	3×PZ1/3×PZ2/3×PZ3
	3×T10/3×T15/3×T20/3×T25/3×T27/ 3×T30/3×T40

75mm	
	4/6mm
	PH1/PH2/PH3
	PZ1/PZ2
	T20/T25
	155×115×35mm
	0.72kg

BIT SET

DETAILS P.89

BC-86D

1000-027-237

1/4"

86-PCS.


- Color coded bits
- Chrome-plated bits, S2-quality
- Bits 25 and 90 mm
- With extendable ratchet handle



25 mm		90 mm	
	5×4/5×5/5×6 mm		3×PH2
	5×4/5×6 mm		3×PZ2
	5×PH1/5×PH2/5×PH3		T10/T15/3×T20/T25/T30
	5×PZ1/5×PZ2/5×PZ3		210×165×45 mm
	3×T10/3×T15/3×T20/3×T25/3×T27/3×T30/3×T40		1.27 kg



HAND TOOLS



COMBINATION-WRENCH SET

DETAILS P.90

X-518

1000-027-244

18-PCS.

- Supplied in canvas roll-up pouch
- Perfect for your tool box or your maintenance vehicle



Dimensions

5.5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20/21/22 mm

COMBINATION-WRENCH SET

DETAILS P.90

X-504B

1000-027-245

4-PCS.

- Supplied in canvas roll-up pouch
- Perfect for your tool box or your maintenance vehicle



Dimensions

24/27/30/32 mm

RATCHETING COMBINATION-WRENCH SET

DETAILS P.90

Q-6

1000-027-243

6-PCS.

- Supplied in canvas roll-up pouch
- Perfect for your tool box or your maintenance vehicle
- Reversible



Dimensions

8/10/12/13/17/19 mm

TORQUE-WRENCH

1/4" 3/8" 1/2"

- High quality and finish
- Precision: +/-4%, ISO 6789-1:2017
- Reversible
- Supplied in plastic box



TECHNICAL DATA

Model	Z-20B	Z-100B	Z-200B	Z-335B
Art-No. SAP.	1000-022-574	1000-022-575	1000-022-576	1000-022-577
Square drive	1/4"	3/8"	1/2"	1/2"
Torque preselection range	4–20	20–100	40–200	65–335
Division (Nm)	0.05	0.25	0.5	0.75
Length (mm)	285	438	463	523
Weight (kg)	0.54	0.9	1.02	1.16

IMPACT SOCKET SET

X-5

1000-001-315

1/2"

5-PCS.

- CR-MO steel
- Plastic coating
- Color coding



Dimensions	
1/2"	15/17/19/21/22mm
	215×125×40mm
	1.32kg

PRECISION-SCREWDRIVER SET

S-6-PS

1000-027-268

6-PCS.

- High quality screwdriver with turnable cover
- Ergonomic handle
- Supplied in blister packaging



Dimensions	
	1/2/3mm
	PH00/PH0/PH1

SCREWDRIVER SET

DETAILS P.91

S-6-SL-PZ

1000-027-272

6-PCS.

- High quality screwdriver
- Blade made of S2 steel, with parallel grinded black tip



Dimensions	
⊖	2/3/4/5mm
⊕	PZ1/PZ2

SCREWDRIVER SET

DETAILS P.91

S-6-TX

1000-027-273

6-PCS.

- High quality screwdriver
- Blade made of S2 steel



Dimensions	
✱	T10/T15/T20/T25/T30/T40

VDE-SCREWDRIVER SET

DETAILS P.91

S-5-SL-PZ-VDE

1000-027-274

5-PCS.

- High quality screwdriver
- Blade made of S2 steel, with parallel grinded black tip
- Double insulation for electrical applications up to 1'000V AC



Dimensions	
⊖	2.5/4mm
⊕	PZ0/PZ1/PZ2

DIVERS



DIGITAL CALIPER

M-150B

1000-027-202





- Stainless steel, matt chrome, with tips for depth and pitch measurement as well as internal measurements
- Digital measuring display in millimetres or inches
- Measuring system: Linear capacitive
- Data output: RS232
- Supplied in robust case, incl. spare batterie and depth measuring adapter



TECHNICAL DATA

Measuring range	150
Display resolution	0.01
Measuring accuracy	+/- 0.03 to 150
Repeatable accuracy	0.01
Measuring speed	1.5
Display	LED
Operating temperature	5–40
Dimensions (mm)	150
Weight (kg)	0.15

VOLTAGE TESTER

X-830

1000-027-270



- Voltage measurement AC/DC, 12–690V
- LCD for voltage display
- LED display for continuity testing
- Measurement functions: continuity test, voltage test, phase rotation test, single pole voltage indication
- Protection: IP65
- Safety standard: CAT IV 600V
- Batteries: 2×LR03
- Including: batterie, manual

Dimensions	
	275×75×35mm
	0.22kg

COB-LED WORKING LIGHT SET

X-828

1000-027-181

- Essential set for your workshop, service and maintenance work
- Robust, longlife and light-weight construction
- Flexible due to magnets and rotatable fixing hook
- Particularly high luminous efficiency due to extra long COB-LED
- Rechargeable via USB cable
- Useable individually or as a set



TECHNICAL DATA

Brightness (lm)	1'200/600
Battery (mAh)	2'000, Lithium-Ion
Charging time (h)	4–5
Illumination duration (full-/half-light at 100%) (h)	1.5/3
Headlight range (m)	8
Included items	2 working lights, USB/Micro-USB cable, power supply unit
Dimensions (mm)	580×128×75
Weight (kg)	0.8

COB-LED WORK LIGHT

X-829

1000-027-216

- Professional and robust work light – perfect for every car workshop, assembly and service work
- For particularly tight spaces
- Shock-resistant 2-component case
- Base with swivelling magnet with PVC protective layer and additional suspension hook
- Main light steplessly adjustable by dimmer
- LED charge level indicator



TECHNICAL DATA

Brightness (lm)	560
Battery (mAh)	2'600 Lithium-Ion
Charging time (h)	4
Illumination duration (full-/half-light at 100%) (h)	2/10
Headlight range (m)	10
Protection class	IP54
Included items	USB/Micro-USB cable, power supply unit
Dimensions (mm)	385×40×35
Weight (kg)	0.25

AUTOMATIC STRIPPING / CRIMPING TOOL

X-198

1000-027-269

- For easy stripping of cable diameters from 0.2 to 6 mm²
- Stripping length adjustable by micrometer adjusting screw
- For pressing of insulated and non-insulated cable lugs
- Egonomic 2-component handles for maximum power transmission
- Incl. 197 insulated cable lugs



Dimensions	
	215 × 120 × 35 mm
	0.6 kg

PLIER SET

DETAILS **P.91**

X-4

1000-027-246

- Ergonomic 2-component handles
- Pliers hardened and ground
- Content:
  - Diagonal plier, 160 mm
  - Long nose plier, 180 mm
  - Combination plier, 200 mm
  - Water-pump plier, 250 mm

4-PCS.



Dimensions	
	290 × 40 × 310 mm
	1.3 kg

SAFETY GLASSES

X-827

1000-027-170

- Ergonomic glasses in a modern design
- Lightweight and perfect fit ensure maximum wearing comfort
- Scratch-resistant and fog-free
- Pursuant to DIN 338



Dimensions	
	215×120×35mm
	0.02kg

DRILL BIT SET HSS

D-19RW

1000-001-342

19-PCS.

- Pursuant to DIN 338
- Roll forged
- Type N
- Right-hand cutting
- ø 1.0 – 10.0mm, 0.5mm increasing



Dimensions	
	170×115×40mm
	0.5kg

DRILL BIT SET HSS-G

D-19GS

1000-001-344

19-PCS.

- Pursuant to DIN 338
- Polished
- Type N
- Right-hand cutting
- ø 1.0 – 10.0mm, 0.5mm increasing



Dimensions	
	170×115×40mm
	0.56kg

DRILL BIT SET HSS-CO

D-19CO

1000-001-346

19-PCS.

- Pursuant to DIN 338
- Polished
- Cobalt M35
- Type N
- Right-hand cutting
- ø 1.0 - 10.0 mm, 0.5 mm increasing



Dimensions	
	170 × 115 × 40 mm
	0.56 kg

DRILL BIT SET HSS-G

D-25GS

1000-001-345

25-PCS.

- Pursuant to DIN 338
- Polished
- Type N
- Right-hand cutting
- ø 1.0 - 13.0 mm, 0.5 mm increasing



Dimensions	
	198 × 115 × 55 mm
	1.16 kg

STEP DRILL SET HSS-TiN

D-3

1000-001-476

3-PCS.

- ø 4 – 12/4 – 20/6 – 30 mm, 2.0 mm increasing
- Shank with 3-phase grinding
- Titanium nitride-coated high-speed steel



Dimensions	
	145 × 100 × 40 mm
	0.36 kg

COUNTERSINK BIT SET HSS-G, 90°

D-6

1000-001-347

6-PCS.

- Triple cutter, 90°
- Cylindrical shank
- Shank with 3-phase grinding
- Polished
- ø 6.3/8.3/10.4/12.4/16.5/20.5 mm



Dimensions	
	145×100×40 mm
	0.36 kg

TAP & DRILL BIT SET HSS

D-15

1000-001-477

15-PCS.

- M3 – M12
- Consists of tap drill and matching twist drill
- M3 (2.5), M4 (3.3), M5 (4.2), M6 (5.0), M8 (6.8), M10 (8.5), M12 (10.2)
- Including tap wrench



Dimensions	
	170×115×40 mm
	0.52 kg

TUBE & SHEET DRILL BIT SET HSS-TiN

D-3TT

1000-001-627

3-PCS.

- ø 3 – 14/8 – 20/16 – 30.5 mm
- Shank with 3-phase grinding
- Titanium nitride-coated high-speed steel



Dimensions	
	198×115×55 mm
	1.16 kg

AIR TOOLS



IMPACT WRENCH

JAT-107-EU

1000-004-046

1/2"

- Compact design, suitable for hard-to-reach and confined workspaces
- Robust aluminium construction for maximum service life
- Patented twin hammer impact mechanism improves durability while delivering balanced power
- As long as stock lasts





Reversible



Ergonomically designed grip

TECHNICAL DATA

Square drive (inch)	1/2"
Bolt capacity max.	M12
Anvil retainer type	ring
Reversible	yes
Max. break away torque (Nm)	678
Working torque (Nm)	34 - 407
Idle speed (rpm)	10'000
Beats per minute	1'573 right, 1'653 left
Air consumption (l/min)	142
Air intake (NPT/inch)	1/4"
Air intake (NPT/inch)	3/8"
Vibration value (m/s^2)	4.9
Noise level (dB(A))	87
Dimensions (mm)	109
Weight (kg)	1.52

IMPACT WRENCH

JAT-121-EU

1000-003-426

1/2"

- Composite housing improves balance and reduces weight
- Patented twin hammer impact mechanism improves durability while delivering balanced power
- Impact wrenches of the latest generation
- Engineered for vvertime, these tool features superior strength and durability
- Composite housing
- As long as stock lasts



Four position speed selection and full reverse power



Patented, one-hand forward/reverse switch design



TECHNICAL DATA

Square drive (inch)	1/2"
Bolt capacity max.	M22
Anvil retainer type	ring
Reversible	yes
Max. break away torque (Nm)	1'017
Working torque (Nm)	68 – 746
Idle speed (rpm)	8'500
Beats per minute	1'200
Air consumption (l/min)	190
Air intake (NPT/inch)	1/2"
Air intake (NPT/inch)	3/8"
Vibration value (m/s^2)	10.6
Noise level (dB(A))	107
Dimensions (mm)	183
Weight (kg)	1.85

IMPACT WRENCH SET

JAT-121-KIT-EU

1000-004-044

1/2"

6-PCS.

- Composite housing improves balance and reduces weight
- Patented twin hammer impact mechanism improves durability while delivering balanced power
- Impact wrenches of the latest generation
- Engineered for overtime, these tool features superior strength and durability
- With socket 1/2" CR-MO, color coding, 15/17/19/21/22 mm + adapter S1/2" × M3/8" sockets with plastic coating prevent scratching of the wheel rims
- Composite housing
- As long as stock lasts



Four position speed selection and full reverse power



Patented, one-hand forward/reverse switch design



TECHNICAL DATA

Square drive (inch)	1/2"
Bolt capacity max.	M22
Anvil retainer type	ring
Reversible	yes
Max. break away torque (Nm)	1'017
Working torque (Nm)	68 – 746
Idle speed (rpm)	8'500
Beats per minute	1'200
Air consumption (l/min)	190
Air intake (NPT/inch)	1/4"
Air intake (NPT/inch)	3/8"
Vibration value (m/s^2)	10.6
Noise level (dB(A))	107
Dimensions (mm)	183
Weight (kg)	1.85

IMPACT RATCHET

JAT-323-EU

1000-003-429

1/2"

- Revolutionary impact ratchet technology results in less recoil and more torque with less twisting force
- Engineered for overtime, these tool features superior strength and durability
- Composite housing
- As long as stock lasts





Ergonomically designed grip



Patented, sealed head prevents dirt from entering ratchet mechanism extending tool life

TECHNICAL DATA

Square drive (inch)	1/2"
Bolt capacity max.	M14
Anvil retainer type	ball
Max. break away torque (Nm)	136
Working torque (Nm)	34 – 95
Idle speed (rpm)	600
Air consumption (l/min)	113
Air intake (NPT/inch)	1/4"
Air intake (NPT/inch)	3/8"
Vibration value (m/s^2)	18.28
Noise level (dB(A))	106
Dimensions (mm)	291
Weight (kg)	1.8


DIE GRINDER

JAT-404-EU

1000-003-432

- Lightweight aluminum construction
- Ergonomically designed grip absorbs vibration and reduces hand fatigue
- Robust ball bearing design
- Variable-speed throttle with safety lock
- Engineered for overtime, these tool features superior strength and durability
- Composite housing
- As long as stock lasts





Ergonomically designed grip

TECHNICAL DATA

Collet size (mm)	6
Power (W)	369
Idle speed (rpm)	22'000
Air consumption (l/min)	99
Air intake (NPT/inch)	1/4"
Air intake (NPT/inch)	3/8"
Vibration value (m/s²)	2
Noise level (dB(A))	96
Dimensions (mm)	187.3
Weight (kg)	0.7

REVERSIBLE AIR DRILL

JAT-611-EU

1000-003-427

- Lightweight aluminum construction
- Ergonomically designed grip absorbs vibration and reduces hand fatigue
- Variable-speed trigger for precise speed control
- Robust ball bearing design for durability
- Industrial Jacobs keyed chuck transfers torque when needed
- As long as stock lasts





Easy-to-reach, top-mounted forward/reverse switch

TECHNICAL DATA

Spindle thread (inch/TPI)	3/8"–24
Reversible	yes
Chuck size (mm)	13
Power (W)	368
Idle speed (rpm)	800
Air consumption (l/min)	113
Air intake (NPT/inch)	1/4"
Air intake (NPT/inch)	3/8"
Vibration value (m/s^2)	0.2
Noise level (dB(A))	91
Dimensions (mm)	184
Weight (kg)	1.68


PALM SANDER

JAT-731-EU

1000-003-428

- Random orbital sander with a balanced sanding pad for swirl-free finishes
- Composite housing improves balance and reduces weight
- Ergonomically designed grip absorbs vibration and reduces hand fatigue
- Silencer, for quiet operating
- Designed for the most demanding jobs; extremely long service life
- As long as stock lasts





Balanced sanding pad



Ergonomically designed grip

TECHNICAL DATA

Spindle thread (inch/TPI)	5/16–24
Vacuum type	without vacuum
Oscillating circuit (mm)	5
Pad size (mm)	150
Power (W)	184
Idle speed (rpm)	12'000
Air consumption (l/min)	85
Air intake (NPT/inch)	1/4"
Air intake (NPT/inch)	3/8"
Vibration value (m/s^2)	5.2
Noise level (dB(A))	76
Dimensions (mm)	146
Weight (kg)	0.83

NEEDLE SCALER

JAT-801-EU

1000-003-431

- Heavy-duty, heat-treated barrels and pistons for reliability and durability
- Ball lock retainer permits quick tool change
- Including 1 needle set
- Silencer, for quiet operating
- Designed for the most demanding jobs; extremely long service life
- As long as stock lasts



TECHNICAL DATA

Stroke length (mm)	28.6
Number of needles	19
Needle size (mm)	3
Beats per minute	4'000
Air consumption (l/min)	85
Air intake (NPT/inch)	1/4"
Air intake (NPT/inch)	3/8"
Vibration value (m/s²)	14.5
Noise level (dB(A))	101
Dimensions (mm)	415
Weight (kg)	0.83



AIR HAMMER

JAT-901-EU


1000-003-430

- Medium barrel length features a round shank design
- Pistol grip with variable-speed trigger for precise impact control on gradual starts and stops
- Designed for the most demanding jobs; extremely long service life
- As long as stock lasts





Standard spring retainer permits quick changing of tools




Includes 4 piece chisel set

TECHNICAL DATA

Stroke length (mm)	66.7
Beats per minute	3'200
Bore size (inch)	3/4"
Shank size (mm)	10
Air consumption (l/min)	85
Air intake (NPT/inch)	1/4"
Air intake (NPT/inch)	3/8"
Vibration value (m/s^2)	8
Noise level (dB(A))	108
Dimensions (mm)	171.5
Weight (kg)	1.91

SPARE PARTS



TOOLS

SPARE PARTS 1/4"

Ratchet



- Chrome vanadium steel
- With locking system
- Reversible
- 2-component handle
- 72 teeth

1000-027-857	XB-21900109	Length: 160 mm

Handle



- Chrome vanadium steel
- 2-component handle

1000-027-858	XB-21900110	Length: 152 mm

Sliding bar



- Chrome vanadium steel
- Square

1000-027-860	XB-21900112	Length: 114 mm

Extension, flexible



- Chrome vanadium steel
- Square M / square F

1000-027-859	XB-21900111	Length: 143 mm

Extension



- Chrome vanadium steel
- Square M / square F

1000-027-603	XB-21900113	Length: 100 mm
1000-027-861	XB-21900114	Length: 50 mm

Cardan joint



- Chrome vanadium steel
- Square M / square F

1000-027-862	XB-21900115	Length: 43 mm

Adapter



- Chrome vanadium steel
- 1/4" hex M × 1/4" square M

1000-027-917	XB-21900172	Length: 25 mm

Adapter



- Chrome vanadium steel
- 1/4" square F × 1/4" hex F

1000-027-919	XB-21900174	Length: 25 mm

Adapter



- Chrome vanadium steel
- 1/4" square F × 3/8" square M

1000-027-918	XB-21900173	Length: 25 mm

Adapter



- Chrome vanadium steel
- 1/4" hex M × 1/2" square F

1000-027-920	XB-21900175	Length: 25 mm

Sockets



- Chrome vanadium steel
- With knurling

1000-027-863	XB-21900116	4.0 mm	Length: 25 mm
1000-027-864	XB-21900117	4.5 mm	
1000-027-865	XB-21900118	5.0 mm	
1000-027-866	XB-21900119	5.5 mm	
1000-027-867	XB-21900120	6.0 mm	
1000-027-868	XB-21900121	7.0 mm	
1000-027-869	XB-21900122	8.0 mm	
1000-027-870	XB-21900123	9.0 mm	
1000-027-871	XB-21900124	10.0 mm	
1000-027-615	XB-21900125	11.0 mm	
1000-027-872	XB-21900126	12.0 mm	
1000-027-873	XB-21900127	13.0 mm	
1000-027-874	XB-21900128	14.0 mm	


Sockets



- Chrome vanadium steel
- With knurling

1000-027-875	XB-21900129	4.0mm	Length: 50mm
1000-027-876	XB-21900130	5.0mm	
1000-027-877	XB-21900131	6.0mm	
1000-027-878	XB-21900132	7.0mm	
1000-027-879	XB-21900133	8.0mm	
1000-027-880	XB-21900134	9.0mm	
1000-027-881	XB-21900135	10.0mm	
1000-027-882	XB-21900136	11.0mm	
1000-027-883	XB-21900137	12.0mm	

Sockets, Torx



- Chrome vanadium steel
- With knurling

1000-027-913	XB-21900168	E4	Length: 25mm
1000-027-914	XB-21900169	E5	
1000-027-915	XB-21900170	E6	
1000-027-916	XB-21900171	E7	

Sockets, Hex



- Chrome vanadium steel
- With knurling

1000-027-892	XB-21900147	3mm	Length: 38mm
1000-027-893	XB-21900148	4mm	
1000-027-894	XB-21900149	5mm	
1000-027-895	XB-21900150	6mm	
1000-027-896	XB-21900151	7mm	
1000-027-897	XB-21900152	8mm	

Sockets, Torx



- Chrome vanadium steel
- With knurling

1000-027-884	XB-21900138	T8	Length: 38mm
1000-027-885	XB-21900139	T10	
1000-027-886	XB-21900140	T15	
1000-027-887	XB-21900141	T20	
1000-027-888	XB-21900142	T25	
1000-027-889	XB-21900143	T27	
1000-027-890	XB-21900144	T30	
1000-027-891	XB-21900145	T40	
1000-027-636	XB-21900146	T45	

Sockets, Pozidriv



- Chrome vanadium steel
- With knurling

1000-027-898	XB-21900153	PZ0	Length: 38mm
1000-027-899	XB-21900154	PZ1	
1000-027-900	XB-21900155	PZ2	
1000-027-901	XB-21900156	PZ3	

Sockets, Phillips



- Chrome vanadium steel
- With knurling

1000-027-902	XB-21900157	PH0	Length: 38mm
1000-027-903	XB-21900158	PH1	
1000-027-904	XB-21900159	PH2	
1000-027-905	XB-21900160	PH3	

Sockets, Slotted



- Chrome vanadium steel
- With knurling

1000-027-906	XB-21900161	3.0mm	Length: 38mm
1000-027-907	XB-21900162	4.0mm	
1000-027-908	XB-21900163	4.5mm	
1000-027-909	XB-21900164	5.0mm	
1000-027-910	XB-21900165	5.5mm	
1000-027-911	XB-21900166	6.0mm	
1000-027-912	XB-21900167	7.0mm	

TOOLS

SPARE PARTS 3/8"

Ratchet



- Chrome vanadium steel
- With locking system
- Reversible
- 2-component handle
- 72 teeth

1000-027-813	XB-21900036	Length: 210 mm

Sliding



- Chrome vanadium steel
- Square

1000-027-814	XB-21900037	Length: 165 mm

Extension



- Chrome vanadium steel
- Square

1000-027-816	XB-21900039	Length: 250 mm
1000-027-815	XB-21900038	Length: 75 mm

Cardan joint



- Chrome vanadium steel
- Square M / square F

1000-027-819	XB-21900042	Length: 57 mm

Adapter



- Chrome vanadium steel
- 3/8" square F × 1/4" square M

1000-027-818	XB-21900041	Length: 25 mm

Sockets



- Chrome vanadium steel
- With knurling

1000-027-820	XB-21900043	5.5 mm	Length: 28 mm
1000-027-821	XB-21900044	6.0 mm	
1000-027-822	XB-21900045	7.0 mm	
1000-027-823	XB-21900046	8.0 mm	
1000-027-824	XB-21900047	9.0 mm	
1000-027-825	XB-21900048	10.0 mm	
1000-027-826	XB-21900049	11.0 mm	
1000-027-827	XB-21900050	12.0 mm	
1000-027-541	XB-21900051	13.0 mm	
1000-027-542	XB-21900052	14.0 mm	
1000-027-828	XB-21900053	15.0 mm	
1000-027-829	XB-21900054	16.0 mm	
1000-027-830	XB-21900055	17.0 mm	Length: 30 mm
1000-027-831	XB-21900056	18.0 mm	
1000-027-832	XB-21900057	19.0 mm	
1000-027-833	XB-21900058	20.0 mm	
1000-027-834	XB-21900059	21.0 mm	
1000-027-550	XB-21900060	22.0 mm	Length: 32 mm
1000-027-835	XB-21900061	24.0 mm	

Sockets



- Chrome vanadium steel
- With knurling

1000-027-836	XB-21900062	8.0 mm	Length: 63 mm
1000-027-837	XB-21900063	9.0 mm	
1000-027-838	XB-21900064	10.0 mm	
1000-027-839	XB-21900065	11.0 mm	
1000-027-840	XB-21900066	12.0 mm	
1000-027-841	XB-21900067	13.0 mm	
1000-027-842	XB-21900068	14.0 mm	
1000-027-843	XB-21900069	15.0 mm	
1000-027-844	XB-21900070	17.0 mm	
1000-027-845	XB-21900071	19.0 mm	

Spark plug sockets



- Chrome vanadium steel
- With knurling and rubber insert

1000-027-852	XB-21900098	16.0 mm	Length: 64 mm
1000-027-853	XB-21900099	21.0 mm	

Sockets, Torx



- Chrome vanadium steel
- With knurling

1000-027-590	XB-21900100	E8	Length: 28 mm
1000-027-591	XB-21900101	E10	
1000-027-592	XB-21900102	E11	
1000-027-593	XB-21900103	E12	
1000-027-854	XB-21900104	E14	
1000-027-855	XB-21900105	E16	
1000-027-856	XB-21900106	E18	

Sockets, Hex



- Chrome vanadium steel
- With knurling

1000-027-846	XB-21900072	3 mm	Length: 48 mm
1000-027-847	XB-21900073	4 mm	
1000-027-848	XB-21900074	5 mm	
1000-027-849	XB-21900075	6 mm	
1000-027-566	XB-21900076	7 mm	
1000-027-567	XB-21900077	8 mm	
1000-027-850	XB-21900078	10 mm	

Sockets, Torx



- Chrome vanadium steel
- With knurling

1000-027-578	XB-21900088	T8	Length: 48mm
1000-027-579	XB-21900089	T10	
1000-027-580	XB-21900090	T15	
1000-027-581	XB-21900091	T20	
1000-027-582	XB-21900092	T25	
1000-027-583	XB-21900093	T27	
1000-027-584	XB-21900094	T30	
1000-027-585	XB-21900095	T40	
1000-027-586	XB-21900096	T45	
1000-027-587	XB-21900097	T50	

Sockets, Pozidriv



- Chrome vanadium steel
- With knurling

1000-027-572	XB-21900082	PZ1	Length: 48mm
1000-027-573	XB-21900083	PZ2	
1000-027-574	XB-21900084	PZ3	

Sockets, Phillips



- Chrome vanadium steel
- With knurling

1000-027-575	XB-21900085	PH1	Length: 48mm
1000-027-576	XB-21900086	PH2	
1000-027-577	XB-21900087	PH3	

Sockets, Slotted



- Chrome vanadium steel
- With knurling

1000-027-851	XB-21900079	5.5mm	Length: 48mm
1000-027-570	XB-21900080	7mm	
1000-027-571	XB-21900081	8mm	



TOOLS

SPARE PARTS 1/2"

Ratchet



- Chrome vanadium steel
- With locking system
- Reversible
- 2-component handle
- 72 teeth

1000-027-777	XB-21900000	Length: 265 mm

Sliding



- Chrome vanadium steel
- Square

1000-027-778	XB-21900001	Length: 250 mm

Sliding



- Chrome vanadium steel
- Square

1000-027-779	XB-21900002	Length: 125 mm

Extension



- Chrome vanadium steel
- Pivoting 4-edge head
- Handle with knurling

1000-027-667	XB-21900177	Length: 455 mm

Cardan joint



- Chrome vanadium steel
- Square M / square F

1000-027-780	XB-21900003	Length: 78 mm

Adapter



- Chrome vanadium steel
- Square M / 3/8" square F

1000-027-781	XB-21900004	Length: 78 mm

Adapter



- Chrome vanadium steel
- Square M / 5/16" hex F

1000-027-782	XB-21900005	Length: 78 mm

Sockets



- Chrome vanadium steel
- With knurling

1000-027-795	XB-21900018	10 mm	Length: 38 mm
1000-027-796	XB-21900019	11 mm	
1000-027-797	XB-21900020	12 mm	
1000-027-798	XB-21900021	13 mm	
1000-027-799	XB-21900022	14 mm	
1000-027-800	XB-21900023	15 mm	
1000-027-801	XB-21900024	16 mm	
1000-027-802	XB-21900025	17 mm	
1000-027-803	XB-21900026	18 mm	
1000-027-804	XB-21900027	19 mm	
1000-027-805	XB-21900028	20 mm	
1000-027-806	XB-21900029	21 mm	
1000-027-807	XB-21900030	22 mm	
1000-027-808	XB-21900031	23 mm	Length: 40 mm
1000-027-809	XB-21900032	24 mm	
1000-027-810	XB-21900033	27 mm	Length: 42 mm
1000-027-811	XB-21900034	30 mm	Length: 45 mm
1000-027-812	XB-21900035	32 mm	

Sockets



- Chrome vanadium steel
- With knurling

1000-027-783	XB-21900006	10 mm	Length: 78 mm
1000-027-784	XB-21900007	12 mm	
1000-027-785	XB-21900008	13 mm	
1000-027-786	XB-21900009	14 mm	
1000-027-787	XB-21900010	15 mm	
1000-027-788	XB-21900011	17 mm	
1000-027-789	XB-21900012	19 mm	
1000-027-790	XB-21900013	21 mm	
1000-027-791	XB-21900014	22 mm	
1000-027-792	XB-21900015	24 mm	

Spark plug sockets



- Chrome vanadium steel
- With knurling and rubber insert

1000-027-793	XB-21900016	16.0 mm	Length: 64 mm
1000-027-794	XB-21900017	21.0 mm	

TOOLS

SPARE PARTS GENERAL

Combination-wrench



- Chrome vanadium steel
- Forged
- Matt

1000-027-922	XB-21900178	5.5 mm	Length: 100 mm
1000-027-923	XB-21900179	6 mm	Length: 100 mm
1000-027-924	XB-21900180	7 mm	Length: 110 mm
1000-027-925	XB-21900181	8 mm	Length: 120 mm
1000-027-926	XB-21900182	9 mm	Length: 130 mm
1000-027-673	XB-21900183	10 mm	Length: 140 mm
1000-027-927	XB-21900184	11 mm	Length: 150 mm
1000-027-928	XB-21900185	12 mm	Length: 160 mm
1000-027-929	XB-21900186	13 mm	Length: 170 mm
1000-027-930	XB-21900187	14 mm	Length: 180 mm
1000-027-931	XB-21900188	15 mm	Length: 190 mm
1000-027-932	XB-21900189	16 mm	Length: 200 mm
1000-027-933	XB-21900190	17 mm	Length: 210 mm
1000-027-681	XB-21900191	18 mm	Length: 220 mm
1000-027-934	XB-21900192	19 mm	Length: 230 mm
1000-027-935	XB-21900193	20 mm	Length: 240 mm
1000-027-936	XB-21900194	21 mm	Length: 250 mm
1000-027-937	XB-21900195	22 mm	Length: 260 mm
1000-027-938	XB-21900196	24 mm	Length: 285 mm
1000-027-939	XB-21900197	27 mm	Length: 330 mm
1000-027-940	XB-21900198	30 mm	Length: 385 mm
1000-027-941	XB-21900199	32 mm	Length: 400 mm

Double open end wrench



- Chrome vanadium steel
- Forged
- Matt

1000-027-942	XB-21900200	5 × 5.5 mm	Length: 110 mm
1000-027-943	XB-21900201	6 × 7 mm	Length: 110 mm
1000-027-692	XB-21900202	8 × 9 mm	Length: 125 mm
1000-027-944	XB-21900203	10 × 11 mm	Length: 140 mm
1000-027-694	XB-21900204	12 × 13 mm	Length: 155 mm
1000-027-695	XB-21900205	14 × 15 mm	Length: 170 mm
1000-027-945	XB-21900206	16 × 17 mm	Length: 180 mm
1000-027-946	XB-21900207	18 × 19 mm	Length: 190 mm
1000-027-947	XB-21900208	20 × 22 mm	Length: 210 mm
1000-027-948	XB-21900209	21 × 23 mm	Length: 225 mm

Ratcheting Combination-wrench



- Chrome vanadium steel
- Forged
- Matt
- 5° cranked
- Reversible

1000-027-949	XB-21900210	8 mm	Length: 140 mm
1000-027-950	XB-21900211	10 mm	Length: 160 mm
1000-027-951	XB-21900212	12 mm	Length: 170 mm
1000-027-703	XB-21900213	13 mm	Length: 175 mm
1000-027-952	XB-21900214	17 mm	Length: 225 mm
1000-027-953	XB-21900215	19 mm	Length: 245 mm

Screwdriver, Pozidriv



- Ergonomic 2-component handle
- Blade made of S2 steel

1000-027-954	XB-21900216	PZ1	Length: 185 mm
1000-027-955	XB-21900217	PZ2	Length: 220 mm

Screwdriver, Phillips



- Ergonomic 2-component handle
- Blade made of S2 steel

1000-027-956	XB-21900218	PH1	Length: 185 mm
1000-027-957	XB-21900219	PH2	Length: 220 mm

Screwdriver, Slotted



- Ergonomic 2-component handle
- Blade made of S2 steel

1000-027-960	XB-21900224	2 mm	Length: 175 mm
1000-027-959	XB-21900223	3 mm	Length: 175 mm
1000-027-712	XB-21900222	4 mm	Length: 210 mm
1000-027-711	XB-21900221	5 mm	Length: 210 mm
1000-027-958	XB-21900220	6 mm	Length: 245 mm

Screwdriver, Torx



- Ergonomic 2-component handle
- Blade made of S2 steel

1000-027-966	XB-21900230	T10	Length: 175 mm
1000-027-965	XB-21900229	T15	Length: 175 mm
1000-027-964	XB-21900228	T20	Length: 210 mm
1000-027-963	XB-21900227	T25	Length: 210 mm
1000-027-962	XB-21900226	T30	Length: 245 mm
1000-027-961	XB-21900225	T40	Length: 245 mm

Screwdriver/bit holder



- Ergonomic 2-component handle
- Blade made of S2 steel
- Magnetic 1/4" bit holder

1000-027-967	XB-21900231	Length: 210 mm

TOOLS

SPARE PARTS GENERAL

Hex key set



- Chrome vanadium steel
- Matt
- With ball head
- 9-pcs.

1000-027-976	XB-21900240	Dimensions: 1.5/2/2.5/3/4/5/6/8/10mm

Hex key set, Torx



- Chrome vanadium steel
- Matt
- 9-pcs.

1000-027-977	XB-21900241	Dimensions: T10/T15/T20/T25/T27/T30/T40/T45/T50

Bits



- Chrome vanadium steel
- Matt
- 10 pcs. in blister pack
- 1/4" drive

1000-028-023	XB-21900287	PZ0	Length: 25mm
1000-028-246	XB-21900288	PZ1	
1000-028-247	XB-21900289	PZ2	
1000-028-248	XB-21900290	PZ3	

Bits



- Chrome vanadium steel
- Matt
- 10 pcs. in blister pack
- 1/4" drive

1000-028-343	XB-21900385	PZ0	Length: 125mm
1000-028-344	XB-21900386	PZ1	
1000-028-345	XB-21900387	PZ2	
1000-028-346	XB-21900388	PZ3	

Bits, with color code



- Chrome vanadium steel
- Chrome plated
- 10 pcs. in blister pack
- 1/4" drive

1000-028-274	XB-21900316	PZ0	Length: 25mm
1000-028-275	XB-21900317	PZ1	
1000-028-276	XB-21900318	PZ2	
1000-028-277	XB-21900319	PZ3	

Bits, with color code



- Chrome vanadium steel
- Chrome plated
- 10 pcs. in blister pack
- 1/4" drive

1000-028-336	XB-21900378	PZ1	Length: 75mm
1000-028-337	XB-21900379	PZ2	
1000-028-338	XB-21900380	PZ3	

Bits



- Chrome vanadium steel
- Matt
- 10 pcs. in blister pack
- 1/4" drive

1000-028-249	XB-21900291	PH0	Length: 25mm
1000-028-250	XB-21900292	PH1	
1000-028-251	XB-21900293	PH2	
1000-028-252	XB-21900294	PH3	

Bits



- Chrome vanadium steel
- Matt
- 10 pcs. in blister pack
- 1/4" drive

1000-028-339	XB-21900381	PH0	Length: 125mm
1000-028-340	XB-21900382	PH1	
1000-028-341	XB-21900383	PH2	
1000-028-342	XB-21900384	PH3	

Bits, with color code



- Chrome vanadium steel
- Chrome plated
- 10 pcs. in blister pack
- 1/4" drive

1000-028-278	XB-21900320	PH0	Length: 25mm
1000-028-279	XB-21900321	PH1	
1000-028-280	XB-21900322	PH2	
1000-028-281	XB-21900323	PH3	

Bits, with color code



- Chrome vanadium steel
- Chrome plated
- 10 pcs. in blister pack
- 1/4" drive

1000-028-333	XB-21900375	PH1	Length: 75mm
1000-028-334	XB-21900376	PH2	
1000-028-335	XB-21900377	PH3	

Bits, Slotted



- Chrome vanadium steel
- Matt
- 10 pcs. in blister pack
- 1/4" drive

1000-028-253	XB-21900295	3.0mm	Length: 25mm
1000-028-254	XB-21900296	4.0mm	
1000-028-255	XB-21900297	4.5mm	
1000-028-256	XB-21900298	5.0mm	
1000-028-257	XB-21900299	5.5mm	
1000-028-258	XB-21900300	6.0mm	
1000-028-259	XB-21900301	6.5mm	

Bits, Slotted, with color code



- Chrome vanadium steel
- Chrome plated
- 10 pcs. in blister pack
- 1/4" drive

1000-028-282	XB-21900324	3.0mm	Length: 25mm
1000-028-283	XB-21900325	3.5mm	
1000-028-284	XB-21900326	4.0mm	
1000-028-285	XB-21900327	4.5mm	
1000-028-286	XB-21900328	5.0mm	
1000-028-287	XB-21900329	5.5mm	
1000-028-288	XB-21900330	6.0mm	
1000-028-289	XB-21900331	6.5mm	

Bits, Hex



- Chrome vanadium steel
- Matt
- 10 pcs. in blister pack
- 1/4" drive

1000-028-260	XB-21900302	2.0mm	Length: 25mm
1000-028-261	XB-21900303	2.5mm	
1000-028-262	XB-21900304	3.0mm	
1000-028-263	XB-21900305	4.0mm	
1000-028-264	XB-21900306	5.0mm	
1000-028-265	XB-21900307	6.0mm	
1000-028-266	XB-21900308	7.0mm	

Bits, Hex, with color code



- Chrome vanadium steel
- Chrome plated
- 10 pcs. in blister pack
- 1/4" drive

1000-028-290	XB-21900332	2.0mm	Length: 25mm
1000-028-291	XB-21900333	2.5mm	
1000-028-292	XB-21900334	3.0mm	
1000-028-293	XB-21900335	4.0mm	
1000-028-294	XB-21900336	5.0mm	
1000-028-295	XB-21900337	6.0mm	
1000-028-296	XB-21900338	8.0mm	

Bits, Torx



- Chrome vanadium steel
- Matt
- 10 pcs. in blister pack
- 1/4" drive
- Torx without hole

1000-028-267	XB-21900309	T10	Length: 25mm
1000-028-268	XB-21900310	T15	
1000-028-269	XB-21900311	T20	
1000-028-270	XB-21900312	T25	
1000-028-271	XB-21900313	T27	
1000-028-272	XB-21900314	T30	
1000-028-273	XB-21900315	T40	

Bits, Torx

- Chrome vanadium steel
- Matt
- 10 pcs. in blister pack
- 1/4" drive
- Torx without hole

1000-028-347	XB-21900389	T10	Length: 125mm
1000-028-348	XB-21900390	T15	
1000-028-349	XB-21900391	T20	
1000-028-350	XB-21900392	T25	
1000-028-351	XB-21900393	T27	
1000-028-352	XB-21900394	T30	
1000-028-353	XB-21900395	T40	

Bits, Torx, with bore



- Chrome vanadium steel
- Matt
- 10 pcs. in blister pack
- 1/4" drive

1000-028-308	XB-21900350	T10	Length: 25mm
1000-028-309	XB-21900351	T15	
1000-028-310	XB-21900352	T20	
1000-028-311	XB-21900353	T25	
1000-028-312	XB-21900354	T27	
1000-028-313	XB-21900355	T30	
1000-028-314	XB-21900356	T40	

TOOLS

SPARE PARTS GENERAL

Bits, Torx, without hole, with color code



- Chrome vanadium steel
- Chrome plated
- 10 pcs. in blister pack
- 1/4" drive

1000-028-297	XB-21900339	T6	Length: 25 mm
1000-028-298	XB-21900340	T7	
1000-028-299	XB-21900341	T8	
1000-028-300	XB-21900342	T9	
1000-028-301	XB-21900343	T10	
1000-028-302	XB-21900344	T15	
1000-028-303	XB-21900345	T20	
1000-028-304	XB-21900346	T25	
1000-028-305	XB-21900347	T27	
1000-028-306	XB-21900348	T30	
1000-028-307	XB-21900349	T40	

Bits, Torx, without hole, with color code



- Chrome vanadium steel
- Chrome plated
- 10 pcs. in blister pack
- 1/4" drive

1000-028-322	XB-21900364	T6	Length: 75 mm
1000-028-323	XB-21900365	T7	
1000-028-324	XB-21900366	T8	
1000-028-325	XB-21900367	T9	
1000-028-326	XB-21900368	T10	
1000-028-327	XB-21900369	T15	
1000-028-328	XB-21900370	T20	
1000-028-329	XB-21900371	T25	
1000-028-330	XB-21900372	T27	
1000-028-331	XB-21900373	T30	
1000-028-332	XB-21900374	T40	


Bits, Torx, with hole and color code



- Chrome vanadium steel
- Chrome plated
- 10 pcs. in blister pack
- 1/4" drive

1000-028-315	XB-21900357	T10	Length: 25 mm
1000-028-316	XB-21900358	T15	
1000-028-317	XB-21900359	T20	
1000-028-318	XB-21900360	T25	
1000-028-319	XB-21900361	T27	
1000-028-320	XB-21900362	T30	
1000-028-321	XB-21900363	T40	

Magnetic bit holder, 1/4"



- With ejection mechanism and automatic locking

1000-028-354	XB-21900396	Length: 67 mm

Magnetic bit holder, 1/4"



- Automatic lock

1000-028-355	XB-21900397	Length: 60 mm

Magnetic bit holder, 1/4"



- Automatic lock, slim design

1000-028-356	XB-21900398	Length: 60 mm

Water-pump plier



- Chrome vanadium steel
- Ergonomic 2-component handles
- Jaws polished
- 7-fold adjustable

1000-027-978	XB-21900242	Length: 255 mm

Long nose plier



- Chrome vanadium steel
- Ergonomic 2-component handles
- Head polished

1000-027-979	XB-21900243	Length: 205 mm

Long nose plier, curved



- Chrom-Vanadium Stahl
- Ergonomic 2-component handles
- Head polished

1000-027-980	XB-21900244	Length: 205 mm

Universal plier



- Chrome vanadium steel
- Ergonomic 2-component handles
- Head polished

1000-027-981	XB-21900245	Length: 185 mm

Diagonal cutting plier



- Chrome vanadium steel
- Ergonomic 2-component handles
- Head polished

1000-027-982	XB-21900246	Length: 165 mm

Pincer



- Chrome vanadium steel
- Ergonomic 2-component handles
- Head polished

1000-027-983	XB-21900247	Length: 225 mm

Stripping plier



- Chrome vanadium steel
- Ergonomic 2-component handles
- Head polished
- With adjustment screw for wire and braid diameter adjustment
- With opening spring

1000-027-984	XB-21900248	Length: 165 mm

Universal scissor



- Non-corrosive, ergonomic 2-component handles
- With opening spring

1000-028-013	XB-21900279	Length: 185 mm

Hacksaw



- For saw blades 300 mm
- Robust design
- The saw blade can be mounted straight or at an angle of 45°
- With HSS bi-metal blade

1000-027-764	XB-21900274	Length: 405 mm

HSS bi-metal blade



- 10 pcs.
- 24 teeth per inch
- Suitable for XB-21900274

1000-028-009	XB-21900275	Length: 300 mm

Universal knife



- Spare blades for universal knife 18 mm
- Blade in metal guide
- With safety lock
- 4 spare blades for universal knife
- Ergonomic 2-component handles

1000-028-010	XB-21900276	Length: 170 mm

Spare blades for universal knife



- 10 pcs.
- 18 mm
- Suitable for XB-21900276

1000-028-011	XB-21900277	Length: 110 mm

Wire brush



- Corrugated steel wire
- Wire length 40 mm

1000-028-014	XB-21900280	Length: 240 mm

File, flat



- Ergonomic 2-component handles
- On both sides with cross cut
- Cross cut 2
- 200 mm

1000-028-015	XB-21900281	Length: 315 mm

File, half-round



- Ergonomic 2-component handles
- On both sides with cross cut
- Cross cut 2
- 200 mm

1000-028-016	XB-21900282	Length: 315 mm

File, triangel shaped



- Ergonomic 2-component handles
- Tripartite with cross cut
- Cross cut 2
- 200 mm

1000-028-017	XB-21900283	Length: 315 mm

File, round shaped



- Ergonomic 2-component handles
- Cross cut 2
- 200 mm

1000-028-018	XB-21900284	Length: 315 mm


JET



CONTENT LISTS

WORKSHOP TROLLEY 412-pcs.

TT-412-WKS

1000-027-247

835×540×980 (1'575) mm
112.8 kg



1/4" 3/8" 1/2"

P. 5

SAP	Model	Description
Divers		
1000-027-922	XB-21900178	Combination-wrench, 5.5 mm
1000-027-923	XB-21900179	Combination-wrench, 6 mm
1000-027-924	XB-21900180	Combination-wrench, 7 mm
1000-027-925	XB-21900181	Combination-wrench, 8 mm
1000-027-926	XB-21900182	Combination-wrench, 9 mm
1000-027-673	XB-21900183	Combination-wrench, 10 mm
1000-027-927	XB-21900184	Combination-wrench, 11 mm
1000-027-928	XB-21900185	Combination-wrench, 12 mm
1000-027-929	XB-21900186	Combination-wrench, 13 mm
1000-027-930	XB-21900187	Combination-wrench, 14 mm
1000-027-931	XB-21900188	Combination-wrench, 15 mm
1000-027-932	XB-21900189	Combination-wrench, 16 mm
1000-027-933	XB-21900190	Combination-wrench, 17 mm
1000-027-681	XB-21900191	Combination-wrench, 18 mm
1000-027-934	XB-21900192	Combination-wrench, 19 mm
1000-027-935	XB-21900193	Combination-wrench, 20 mm
1000-027-936	XB-21900194	Combination-wrench, 21 mm
1000-027-937	XB-21900195	Combination-wrench, 22 mm
1000-027-938	XB-21900196	Combination-wrench, 24 mm
1000-027-939	XB-21900197	Combination-wrench, 27 mm
1000-027-940	XB-21900198	Combination-wrench, 30 mm
1000-027-941	XB-21900199	Combination-wrench, 32 mm
1000-027-942	XB-21900200	Double open end wrench, 5 × 5.5 mm
1000-027-943	XB-21900201	Double open end wrench, 6 × 7 mm
1000-027-692	XB-21900202	Double open end wrench, 8 × 9 mm
1000-027-944	XB-21900203	Double open end wrench, 10 × 11 mm
1000-027-694	XB-21900204	Double open end wrench, 12 × 13 mm
1000-027-695	XB-21900205	Double open end wrench, 14 × 15 mm
1000-027-945	XB-21900206	Double open end wrench, 16 × 17 mm
1000-027-946	XB-21900207	Double open end wrench, 18 × 19 mm
1000-027-947	XB-21900208	Double open end wrench, 20 × 22 mm
1000-027-948	XB-21900209	Double open end wrench, 21 × 23 mm
1000-027-949	XB-21900210	Ratcheting Combination-wrench, 8 mm
1000-027-950	XB-21900211	Ratcheting Combination-wrench, 10 mm
1000-027-951	XB-21900212	Ratcheting Combination-wrench, 12 mm
1000-027-703	XB-21900213	Ratcheting Combination-wrench, 13 mm
1000-027-952	XB-21900214	Ratcheting Combination-wrench, 17 mm
1000-027-953	XB-21900215	Ratcheting Combination-wrench, 19 mm
1000-027-954	XB-21900216	Screwdriver, Pozidriv, PZ1
1000-027-955	XB-21900217	Screwdriver, Pozidriv, PZ2
1000-027-956	XB-21900218	Screwdriver, Phillips, PH1
1000-027-957	XB-21900219	Screwdriver, Phillips, PH2
1000-027-711	XB-21900221	Screwdriver, Slotted, 5 mm
1000-027-712	XB-21900222	Screwdriver, Slotted, 4 mm
1000-027-959	XB-21900223	Screwdriver, Slotted, 3 mm
1000-027-960	XB-21900224	Screwdriver, Slotted, 2 mm
1000-027-962	XB-21900226	Screwdriver, Torx, T30
1000-027-963	XB-21900227	Screwdriver, Torx, T25
1000-027-964	XB-21900228	Screwdriver, Torx, T20
1000-027-965	XB-21900229	Screwdriver, Torx, T15
1000-027-966	XB-21900230	Screwdriver, Torx, T10
1000-027-967	XB-21900231	Screwdriver / bit holder, 210 mm
1000-027-973	XB-21900237	Micro-Bit set, 32-pcs.
1000-027-976	XB-21900240	Hex key set, 1.5 – 10 mm, 9-pcs.
1000-027-977	XB-21900241	Hex key set, Torx, T15 – T50, 9-pcs.

SAP	Model	Description
1000-027-978	XB-21900242	Water-pump plier, 250 mm
1000-027-979	XB-21900243	Long nose plier, 200 mm
1000-027-980	XB-21900244	Long nose plier, curved, 200 mm
1000-027-981	XB-21900245	Universal plier, 185 mm
1000-027-982	XB-21900246	Diagonal cutting plier, 165 mm
1000-027-985	XB-21900249	Electronic diagonal cutting plier, 115 mm
1000-027-986	XB-21900250	Electronic universal plier, 115 mm
1000-027-988	XB-21900252	Retaining ring plier, external
1000-027-989	XB-21900253	Retaining ring plier, external, inside
1000-027-990	XB-21900254	Retaining ring plier, cranked
1000-027-991	XB-21900255	Adjustable wrench, 10", 250 mm
1000-027-269	X-198	Electronic wire stripping set, 198-pcs.
1000-027-746	XB-21900256	LED torch
1000-027-216	X-829	COB LED working light
1000-027-992	XB-21900257	Voltage tester / screwdriver
1000-027-270	X-830	Digital Voltage Tester, 12 – 690 V
1000-027-993	XB-21900258	Micrometer, 0 – 25 mm
1000-027-202	M-150B	Caliper, 150 mm
1000-027-994	XB-21900259	Thickness gauge, 0.05 – 1.0 mm, 25-pcs.
1000-027-995	XB-21900260	Thread gauge
1000-027-996	XB-21900261	Round head steel protractor
1000-027-997	XB-21900262	Measuring tape, 5 m
1000-027-998	XB-21900263	Bevel edge square, 100 × 70 mm
1000-027-999	XB-21900264	Angle square, 300 mm
1000-028-000	XB-21900265	Folding rule, 2 m
1000-028-001	XB-21900266	Ruler, 300 mm
1000-028-002	XB-21900267	Point chisel, 200 mm
1000-028-003	XB-21900268	Flat chisel, 200 mm
1000-028-004	XB-21900269	Plastic hammer, ø 35 mm
1000-028-005	XB-21900270	Engineers hammer, 300 g
1000-028-006	XB-21900271	Scriber
1000-028-007	XB-21900272	Punch and chisel set, 5-pcs.
1000-028-008	XB-21900273	Impact bits with driver, 5/16", 23-pcs.
1000-001-347	D-6	Countersink bit set, 6-pcs.
1000-001-344	D-19GS	Drill bit set, HSS-G, 19-pcs.
1000-001-477	D-15	Tap and tapping drill bit set, 15-pcs.
1000-027-764	XB-21900274	Hacksaw, 300 mm
1000-028-009	XB-21900275	Hacksaw blades, 5 pcs.
1000-028-010	XB-21900276	Universal knife, 18 mm
1000-028-011	XB-21900277	Spare blades, 10 pcs.
1000-028-012	XB-21900278	Tin snipes, straight, 250 mm
1000-028-013	XB-21900279	Universal scissor
1000-028-014	XB-21900280	Brush
1000-028-015	XB-21900281	File, flat, 200 mm
1000-028-016	XB-21900282	File, half-round, 200 mm
1000-028-017	XB-21900283	File, triangle, 200 mm
1000-028-018	XB-21900284	File, round, 200 mm

SAP	Model	Description
1/4"		
1000-027-857	**XB-21900109**	Ratchet, 1/4", 72 teeth
1000-027-858	**XB-21900110**	Handle, 1/4"
1000-027-859	**XB-21900111**	Extension, 1/4", flexibel, 155 mm
1000-027-860	**XB-21900112**	T-Handle bar, 1/4", 125 mm
1000-027-603	**XB-21900113**	Extension, 1/4", 100 mm
1000-027-861	**XB-21900114**	Extension, 1/4", 50 mm
1000-027-862	**XB-21900115**	Cardan joint, 1/4", 34 mm
1000-027-863	**XB-21900116**	Socket, 1/4", 4 mm
1000-027-864	**XB-21900117**	Socket, 1/4", 4.5 mm
1000-027-865	**XB-21900118**	Socket, 1/4", 5 mm
1000-027-866	**XB-21900119**	Socket, 1/4", 5.5 mm
1000-027-867	**XB-21900120**	Socket, 1/4", 6 mm
1000-027-868	**XB-21900121**	Socket, 1/4", 7 mm
1000-027-869	**XB-21900122**	Socket, 1/4", 8 mm
1000-027-870	**XB-21900123**	Socket, 1/4", 9 mm
1000-027-871	**XB-21900124**	Socket, 1/4", 10 mm
1000-027-615	**XB-21900125**	Socket, 1/4", 11 mm
1000-027-872	**XB-21900126**	Socket, 1/4", 12 mm
1000-027-873	**XB-21900127**	Socket, 1/4", 13 mm
1000-027-874	**XB-21900128**	Socket, 1/4", 14 mm
1000-027-875	**XB-21900129**	Socket, 1/4", L = 50 mm, 4 mm
1000-027-876	**XB-21900130**	Socket, 1/4", L = 50 mm, 5 mm
1000-027-877	**XB-21900131**	Socket, 1/4", L = 50 mm, 6 mm
1000-027-878	**XB-21900132**	Socket, 1/4", L = 50 mm, 7 mm
1000-027-879	**XB-21900133**	Socket, 1/4", L = 50 mm, 8 mm
1000-027-880	**XB-21900134**	Socket, 1/4", L = 50 mm, 9 mm
1000-027-881	**XB-21900135**	Socket, 1/4", L = 50 mm, 10 mm
1000-027-882	**XB-21900136**	Socket, 1/4", L = 50 mm, 11 mm
1000-027-883	**XB-21900137**	Socket, 1/4", L = 50 mm, 12 mm
1000-027-884	**XB-21900138**	Socket, 1/4", Torx, T8
1000-027-885	**XB-21900139**	Socket, 1/4", Torx, T10
1000-027-886	**XB-21900140**	Socket, 1/4", Torx, T15
1000-027-887	**XB-21900141**	Socket, 1/4", Torx, T20
1000-027-888	**XB-21900142**	Socket, 1/4", Torx, T25
1000-027-889	**XB-21900143**	Socket, 1/4", Torx, T27
1000-027-890	**XB-21900144**	Socket, 1/4", Torx, T30
1000-027-891	**XB-21900145**	Socket, 1/4", Torx, T40
1000-027-636	**XB-21900146**	Socket, 1/4", Torx, T45
1000-027-892	**XB-21900147**	Socket, 1/4", Hex, 3 mm
1000-027-893	**XB-21900148**	Socket, 1/4", Hex, 4 mm
1000-027-894	**XB-21900149**	Socket, 1/4", Hex, 5 mm
1000-027-895	**XB-21900150**	Socket, 1/4", Hex, 6 mm
1000-027-896	**XB-21900151**	Socket, 1/4", Hex, 7 mm
1000-027-897	**XB-21900152**	Socket, 1/4", Hex, 8 mm
1000-027-899	**XB-21900154**	Socket, 1/4", Pozidriv, PZ1
1000-027-900	**XB-21900155**	Socket, 1/4", Pozidriv, PZ2
1000-027-901	**XB-21900156**	Socket, 1/4", Pozidriv, PZ3
1000-027-903	**XB-21900158**	Socket, 1/4", Phillips, PH1
1000-027-904	**XB-21900159**	Socket, 1/4", Phillips, PH2
1000-027-905	**XB-21900160**	Socket, 1/4", Phillips, PH3
1000-027-906	**XB-21900161**	Socket, 1/4", Slotted, 3 mm
1000-027-907	**XB-21900162**	Socket, 1/4", Slotted, 4 mm
1000-027-909	**XB-21900164**	Socket, 1/4", Slotted, 5 mm
1000-027-911	**XB-21900166**	Socket, 1/4", Slotted, 6 mm
1000-027-913	**XB-21900168**	Socket, 1/4", Torx, E4
1000-027-914	**XB-21900169**	Socket, 1/4", Torx, E5
1000-027-915	**XB-21900170**	Socket, 1/4", Torx, E6
1000-027-916	**XB-21900171**	Socket, 1/4", Torx, E7
1000-027-917	**XB-21900172**	Adapter, 1/4"M × 1/4"M
1000-027-918	**XB-21900173**	Adapter, 1/4"F × 3/8"M
1000-027-919	**XB-21900174**	Adapter, 1/4"F × 1/4"F
1000-027-225	**BC-53TC**	Bit set, 1/4", 25 + 75 mm, 53-pcs.

SAP	Model	Description
3/8"		
1000-027-813	**XB-21900036**	Ratchet, 3/8", 72 teeth
1000-027-814	**XB-21900037**	T-Handle bar, 3/8", 165 mm
1000-027-815	**XB-21900038**	Extension, 3/8", 75 mm
1000-027-818	**XB-21900041**	Adapter, 3/8"M × 1/4"F
1000-027-819	**XB-21900042**	Cardan joint, 3/8", 55 mm
1000-027-823	**XB-21900046**	Socket, 3/8", 8 mm
1000-027-824	**XB-21900047**	Socket, 3/8", 9 mm
1000-027-825	**XB-21900048**	Socket, 3/8", 10 mm
1000-027-826	**XB-21900049**	Socket, 3/8", 11 mm
1000-027-827	**XB-21900050**	Socket, 3/8", 12 mm
1000-027-541	**XB-21900051**	Socket, 3/8", 13 mm
1000-027-542	**XB-21900052**	Socket, 3/8", 14 mm
1000-027-828	**XB-21900053**	Socket, 3/8", 15 mm
1000-027-829	**XB-21900054**	Socket, 3/8", 16 mm
1000-027-830	**XB-21900055**	Socket, 3/8", 17 mm
1000-027-831	**XB-21900056**	Socket, 3/8", 18 mm
1000-027-832	**XB-21900057**	Socket, 3/8", 19 mm
1000-027-833	**XB-21900058**	Socket, 3/8", 20 mm
1000-027-834	**XB-21900059**	Socket, 3/8", 21 mm
1000-027-550	**XB-21900060**	Socket, 3/8", 22 mm
1000-027-835	**XB-21900061**	Socket, 3/8", 24 mm
1000-027-590	**XB-21900100**	Socket, 3/8", Torx, E8
1000-027-591	**XB-21900101**	Socket, 3/8", Torx, E10
1000-027-592	**XB-21900102**	Socket, 3/8", Torx, E11
1000-027-593	**XB-21900103**	Socket, 3/8", Torx, E12
1000-027-854	**XB-21900104**	Socket, 3/8", Torx, E14
1000-027-855	**XB-21900105**	Socket, 3/8", Torx, E16
1000-027-856	**XB-21900106**	Socket, 3/8", Torx, E18
1/2"		
1000-027-777	**XB-21900000**	Ratchet, 1/2", 72 teeth
1000-027-778	**XB-21900001**	T-Handle bar, 1/2", 250 mm
1000-027-779	**XB-21900002**	Extension, 1/2", 125 mm
1000-027-780	**XB-21900003**	Cardan joint, 1/2"
1000-027-781	**XB-21900004**	Adapter, 1/2"M × 3/8"F
1000-027-788	**XB-21900011**	Socket, 1/2", L = 78 mm, 17 mm
1000-027-789	**XB-21900012**	Socket, 1/2", L = 78 mm, 19 mm
1000-027-790	**XB-21900013**	Socket, 1/2", L = 78 mm, 21 mm
1000-027-792	**XB-21900015**	Socket, 1/2", L = 78 mm, 24 mm
1000-027-793	**XB-21900016**	Sparkplug-Socket, 1/2", 16 mm
1000-027-794	**XB-21900017**	Sparkplug-Socket, 1/2", 21 mm
1000-027-795	**XB-21900018**	Socket, 1/2", 10 mm
1000-027-796	**XB-21900019**	Socket, 1/2", 11 mm
1000-027-797	**XB-21900020**	Socket, 1/2", 12 mm
1000-027-798	**XB-21900021**	Socket, 1/2", 13 mm
1000-027-799	**XB-21900022**	Socket, 1/2", 14 mm
1000-027-800	**XB-21900023**	Socket, 1/2", 15 mm
1000-027-801	**XB-21900024**	Socket, 1/2", 16 mm
1000-027-802	**XB-21900025**	Socket, 1/2", 17 mm
1000-027-803	**XB-21900026**	Socket, 1/2", 18 mm
1000-027-804	**XB-21900027**	Socket, 1/2", 19 mm
1000-027-806	**XB-21900029**	Socket, 1/2", 21 mm
1000-027-807	**XB-21900030**	Socket, 1/2", 22 mm
1000-027-809	**XB-21900032**	Socket, 1/2", 24 mm
1000-027-810	**XB-21900033**	Socket, 1/2", 27 mm
1000-027-811	**XB-21900034**	Socket, 1/2", 30 mm
1000-027-812	**XB-21900035**	Socket, 1/2", 32 mm
1000-027-667	**XB-21900177**	Extension, 1/2", 470 mm

WORKSHOP TROLLEY 412-pcs.

TT-412

1000-027-248



1/4" 3/8" 1/2"

780 × 455 × 985 mm
97.5 kg

P. 6

SAP	Model	Description
Divers		
1000-027-922	XB-21900178	Combination-wrench, 5.5 mm
1000-027-923	XB-21900179	Combination-wrench, 6 mm
1000-027-924	XB-21900180	Combination-wrench, 7 mm
1000-027-925	XB-21900181	Combination-wrench, 8 mm
1000-027-926	XB-21900182	Combination-wrench, 9 mm
1000-027-673	XB-21900183	Combination-wrench, 10 mm
1000-027-927	XB-21900184	Combination-wrench, 11 mm
1000-027-928	XB-21900185	Combination-wrench, 12 mm
1000-027-929	XB-21900186	Combination-wrench, 13 mm
1000-027-930	XB-21900187	Combination-wrench, 14 mm
1000-027-931	XB-21900188	Combination-wrench, 15 mm
1000-027-932	XB-21900189	Combination-wrench, 16 mm
1000-027-933	XB-21900190	Combination-wrench, 17 mm
1000-027-681	XB-21900191	Combination-wrench, 18 mm
1000-027-934	XB-21900192	Combination-wrench, 19 mm
1000-027-935	XB-21900193	Combination-wrench, 20 mm
1000-027-936	XB-21900194	Combination-wrench, 21 mm
1000-027-937	XB-21900195	Combination-wrench, 22 mm
1000-027-938	XB-21900196	Combination-wrench, 24 mm
1000-027-939	XB-21900197	Combination-wrench, 27 mm
1000-027-940	XB-21900198	Combination-wrench, 30 mm
1000-027-941	XB-21900199	Combination-wrench, 32 mm
1000-027-942	XB-21900200	Double open end wrench, 5 × 5.5 mm
1000-027-943	XB-21900201	Double open end wrench, 6 × 7 mm
1000-027-692	XB-21900202	Double open end wrench, 8 × 9 mm
1000-027-944	XB-21900203	Double open end wrench, 10 × 11 mm
1000-027-694	XB-21900204	Double open end wrench, 12 × 13 mm
1000-027-695	XB-21900205	Double open end wrench, 14 × 15 mm
1000-027-945	XB-21900206	Double open end wrench, 16 × 17 mm
1000-027-946	XB-21900207	Double open end wrench, 18 × 19 mm
1000-027-947	XB-21900208	Double open end wrench, 20 × 22 mm
1000-027-948	XB-21900209	Double open end wrench, 21 × 23 mm
1000-027-949	XB-21900210	Ratcheting Combination-wrench, 8 mm
1000-027-950	XB-21900211	Ratcheting Combination-wrench, 10 mm
1000-027-951	XB-21900212	Ratcheting Combination-wrench, 12 mm
1000-027-703	XB-21900213	Ratcheting Combination-wrench, 13 mm
1000-027-952	XB-21900214	Ratcheting Combination-wrench, 17 mm
1000-027-953	XB-21900215	Ratcheting Combination-wrench, 19 mm
1000-027-954	XB-21900216	Screwdriver, Pozidriv, PZ1
1000-027-955	XB-21900217	Screwdriver, Pozidriv, PZ2
1000-027-956	XB-21900218	Screwdriver, Phillips, PH1
1000-027-957	XB-21900219	Screwdriver, Phillips, PH2
1000-027-711	XB-21900221	Screwdriver, Slotted, 5 mm
1000-027-712	XB-21900222	Screwdriver, Slotted, 4 mm
1000-027-959	XB-21900223	Screwdriver, Slotted, 3 mm
1000-027-960	XB-21900224	Screwdriver, Slotted, 2 mm
1000-027-962	XB-21900226	Screwdriver, Torx, T30
1000-027-963	XB-21900227	Screwdriver, Torx, T25
1000-027-964	XB-21900228	Screwdriver, Torx, T20
1000-027-965	XB-21900229	Screwdriver, Torx, T15
1000-027-966	XB-21900230	Screwdriver, Torx, T10
1000-027-967	XB-21900231	Screwdriver-/Bit-Holder, 210 mm
1000-027-973	XB-21900237	Micro-Bit set, 32-pcs.
1000-027-976	XB-21900240	Hex key set, 1.5 – 10 mm, 9-pcs.
1000-027-977	XB-21900241	Hex key set, Torx, T15 – T50, 9-pcs.

SAP	Model	Description
1000-027-978	XB-21900242	Water-pump plier, 250 mm
1000-027-979	XB-21900243	Long nose plier, 200 mm
1000-027-980	XB-21900244	Long nose plier, curved, 200 mm
1000-027-981	XB-21900245	Universal plier, 185 mm
1000-027-982	XB-21900246	Diagonal cutting plier, 165 mm
1000-027-985	XB-21900249	Electronic diagonal cutting plier, 115 mm
1000-027-986	XB-21900250	Electronic universal plier, 115 mm
1000-027-988	XB-21900252	Retaining ring plier, external
1000-027-989	XB-21900253	Retaining ring plier, external, inside
1000-027-990	XB-21900254	Retaining ring plier, cranked
1000-027-991	XB-21900255	Adjustable wrench, 10", 250 mm
1000-027-269	X-198	Electronic wire stripping set, 198-pcs.
1000-027-746	XB-21900256	LED torch
1000-027-216	X-829	COB LED working light
1000-027-992	XB-21900257	Voltage tester / screwdriver
1000-027-270	X-830	Digital Voltage Tester, 12 – 690 V
1000-027-993	XB-21900258	Micrometer, 0 – 25 mm
1000-027-202	M-150B	Caliper, 150 mm
1000-027-994	XB-21900259	Thickness gauge, 0.05 – 1.0 mm, 25-pcs.
1000-027-995	XB-21900260	Thread gauge
1000-027-996	XB-21900261	Round head steel protractor
1000-027-997	XB-21900262	Measuring tape, 5 m
1000-027-998	XB-21900263	Bevel edge square, 100 × 70 mm
1000-027-999	XB-21900264	Angle square, 300 mm
1000-028-000	XB-21900265	Folding rule, 2 m
1000-028-001	XB-21900266	Ruler, 300 mm
1000-028-002	XB-21900267	Point chisel, 200 mm
1000-028-003	XB-21900268	Flat chisel, 200 mm
1000-028-004	XB-21900269	Plastic hammer, ø 35 mm
1000-028-005	XB-21900270	Engineers hammer, 300 g
1000-028-006	XB-21900271	Scriber
1000-028-007	XB-21900272	Punch and chisel set, 5-pcs.
1000-028-008	XB-21900273	Impact bits with driver, 5/16", 23-pcs.
1000-001-347	D-6	Countersink bit set, 6-pcs.
1000-001-344	D-19GS	Drill bit set, HSS-G, 19-pcs.
1000-001-477	D-15	Tap and tapping drill bit set, 15-pcs.
1000-027-764	XB-21900274	Hacksaw, 300 mm
1000-028-009	XB-21900275	Hacksaw blades, 5 pcs.
1000-028-010	XB-21900276	Universal knife, 18 mm
1000-028-011	XB-21900277	Spare blades, 10 pcs.
1000-028-012	XB-21900278	Tin snipes, straight, 250 mm
1000-028-013	XB-21900279	Universal scissor
1000-028-014	XB-21900280	Brush
1000-028-015	XB-21900281	File, flat, 200 mm
1000-028-016	XB-21900282	File, half-round, 200 mm
1000-028-017	XB-21900283	File, triangle, 200 mm
1000-028-018	XB-21900284	File, round, 200 mm

SAP	Model	Description
1/4"		
1000-027-857	**XB-21900109**	Ratchet, 1/4", 72 teeth
1000-027-858	**XB-21900110**	Handle, 1/4"
1000-027-859	**XB-21900111**	Extension, 1/4", flexibel, 155 mm
1000-027-860	**XB-21900112**	T-Handle bar, 1/4", 125 mm
1000-027-603	**XB-21900113**	Extension, 1/4", 100 mm
1000-027-861	**XB-21900114**	Extension, 1/4", 50 mm
1000-027-862	**XB-21900115**	Cardan joint, 1/4", 34 mm
1000-027-863	**XB-21900116**	Socket, 1/4", 4 mm
1000-027-864	**XB-21900117**	Socket, 1/4", 4.5 mm
1000-027-865	**XB-21900118**	Socket, 1/4", 5 mm
1000-027-866	**XB-21900119**	Socket, 1/4", 5.5 mm
1000-027-867	**XB-21900120**	Socket, 1/4", 6 mm
1000-027-868	**XB-21900121**	Socket, 1/4", 7 mm
1000-027-869	**XB-21900122**	Socket, 1/4", 8 mm
1000-027-870	**XB-21900123**	Socket, 1/4", 9 mm
1000-027-871	**XB-21900124**	Socket, 1/4", 10 mm
1000-027-615	**XB-21900125**	Socket, 1/4", 11 mm
1000-027-872	**XB-21900126**	Socket, 1/4", 12 mm
1000-027-873	**XB-21900127**	Socket, 1/4", 13 mm
1000-027-874	**XB-21900128**	Socket, 1/4", 14 mm
1000-027-875	**XB-21900129**	Socket, 1/4", L = 50 mm, 4 mm
1000-027-876	**XB-21900130**	Socket, 1/4", L = 50 mm, 5 mm
1000-027-877	**XB-21900131**	Socket, 1/4", L = 50 mm, 6 mm
1000-027-878	**XB-21900132**	Socket, 1/4", L = 50 mm, 7 mm
1000-027-879	**XB-21900133**	Socket, 1/4", L = 50 mm, 8 mm
1000-027-880	**XB-21900134**	Socket, 1/4", L = 50 mm, 9 mm
1000-027-881	**XB-21900135**	Socket, 1/4", L = 50 mm, 10 mm
1000-027-882	**XB-21900136**	Socket, 1/4", L = 50 mm, 11 mm
1000-027-883	**XB-21900137**	Socket, 1/4", L = 50 mm, 12 mm
1000-027-884	**XB-21900138**	Socket, 1/4", Torx, T8
1000-027-885	**XB-21900139**	Socket, 1/4", Torx, T10
1000-027-886	**XB-21900140**	Socket, 1/4", Torx, T15
1000-027-887	**XB-21900141**	Socket, 1/4", Torx, T20
1000-027-888	**XB-21900142**	Socket, 1/4", Torx, T25
1000-027-889	**XB-21900143**	Socket, 1/4", Torx, T27
1000-027-890	**XB-21900144**	Socket, 1/4", Torx, T30
1000-027-891	**XB-21900145**	Socket, 1/4", Torx, T40
1000-027-636	**XB-21900146**	Socket, 1/4", Torx, T45
1000-027-892	**XB-21900147**	Socket, 1/4", Hex, 3 mm
1000-027-893	**XB-21900148**	Socket, 1/4", Hex, 4 mm
1000-027-894	**XB-21900149**	Socket, 1/4", Hex, 5 mm
1000-027-895	**XB-21900150**	Socket, 1/4", Hex, 6 mm
1000-027-896	**XB-21900151**	Socket, 1/4", Hex, 7 mm
1000-027-897	**XB-21900152**	Socket, 1/4", Hex, 8 mm
1000-027-899	**XB-21900154**	Socket, 1/4", Pozidriv, PZ1
1000-027-900	**XB-21900155**	Socket, 1/4", Pozidriv, PZ2
1000-027-901	**XB-21900156**	Socket, 1/4", Pozidriv, PZ3
1000-027-903	**XB-21900158**	Socket, 1/4", Phillips, PH1
1000-027-904	**XB-21900159**	Socket, 1/4", Phillips, PH2
1000-027-905	**XB-21900160**	Socket, 1/4", Phillips, PH3
1000-027-906	**XB-21900161**	Socket, 1/4", Slotted, 3 mm
1000-027-907	**XB-21900162**	Socket, 1/4", Slotted, 4 mm
1000-027-909	**XB-21900164**	Socket, 1/4", Slotted, 5 mm
1000-027-911	**XB-21900166**	Socket, 1/4", Slotted, 6 mm
1000-027-913	**XB-21900168**	Socket, 1/4", Torx, E4
1000-027-914	**XB-21900169**	Socket, 1/4", Torx, E5
1000-027-915	**XB-21900170**	Socket, 1/4", Torx, E6
1000-027-916	**XB-21900171**	Socket, 1/4", Torx, E7
1000-027-917	**XB-21900172**	Adapter, 1/4"M × 1/4"M
1000-027-918	**XB-21900173**	Adapter, 1/4"F × 3/8"M
1000-027-919	**XB-21900174**	Adapter, 1/4"F × 1/4"F
1000-027-225	**BC-53TC**	Bit set, 1/4", 25 + 75 mm, 53-pcs.

SAP	Model	Description
3/8"		
1000-027-813	**XB-21900036**	Ratchet, 3/8", 72 teeth
1000-027-814	**XB-21900037**	T-Handle bar, 3/8", 165 mm
1000-027-815	**XB-21900038**	Extension, 3/8", 75 mm
1000-027-818	**XB-21900041**	Adapter, 3/8"M × 1/4"F
1000-027-819	**XB-21900042**	Cardan joint, 3/8", 55 mm
1000-027-823	**XB-21900046**	Socket, 3/8", 8 mm
1000-027-824	**XB-21900047**	Socket, 3/8", 9 mm
1000-027-825	**XB-21900048**	Socket, 3/8", 10 mm
1000-027-826	**XB-21900049**	Socket, 3/8", 11 mm
1000-027-827	**XB-21900050**	Socket, 3/8", 12 mm
1000-027-541	**XB-21900051**	Socket, 3/8", 13 mm
1000-027-542	**XB-21900052**	Socket, 3/8", 14 mm
1000-027-828	**XB-21900053**	Socket, 3/8", 15 mm
1000-027-829	**XB-21900054**	Socket, 3/8", 16 mm
1000-027-830	**XB-21900055**	Socket, 3/8", 17 mm
1000-027-831	**XB-21900056**	Socket, 3/8", 18 mm
1000-027-832	**XB-21900057**	Socket, 3/8", 19 mm
1000-027-833	**XB-21900058**	Socket, 3/8", 20 mm
1000-027-834	**XB-21900059**	Socket, 3/8", 21 mm
1000-027-550	**XB-21900060**	Socket, 3/8", 22 mm
1000-027-835	**XB-21900061**	Socket, 3/8", 24 mm
1000-027-590	**XB-21900100**	Socket, 3/8", Torx, E8
1000-027-591	**XB-21900101**	Socket, 3/8", Torx, E10
1000-027-592	**XB-21900102**	Socket, 3/8", Torx, E11
1000-027-593	**XB-21900103**	Socket, 3/8", Torx, E12
1000-027-854	**XB-21900104**	Socket, 3/8", Torx, E14
1000-027-855	**XB-21900105**	Socket, 3/8", Torx, E16
1000-027-856	**XB-21900106**	Socket, 3/8", Torx, E18
1/2"		
1000-027-777	**XB-21900000**	Ratchet, 1/2", 72 teeth
1000-027-778	**XB-21900001**	T-Handle bar, 1/2", 250 mm
1000-027-779	**XB-21900002**	Extension, 1/2", 125 mm
1000-027-780	**XB-21900003**	Cardan joint, 1/2"
1000-027-781	**XB-21900004**	Adapter, 1/2"M × 3/8"F
1000-027-788	**XB-21900011**	Socket, 1/2", L = 78 mm, 17 mm
1000-027-789	**XB-21900012**	Socket, 1/2", L = 78 mm, 19 mm
1000-027-790	**XB-21900013**	Socket, 1/2", L = 78 mm, 21 mm
1000-027-792	**XB-21900015**	Socket, 1/2", L = 78 mm, 24 mm
1000-027-793	**XB-21900016**	Sparkplug-Socket, 1/2", 16 mm
1000-027-794	**XB-21900017**	Sparkplug-Socket, 1/2", 21 mm
1000-027-795	**XB-21900018**	Socket, 1/2", 10 mm
1000-027-796	**XB-21900019**	Socket, 1/2", 11 mm
1000-027-797	**XB-21900020**	Socket, 1/2", 12 mm
1000-027-798	**XB-21900021**	Socket, 1/2", 13 mm
1000-027-799	**XB-21900022**	Socket, 1/2", 14 mm
1000-027-800	**XB-21900023**	Socket, 1/2", 15 mm
1000-027-801	**XB-21900024**	Socket, 1/2", 16 mm
1000-027-802	**XB-21900025**	Socket, 1/2", 17 mm
1000-027-803	**XB-21900026**	Socket, 1/2", 18 mm
1000-027-804	**XB-21900027**	Socket, 1/2", 19 mm
1000-027-806	**XB-21900029**	Socket, 1/2", 21 mm
1000-027-807	**XB-21900030**	Socket, 1/2", 22 mm
1000-027-809	**XB-21900032**	Socket, 1/2", 24 mm
1000-027-810	**XB-21900033**	Socket, 1/2", 27 mm
1000-027-811	**XB-21900034**	Socket, 1/2", 30 mm
1000-027-812	**XB-21900035**	Socket, 1/2", 32 mm
1000-027-667	**XB-21900177**	Extension, 1/2", 470 mm

WORKSHOP TROLLEY 318-pcs.

TT-318

1000-027-249

780 × 455 × 985 mm
91 kg



1/4" 3/8" 1/2"

P. 7

SAP	Model	Description
Divers		
1000-027-922	XB-21900178	Combination-wrench, 5.5 mm
1000-027-923	XB-21900179	Combination-wrench, 6 mm
1000-027-924	XB-21900180	Combination-wrench, 7 mm
1000-027-925	XB-21900181	Combination-wrench, 8 mm
1000-027-926	XB-21900182	Combination-wrench, 9 mm
1000-027-673	XB-21900183	Combination-wrench, 10 mm
1000-027-927	XB-21900184	Combination-wrench, 11 mm
1000-027-928	XB-21900185	Combination-wrench, 12 mm
1000-027-929	XB-21900186	Combination-wrench, 13 mm
1000-027-930	XB-21900187	Combination-wrench, 14 mm
1000-027-931	XB-21900188	Combination-wrench, 15 mm
1000-027-932	XB-21900189	Combination-wrench, 16 mm
1000-027-933	XB-21900190	Combination-wrench, 17 mm
1000-027-681	XB-21900191	Combination-wrench, 18 mm
1000-027-934	XB-21900192	Combination-wrench, 19 mm
1000-027-935	XB-21900193	Combination-wrench, 20 mm
1000-027-936	XB-21900194	Combination-wrench, 21 mm
1000-027-937	XB-21900195	Combination-wrench, 22 mm
1000-027-938	XB-21900196	Combination-wrench, 24 mm
1000-027-939	XB-21900197	Combination-wrench, 27 mm
1000-027-940	XB-21900198	Combination-wrench, 30 mm
1000-027-941	XB-21900199	Combination-wrench, 32 mm
1000-027-942	XB-21900200	Double open end wrench, 5 × 5.5 mm
1000-027-943	XB-21900201	Double open end wrench, 6 × 7 mm
1000-027-692	XB-21900202	Double open end wrench, 8 × 9 mm
1000-027-944	XB-21900203	Double open end wrench, 10 × 11 mm
1000-027-694	XB-21900204	Double open end wrench, 12 × 13 mm
1000-027-695	XB-21900205	Double open end wrench, 14 × 15 mm
1000-027-945	XB-21900206	Double open end wrench, 16 × 17 mm
1000-027-946	XB-21900207	Double open end wrench, 18 × 19 mm
1000-027-947	XB-21900208	Double open end wrench, 20 × 22 mm
1000-027-948	XB-21900209	Double open end wrench, 21 × 23 mm
1000-027-949	XB-21900210	Ratcheting Combination-wrench, 8 mm
1000-027-950	XB-21900211	Ratcheting Combination-wrench, 10 mm
1000-027-951	XB-21900212	Ratcheting Combination-wrench, 12 mm
1000-027-703	XB-21900213	Ratcheting Combination-wrench, 13 mm
1000-027-952	XB-21900214	Ratcheting Combination-wrench, 17 mm
1000-027-953	XB-21900215	Ratcheting Combination-wrench, 19 mm
1000-027-954	XB-21900216	Screwdriver, Pozidriv, PZ1

SAP	Model	Description
1000-027-955	XB-21900217	Screwdriver, Pozidriv, PZ2
1000-027-956	XB-21900218	Screwdriver, Phillips, PH1
1000-027-957	XB-21900219	Screwdriver, Phillips, PH2
1000-027-711	XB-21900221	Screwdriver, Slotted, 5 mm
1000-027-712	XB-21900222	Screwdriver, Slotted, 4 mm
1000-027-959	XB-21900223	Screwdriver, Slotted, 3 mm
1000-027-960	XB-21900224	Screwdriver, Slotted, 2 mm
1000-027-962	XB-21900226	Screwdriver, Torx, T30
1000-027-963	XB-21900227	Screwdriver, Torx, T25
1000-027-964	XB-21900228	Screwdriver, Torx, T20
1000-027-965	XB-21900229	Screwdriver, Torx, T15
1000-027-966	XB-21900230	Screwdriver, Torx, T10
1000-027-967	XB-21900231	Screwdriver-/Bit-Holder, 210 mm
1000-027-973	XB-21900237	Micro-Bit set, 32-pcs.
1000-027-976	XB-21900240	Hex key set, 1.5 – 10 mm, 9-pcs.
1000-027-977	XB-21900241	Hex key set, Torx, T15 – T50, 9-pcs.
1000-027-978	XB-21900242	Water-pump plier, 250 mm
1000-027-979	XB-21900243	Long nose plier, 200 mm
1000-027-980	XB-21900244	Long nose plier, curved, 200 mm
1000-027-981	XB-21900245	Universal plier, 185 mm
1000-027-982	XB-21900246	Diagonal cutting plier, 165 mm
1000-027-985	XB-21900249	Electronic diagonal cutting plier, 115 mm
1000-027-986	XB-21900250	Electronic universal plier, 115 mm
1000-027-988	XB-21900252	Retaining ring plier, external
1000-027-989	XB-21900253	Retaining ring plier, external, inside
1000-027-990	XB-21900254	Retaining ring plier, cranked
1000-027-991	XB-21900255	Adjustable wrench, 10", 250 mm
1000-027-269	X-198	Electronic wire stripping set, 198-pcs.
1000-027-764	XB-21900274	Hacksaw, 300 mm
1000-028-009	XB-21900275	Hacksaw blades, 5 pcs.
1000-028-005	XB-21900270	Engineers hammer, 300 g
1000-028-000	XB-21900265	Folding rule, 2 m
1000-027-746	XB-21900256	LED torch
1000-028-007	XB-21900272	Punch and chisel set, 5-pcs.
1000-027-997	XB-21900262	Measuring tape, 5 m
1000-028-015	XB-21900281	File, flat, 200 mm
1000-028-016	XB-21900282	File, half-round, 200 mm
1000-028-017	XB-21900283	File, triangle, 200 mm
1000-028-018	XB-21900284	File, round, 200 mm



SAP	Model	Description
1/4"		
1000-027-857	**XB-21900109**	Ratchet, 1/4", 72 teeth
1000-027-858	**XB-21900110**	Handle, 1/4"
1000-027-859	**XB-21900111**	Extension, 1/4", flexibel, 155 mm
1000-027-860	**XB-21900112**	T-Handle bar, 1/4", 125 mm
1000-027-603	**XB-21900113**	Extension, 1/4", 100 mm
1000-027-861	**XB-21900114**	Extension, 1/4", 50 mm
1000-027-862	**XB-21900115**	Cardan joint, 1/4", 34 mm
1000-027-863	**XB-21900116**	Socket, 1/4", 4 mm
1000-027-864	**XB-21900117**	Socket, 1/4", 4.5 mm
1000-027-865	**XB-21900118**	Socket, 1/4", 5 mm
1000-027-866	**XB-21900119**	Socket, 1/4", 5.5 mm
1000-027-867	**XB-21900120**	Socket, 1/4", 6 mm
1000-027-868	**XB-21900121**	Socket, 1/4", 7 mm
1000-027-869	**XB-21900122**	Socket, 1/4", 8 mm
1000-027-870	**XB-21900123**	Socket, 1/4", 9 mm
1000-027-871	**XB-21900124**	Socket, 1/4", 10 mm
1000-027-615	**XB-21900125**	Socket, 1/4", 11 mm
1000-027-872	**XB-21900126**	Socket, 1/4", 12 mm
1000-027-873	**XB-21900127**	Socket, 1/4", 13 mm
1000-027-874	**XB-21900128**	Socket, 1/4", 14 mm
1000-027-875	**XB-21900129**	Socket, 1/4", L = 50 mm, 4 mm
1000-027-876	**XB-21900130**	Socket, 1/4", L = 50 mm, 5 mm
1000-027-877	**XB-21900131**	Socket, 1/4", L = 50 mm, 6 mm
1000-027-878	**XB-21900132**	Socket, 1/4", L = 50 mm, 7 mm
1000-027-879	**XB-21900133**	Socket, 1/4", L = 50 mm, 8 mm
1000-027-880	**XB-21900134**	Socket, 1/4", L = 50 mm, 9 mm
1000-027-881	**XB-21900135**	Socket, 1/4", L = 50 mm, 10 mm
1000-027-882	**XB-21900136**	Socket, 1/4", L = 50 mm, 11 mm
1000-027-883	**XB-21900137**	Socket, 1/4", L = 50 mm, 12 mm
1000-027-884	**XB-21900138**	Socket, 1/4", Torx, T8
1000-027-885	**XB-21900139**	Socket, 1/4", Torx, T10
1000-027-886	**XB-21900140**	Socket, 1/4", Torx, T15
1000-027-887	**XB-21900141**	Socket, 1/4", Torx, T20
1000-027-888	**XB-21900142**	Socket, 1/4", Torx, T25
1000-027-889	**XB-21900143**	Socket, 1/4", Torx, T27
1000-027-890	**XB-21900144**	Socket, 1/4", Torx, T30
1000-027-891	**XB-21900145**	Socket, 1/4", Torx, T40
1000-027-636	**XB-21900146**	Socket, 1/4", Torx, T45
1000-027-892	**XB-21900147**	Socket, 1/4", Hex, 3 mm
1000-027-893	**XB-21900148**	Socket, 1/4", Hex, 4 mm
1000-027-894	**XB-21900149**	Socket, 1/4", Hex, 5 mm
1000-027-895	**XB-21900150**	Socket, 1/4", Hex, 6 mm
1000-027-896	**XB-21900151**	Socket, 1/4", Hex, 7 mm
1000-027-897	**XB-21900152**	Socket, 1/4", Hex, 8 mm
1000-027-899	**XB-21900154**	Socket, 1/4", Pozidriv, PZ1
1000-027-900	**XB-21900155**	Socket, 1/4", Pozidriv, PZ2
1000-027-901	**XB-21900156**	Socket, 1/4", Pozidriv, PZ3
1000-027-903	**XB-21900158**	Socket, 1/4", Phillips, PH1
1000-027-904	**XB-21900159**	Socket, 1/4", Phillips, PH2
1000-027-905	**XB-21900160**	Socket, 1/4", Phillips, PH3
1000-027-906	**XB-21900161**	Socket, 1/4", Slotted, 3 mm
1000-027-907	**XB-21900162**	Socket, 1/4", Slotted, 4 mm
1000-027-909	**XB-21900164**	Socket, 1/4", Slotted, 5 mm
1000-027-911	**XB-21900166**	Socket, 1/4", Slotted, 6 mm
1000-027-913	**XB-21900168**	Socket, 1/4", Torx, E4
1000-027-914	**XB-21900169**	Socket, 1/4", Torx, E5
1000-027-915	**XB-21900170**	Socket, 1/4", Torx, E6
1000-027-916	**XB-21900171**	Socket, 1/4", Torx, E7
1000-027-917	**XB-21900172**	Adapter, 1/4"M × 1/4"M
1000-027-918	**XB-21900173**	Adapter, 1/4"F × 3/8"M
1000-027-919	**XB-21900174**	Adapter, 1/4"F × 1/4"F
1000-027-225	**BC-53TC**	Bit set, 1/4", 25 + 75 mm, 53-pcs.

SAP	Model	Description
3/8"		
1000-027-813	**XB-21900036**	Ratchet, 3/8", 72 teeth
1000-027-814	**XB-21900037**	T-Handle bar, 3/8", 165 mm
1000-027-815	**XB-21900038**	Extension, 3/8", 75 mm
1000-027-818	**XB-21900041**	Adapter, 3/8"M × 1/4"F
1000-027-819	**XB-21900042**	Cardan joint, 3/8", 55 mm
1000-027-823	**XB-21900046**	Socket, 3/8", 8 mm
1000-027-824	**XB-21900047**	Socket, 3/8", 9 mm
1000-027-825	**XB-21900048**	Socket, 3/8", 10 mm
1000-027-826	**XB-21900049**	Socket, 3/8", 11 mm
1000-027-827	**XB-21900050**	Socket, 3/8", 12 mm
1000-027-541	**XB-21900051**	Socket, 3/8", 13 mm
1000-027-542	**XB-21900052**	Socket, 3/8", 14 mm
1000-027-828	**XB-21900053**	Socket, 3/8", 15 mm
1000-027-829	**XB-21900054**	Socket, 3/8", 16 mm
1000-027-830	**XB-21900055**	Socket, 3/8", 17 mm
1000-027-831	**XB-21900056**	Socket, 3/8", 18 mm
1000-027-832	**XB-21900057**	Socket, 3/8", 19 mm
1000-027-833	**XB-21900058**	Socket, 3/8", 20 mm
1000-027-834	**XB-21900059**	Socket, 3/8", 21 mm
1000-027-550	**XB-21900060**	Socket, 3/8", 22 mm
1000-027-835	**XB-21900061**	Socket, 3/8", 24 mm
1000-027-590	**XB-21900100**	Socket, 3/8", Torx, E8
1000-027-591	**XB-21900101**	Socket, 3/8", Torx, E10
1000-027-592	**XB-21900102**	Socket, 3/8", Torx, E11
1000-027-593	**XB-21900103**	Socket, 3/8", Torx, E12
1000-027-854	**XB-21900104**	Socket, 3/8", Torx, E14
1000-027-855	**XB-21900105**	Socket, 3/8", Torx, E16
1000-027-856	**XB-21900106**	Socket, 3/8", Torx, E18
1/2"		
1000-027-777	**XB-21900000**	Ratchet, 1/2", 72 teeth
1000-027-778	**XB-21900001**	T-Handle bar, 1/2", 250 mm
1000-027-779	**XB-21900002**	Extension, 1/2", 125 mm
1000-027-780	**XB-21900003**	Cardan joint, 1/2"
1000-027-781	**XB-21900004**	Adapter, 1/2"M × 3/8"F
1000-027-788	**XB-21900011**	Socket, 1/2", L = 78 mm, 17 mm
1000-027-789	**XB-21900012**	Socket, 1/2", L = 78 mm, 19 mm
1000-027-790	**XB-21900013**	Socket, 1/2", L = 78 mm, 21 mm
1000-027-792	**XB-21900015**	Socket, 1/2", L = 78 mm, 24 mm
1000-027-793	**XB-21900016**	Sparkplug-Socket, 1/2", 16 mm
1000-027-794	**XB-21900017**	Sparkplug-Socket, 1/2", 21 mm
1000-027-795	**XB-21900018**	Socket, 1/2", 10 mm
1000-027-796	**XB-21900019**	Socket, 1/2", 11 mm
1000-027-797	**XB-21900020**	Socket, 1/2", 12 mm
1000-027-798	**XB-21900021**	Socket, 1/2", 13 mm
1000-027-799	**XB-21900022**	Socket, 1/2", 14 mm
1000-027-800	**XB-21900023**	Socket, 1/2", 15 mm
1000-027-801	**XB-21900024**	Socket, 1/2", 16 mm
1000-027-802	**XB-21900025**	Socket, 1/2", 17 mm
1000-027-803	**XB-21900026**	Socket, 1/2", 18 mm
1000-027-804	**XB-21900027**	Socket, 1/2", 19 mm
1000-027-806	**XB-21900029**	Socket, 1/2", 21 mm
1000-027-807	**XB-21900030**	Socket, 1/2", 22 mm
1000-027-809	**XB-21900032**	Socket, 1/2", 24 mm
1000-027-810	**XB-21900033**	Socket, 1/2", 27 mm
1000-027-811	**XB-21900034**	Socket, 1/2", 30 mm
1000-027-812	**XB-21900035**	Socket, 1/2", 32 mm
1000-027-667	**XB-21900177**	Extension, 1/2", 470 mm

WORKSHOP TROLLEY 209-pcs.

TT-209

1000-027-250



P. 8

1/4" 1/2"

780 × 455 × 985 mm
80 kg

SAP	Model	Description
Divers		
1000-027-954	**XB-21900216**	Screwdriver, Pozidriv, PZ1
1000-027-955	**XB-21900217**	Screwdriver, Pozidriv, PZ2
1000-027-712	**XB-21900222**	Screwdriver, Slotted, 4 mm
1000-027-959	**XB-21900223**	Screwdriver, Slotted, 3 mm
1000-027-967	**XB-21900231**	Screwdriver-/Bit-Holder, 210 mm
1000-027-976	**XB-21900240**	Hex key set, 1.5 – 10 mm, 9-pcs.
1000-027-977	**XB-21900241**	Hex key set, Torx, T15 – T50, 9-pcs.
1000-027-978	**XB-21900242**	Water-pump plier, 250 mm
1000-027-983	**XB-21900247**	Pincer, 205 mm
1000-028-013	**XB-21900279**	Universal scissor
1000-027-981	**XB-21900245**	Universal plier, 185 mm
1000-027-982	**XB-21900246**	Diagonal cutting plier, 165 mm
1000-028-010	**XB-21900276**	Universal knife, 18 mm
1000-028-011	**XB-21900277**	Spare blades, 10 pcs.
1000-027-991	**XB-21900255**	Adjustable wrench, 10", 250 mm
1000-027-922	**XB-21900178**	Combination-wrench, 5.5 mm
1000-027-923	**XB-21900179**	Combination-wrench, 6 mm
1000-027-924	**XB-21900180**	Combination-wrench, 7 mm
1000-027-925	**XB-21900181**	Combination-wrench, 8 mm
1000-027-673	**XB-21900183**	Combination-wrench, 10 mm
1000-027-927	**XB-21900184**	Combination-wrench, 11 mm
1000-027-928	**XB-21900185**	Combination-wrench, 12 mm
1000-027-929	**XB-21900186**	Combination-wrench, 13 mm
1000-027-933	**XB-21900190**	Combination-wrench, 17 mm
1000-027-934	**XB-21900192**	Combination-wrench, 19 mm
1000-027-936	**XB-21900194**	Combination-wrench, 21 mm
1000-027-937	**XB-21900195**	Combination-wrench, 22 mm
1000-027-764	**XB-21900274**	Hacksaw, 300 mm
1000-028-009	**XB-21900275**	Hacksaw blades, 5 pcs.
1000-028-005	**XB-21900270**	Engineers hammer, 300 g
1000-028-000	**XB-21900265**	Folding rule, 2 m
1000-027-746	**XB-21900256**	LED torch
1000-028-007	**XB-21900272**	Punch and chisel set, 5-pcs.
1000-027-997	**XB-21900262**	Measuring tape, 5 m
1000-028-015	**XB-21900281**	File, flat, 200 mm
1000-028-016	**XB-21900282**	File, half-round, 200 mm
1000-028-017	**XB-21900283**	File, triangle, 200 mm
1000-028-018	**XB-21900284**	File, round, 200 mm

SAP	Model	Description
1/4"		
1000-027-857	**XB-21900109**	Ratchet, 1/4", 72 teeth
1000-027-858	**XB-21900110**	Handle, 1/4"
1000-027-860	**XB-21900112**	T-Handle bar, 1/4", 125 mm
1000-027-861	**XB-21900114**	Extension, 1/4", 50 mm
1000-027-862	**XB-21900115**	Cardan joint, 1/4", 34 mm
1000-027-863	**XB-21900116**	Socket, 1/4", 4 mm
1000-027-864	**XB-21900117**	Socket, 1/4", 4.5 mm
1000-027-865	**XB-21900118**	Socket, 1/4", 5 mm
1000-027-866	**XB-21900119**	Socket, 1/4", 5.5 mm
1000-027-867	**XB-21900120**	Socket, 1/4", 6 mm
1000-027-868	**XB-21900121**	Socket, 1/4", 7 mm
1000-027-869	**XB-21900122**	Socket, 1/4", 8 mm
1000-027-870	**XB-21900123**	Socket, 1/4", 9 mm
1000-027-871	**XB-21900124**	Socket, 1/4", 10 mm
1000-027-615	**XB-21900125**	Socket, 1/4", 11 mm
1000-027-872	**XB-21900126**	Socket, 1/4", 12 mm
1000-027-873	**XB-21900127**	Socket, 1/4", 13 mm
1000-027-874	**XB-21900128**	Socket, 1/4", 14 mm
1000-027-917	**XB-21900172**	Adapter, 1/4"M × 1/4"M
1000-027-919	**XB-21900174**	Adapter, 1/4"F × 1/4"F
1/2"		
1000-027-777	**XB-21900000**	Ratchet, 1/2", 72 teeth
1000-027-778	**XB-21900001**	T-Handle bar, 1/2", 250 mm
1000-027-779	**XB-21900002**	Extension, 1/2", 125 mm
1000-027-780	**XB-21900003**	Cardan joint, 1/2"
1000-027-793	**XB-21900016**	Sparkplug-Socket, 1/2", 16 mm
1000-027-794	**XB-21900017**	Sparkplug-Socket, 1/2", 21 mm
1000-027-795	**XB-21900018**	Socket, 1/2", 10 mm
1000-027-796	**XB-21900019**	Socket, 1/2", 11 mm
1000-027-797	**XB-21900020**	Socket, 1/2", 12 mm
1000-027-798	**XB-21900021**	Socket, 1/2", 13 mm
1000-027-799	**XB-21900022**	Socket, 1/2", 14 mm
1000-027-800	**XB-21900023**	Socket, 1/2", 15 mm
1000-027-801	**XB-21900024**	Socket, 1/2", 16 mm
1000-027-802	**XB-21900025**	Socket, 1/2", 17 mm
1000-027-803	**XB-21900026**	Socket, 1/2", 18 mm
1000-027-804	**XB-21900027**	Socket, 1/2", 19 mm
1000-027-806	**XB-21900029**	Socket, 1/2", 21 mm
1000-027-807	**XB-21900030**	Socket, 1/2", 22 mm
1000-027-809	**XB-21900032**	Socket, 1/2", 24 mm
1000-027-810	**XB-21900033**	Socket, 1/2", 27 mm
1000-027-811	**XB-21900034**	Socket, 1/2", 30 mm
1000-027-812	**XB-21900035**	Socket, 1/2", 32 mm

ABS TOOL CASE 179-pcs.

A-179-EXE

8000-000-071



P. 13

1/4" 1/2"

SWISS TOOLS

475×370×170mm

13kg

SAP	Model	Description
Divers		
1000-027-997	XB-21900262	Measuring tape, 5 m
1000-027-991	XB-21900255	Adjustable wrench, 10", 250 mm
1000-027-925	XB-21900181	Combination-wrench, 8 mm
1000-027-673	XB-21900183	Combination-wrench, 10 mm
1000-027-927	XB-21900184	Combination-wrench, 11 mm
1000-027-928	XB-21900185	Combination-wrench, 12 mm
1000-027-929	XB-21900186	Combination-wrench, 13 mm
1000-027-930	XB-21900187	Combination-wrench, 14 mm
1000-027-933	XB-21900190	Combination-wrench, 17 mm
1000-027-934	XB-21900192	Combination-wrench, 19 mm
1000-027-937	XB-21900195	Combination-wrench, 22 mm
1000-001-415	X-698	Screwdriver, PB100, Slotted, Nr. 1
		Screwdriver, PB100, Slotted, Nr. 2
		Screwdriver, PB100, Slotted, Nr. 3
		Screwdriver, PB100, Slotted, Nr. 4
		Screwdriver, PB190, Phillips, PH1
		Screwdriver, PB190, Phillips, PH2
1000-027-967	XB-21900231	Screwdriver-/Bit-Holder, 210 mm
1000-027-975	XB-21900239	Bit set, 60-pcs.
1000-027-973	XB-21900237	Micro-Bit set, 32-pcs.
1000-027-992	XB-21900257	Voltage tester / screwdriver
1000-028-010	XB-21900276	Universal knife, 18 mm
1000-028-011	XB-21900277	Spare blades, 10 pcs.
1000-027-976	XB-21900240	Hex key set, 1.5 – 10 mm, 9-pcs.
1000-027-978	XB-21900242	Water-pump plier, 250 mm
1000-027-983	XB-21900247	Pincer, 205 mm
1000-028-013	XB-21900279	Universal scissor
1000-027-981	XB-21900245	Universal plier, 185 mm
1000-027-982	XB-21900246	Diagonal cutting plier, 165 mm
1000-027-979	XB-21900243	Long nose plier, 200 mm
1000-027-988	XB-21900252	Retaining ring plier, external
1000-027-989	XB-21900253	Retaining ring plier, external, inside
1000-027-764	XB-21900274	Hacksaw, 300 mm
1000-028-009	XB-21900275	Hacksaw blades, 5 pcs.
1000-028-007	XB-21900272	Punch and chisel set, 5-pcs.
1000-028-016	XB-21900282	File, half-round, 200 mm
2000-023-202	X-16260101	Caliper, 150 × 0.01 mm
1000-028-005	XB-21900270	Engineers hammer, 300 g

SAP	Model	Description
1/4"		
1000-027-857	XB-21900109	Ratchet, 1/4", 72 teeth
1000-027-858	XB-21900110	Handle, 1/4"
1000-027-860	XB-21900112	T-Handle bar, 1/4", 125 mm
1000-027-861	XB-21900114	Extension, 1/4", 50 mm
1000-027-862	XB-21900115	Cardan joint, 1/4", 34 mm
1000-027-863	XB-21900116	Socket, 1/4", 4 mm
1000-027-864	XB-21900117	Socket, 1/4", 4.5 mm
1000-027-865	XB-21900118	Socket, 1/4", 5 mm
1000-027-866	XB-21900119	Socket, 1/4", 5.5 mm
1000-027-867	XB-21900120	Socket, 1/4", 6 mm
1000-027-868	XB-21900121	Socket, 1/4", 7 mm
1000-027-869	XB-21900122	Socket, 1/4", 8 mm
1000-027-870	XB-21900123	Socket, 1/4", 9 mm
1000-027-871	XB-21900124	Socket, 1/4", 10 mm
1000-027-615	XB-21900125	Socket, 1/4", 11 mm
1000-027-872	XB-21900126	Socket, 1/4", 12 mm
1000-027-873	XB-21900127	Socket, 1/4", 13 mm
1000-027-874	XB-21900128	Socket, 1/4", 14 mm
1000-027-919	XB-21900174	Adapter, 1/4"F × 1/4"F
1/2"		
1000-027-777	XB-21900000	Ratchet, 1/2", 72 teeth
1000-027-778	XB-21900001	T-Handle bar, 1/2", 250 mm
1000-027-779	XB-21900002	Extension, 1/2", 125 mm
1000-027-780	XB-21900003	Cardan joint, 1/2"
1000-027-793	XB-21900016	Sparkplug-Socket, 1/2", 16 mm
1000-027-794	XB-21900017	Sparkplug-Socket, 1/2", 21 mm
1000-027-795	XB-21900018	Socket, 1/2", 10 mm
1000-027-798	XB-21900021	Socket, 1/2", 13 mm
1000-027-799	XB-21900022	Socket, 1/2", 14 mm
1000-027-801	XB-21900024	Socket, 1/2", 16 mm
1000-027-802	XB-21900025	Socket, 1/2", 17 mm
1000-027-803	XB-21900026	Socket, 1/2", 18 mm
1000-027-804	XB-21900027	Socket, 1/2", 19 mm
1000-027-805	XB-21900028	Socket, 1/2", 20 mm
1000-027-807	XB-21900030	Socket, 1/2", 22 mm
1000-027-809	XB-21900032	Socket, 1/2", 24 mm
1000-027-810	XB-21900033	Socket, 1/2", 27 mm
1000-027-811	XB-21900034	Socket, 1/2", 30 mm
1000-027-812	XB-21900035	Socket, 1/2", 32 mm

ALU TOOL CASE 128-pcs.

Y-128

1000-027-264



P. 15

1/4" 1/2"

460×370×115 mm

9.5 kg

SAP	Model	Description
Divers		
1000-027-991	**XB-21900255**	Adjustable wrench, 10", 250 mm
1000-028-005	**XB-21900270**	Engineers hammer, 300 g
1000-027-975	**XB-21900239**	Bit set, 60-pcs.
1000-027-925	**XB-21900181**	Combination-wrench, 8 mm
1000-027-926	**XB-21900182**	Combination-wrench, 9 mm
1000-027-673	**XB-21900183**	Combination-wrench, 10 mm
1000-027-927	**XB-21900184**	Combination-wrench, 11 mm
1000-027-928	**XB-21900185**	Combination-wrench, 12 mm
1000-027-929	**XB-21900186**	Combination-wrench, 13 mm
1000-027-930	**XB-21900187**	Combination-wrench, 14 mm
1000-027-932	**XB-21900189**	Combination-wrench, 16 mm
1000-027-933	**XB-21900190**	Combination-wrench, 17 mm
1000-027-992	**XB-21900257**	Voltage tester / screwdriver
1000-028-010	**XB-21900276**	Universal knife, 18 mm
1000-027-976	**XB-21900240**	Hex key set, 1.5 – 10 mm, 9-pcs.
1000-027-978	**XB-21900242**	Water-pump plier, 250 mm
1000-028-013	**XB-21900279**	Universal scissor
1000-027-981	**XB-21900245**	Universal plier, 185 mm
1000-027-982	**XB-21900246**	Diagonal cutting plier, 165 mm
1000-027-979	**XB-21900243**	Long nose plier, 200 mm
1000-027-954	**XB-21900216**	Screwdriver, Pozidriv, PZ1
1000-027-955	**XB-21900217**	Screwdriver, Pozidriv, PZ2
1000-027-711	**XB-21900221**	Screwdriver, Slotted, 5 mm
1000-027-712	**XB-21900222**	Screwdriver, Slotted, 4 mm
1000-027-967	**XB-21900231**	Screwdriver-/Bit-Holder, 210 mm
1000-027-992	**XB-21900257**	Voltage tester / screwdriver
1/4"		
1000-027-857	**XB-21900109**	Ratchet, 1/4", 72 teeth
1000-027-860	**XB-21900112**	T-Handle bar, 1/4", 125 mm
1000-027-603	**XB-21900113**	Extension, 1/4", 100 mm
1000-027-861	**XB-21900114**	Extension, 1/4", 50 mm
1000-027-862	**XB-21900115**	Cardan joint, 1/4", 34 mm
1000-027-863	**XB-21900116**	Socket, 1/4", 4 mm
1000-027-864	**XB-21900117**	Socket, 1/4", 4.5 mm
1000-027-865	**XB-21900118**	Socket, 1/4", 5 mm
1000-027-866	**XB-21900119**	Socket, 1/4", 5.5 mm
1000-027-867	**XB-21900120**	Socket, 1/4", 6 mm
1000-027-868	**XB-21900121**	Socket, 1/4", 7 mm
1000-027-869	**XB-21900122**	Socket, 1/4", 8 mm
1000-027-870	**XB-21900123**	Socket, 1/4", 9 mm
1000-027-871	**XB-21900124**	Socket, 1/4", 10 mm
1000-027-615	**XB-21900125**	Socket, 1/4", 11 mm
1000-027-872	**XB-21900126**	Socket, 1/4", 12 mm
1000-027-873	**XB-21900127**	Socket, 1/4", 13 mm
1000-027-874	**XB-21900128**	Socket, 1/4", 14 mm
1000-027-917	**XB-21900172**	Adapter, 1/4"M × 1/4"M
1000-027-919	**XB-21900174**	Adapter, 1/4"F × 1/4"F
1000-027-921	**XB-21900176**	Countersink bit, 1/4", 90°

SAP	Model	Description
1/2"		
1000-027-777	**XB-21900000**	Ratchet, 1/2", 72 teeth
1000-027-778	**XB-21900001**	T-Handle bar, 1/2", 250 mm
1000-027-779	**XB-21900002**	Extension, 1/2", 125 mm
1000-027-780	**XB-21900003**	Cardan joint, 1/2"
1000-027-793	**XB-21900016**	Sparkplug-Socket, 1/2", 16 mm
1000-027-794	**XB-21900017**	Sparkplug-Socket, 1/2", 21 mm
1000-027-795	**XB-21900018**	Socket, 1/2", 10 mm
1000-027-798	**XB-21900021**	Socket, 1/2", 13 mm
1000-027-799	**XB-21900022**	Socket, 1/2", 14 mm
1000-027-801	**XB-21900024**	Socket, 1/2", 16 mm
1000-027-802	**XB-21900025**	Socket, 1/2", 17 mm
1000-027-803	**XB-21900026**	Socket, 1/2", 18 mm
1000-027-804	**XB-21900027**	Socket, 1/2", 19 mm
1000-027-805	**XB-21900028**	Socket, 1/2", 20 mm
1000-027-807	**XB-21900030**	Socket, 1/2", 22 mm



ALU TOOL CASE 169-pcs.

Y-136D

1000-027-265



P. 16

1/4" 1/2"

465×370×150mm

13kg

SAP	Model	Description
Divers		
1000-027-997	**XB-21900262**	Measuring tape, 5 m
2000-023-202	**X-16260101**	Caliper, 150 × 0.01 mm
1000-027-925	**XB-21900181**	Combination-wrench, 8 mm
1000-027-673	**XB-21900183**	Combination-wrench, 10 mm
1000-027-927	**XB-21900184**	Combination-wrench, 11 mm
1000-027-928	**XB-21900185**	Combination-wrench, 12 mm
1000-027-929	**XB-21900186**	Combination-wrench, 13 mm
1000-027-930	**XB-21900187**	Combination-wrench, 14 mm
1000-027-933	**XB-21900190**	Combination-wrench, 17 mm
1000-027-934	**XB-21900192**	Combination-wrench, 19 mm
1000-027-937	**XB-21900195**	Combination-wrench, 22 mm
1000-027-975	**XB-21900239**	Bit set, 60-pcs.
1000-027-974	**XB-21900238**	Micro-Bit set, 22-pcs.
1000-028-010	**XB-21900276**	Universal knife, 18 mm
1000-027-992	**XB-21900257**	Voltage tester / screwdriver
1000-028-019	**XB-21900285**	Pick up tool
1000-027-746	**XB-21900256**	LED torch
1000-027-967	**XB-21900231**	Screwdriver-/Bit-Holder, 210 mm
1000-027-954	**XB-21900216**	Screwdriver, Pozidriv, PZ1
1000-027-955	**XB-21900217**	Screwdriver, Pozidriv, PZ2
1000-027-711	**XB-21900221**	Screwdriver, Slotted, 5 mm
1000-027-712	**XB-21900222**	Screwdriver, Slotted, 4 mm
1000-027-959	**XB-21900223**	Screwdriver, Slotted, 3 mm
1000-027-978	**XB-21900242**	Water-pump plier, 250 mm
1000-027-983	**XB-21900247**	Pincer, 205 mm
1000-028-013	**XB-21900279**	Universal scissor
1000-027-981	**XB-21900245**	Universal plier, 185 mm
1000-027-982	**XB-21900246**	Diagonal cutting plier, 165 mm
1000-027-979	**XB-21900243**	Long nose plier, 200 mm
1000-027-987	**XB-21900251**	Retaining ring plier set, 4-pcs.
1000-027-764	**XB-21900274**	Hacksaw, 300 mm
1000-028-007	**XB-21900272**	Punch and chisel set, 5-pcs.
1000-028-005	**XB-21900270**	Engineers hammer, 300 g
1000-027-976	**XB-21900240**	Hex key set, 1.5 – 10 mm, 9-pcs.
1000-027-991	**XB-21900255**	Adjustable wrench, 10", 250 mm

SAP	Model	Description
1/4"		
1000-027-857	**XB-21900109**	Ratchet, 1/4", 72 teeth
1000-027-860	**XB-21900112**	T-Handle bar, 1/4", 125 mm
1000-027-603	**XB-21900113**	Extension, 1/4", 100 mm
1000-027-861	**XB-21900114**	Extension, 1/4", 50 mm
1000-027-862	**XB-21900115**	Cardan joint, 1/4", 34 mm
1000-027-863	**XB-21900116**	Socket, 1/4", 4 mm
1000-027-864	**XB-21900117**	Socket, 1/4", 4.5 mm
1000-027-865	**XB-21900118**	Socket, 1/4", 5 mm
1000-027-866	**XB-21900119**	Socket, 1/4", 5.5 mm
1000-027-867	**XB-21900120**	Socket, 1/4", 6 mm
1000-027-868	**XB-21900121**	Socket, 1/4", 7 mm
1000-027-869	**XB-21900122**	Socket, 1/4", 8 mm
1000-027-870	**XB-21900123**	Socket, 1/4", 9 mm
1000-027-871	**XB-21900124**	Socket, 1/4", 10 mm
1000-027-615	**XB-21900125**	Socket, 1/4", 11 mm
1000-027-872	**XB-21900126**	Socket, 1/4", 12 mm
1000-027-873	**XB-21900127**	Socket, 1/4", 13 mm
1000-027-874	**XB-21900128**	Socket, 1/4", 14 mm
1000-027-919	**XB-21900174**	Adapter, 1/4"F × 1/4"F
1/2"		
1000-027-777	**XB-21900000**	Ratchet, 1/2", 72 teeth
1000-027-778	**XB-21900001**	T-Handle bar, 1/2", 250 mm
1000-027-779	**XB-21900002**	Extension, 1/2", 125 mm
1000-027-780	**XB-21900003**	Cardan joint, 1/2"
1000-027-793	**XB-21900016**	Sparkplug-Socket, 1/2", 16 mm
1000-027-794	**XB-21900017**	Sparkplug-Socket, 1/2", 21 mm
1000-027-795	**XB-21900018**	Socket, 1/2", 10 mm
1000-027-798	**XB-21900021**	Socket, 1/2", 13 mm
1000-027-799	**XB-21900022**	Socket, 1/2", 14 mm
1000-027-801	**XB-21900024**	Socket, 1/2", 16 mm
1000-027-802	**XB-21900025**	Socket, 1/2", 17 mm
1000-027-803	**XB-21900026**	Socket, 1/2", 18 mm
1000-027-804	**XB-21900027**	Socket, 1/2", 19 mm
1000-027-805	**XB-21900028**	Socket, 1/2", 20 mm
1000-027-807	**XB-21900030**	Socket, 1/2", 22 mm
1000-027-809	**XB-21900032**	Socket, 1/2", 24 mm
1000-027-810	**XB-21900033**	Socket, 1/2", 27 mm
1000-027-811	**XB-21900034**	Socket, 1/2", 30 mm
1000-027-812	**XB-21900035**	Socket, 1/2", 32 mm

ALU TOOL CASE 174-pcs.

Y-174-VDE

1000-027-266



P. 17

1/4" 1/2"

465 × 395 × 175 mm

14.5 kg

SAP	Model	Description
Divers		
1000-027-997	**XB-21900262**	Measuring tape, 5 m
2000-023-202	**X-16260101**	Caliper, 150 × 0.01 mm
1000-027-925	**XB-21900181**	Combination-wrench, 8 mm
1000-027-673	**XB-21900183**	Combination-wrench, 10 mm
1000-027-927	**XB-21900184**	Combination-wrench, 11 mm
1000-027-928	**XB-21900185**	Combination-wrench, 12 mm
1000-027-929	**XB-21900186**	Combination-wrench, 13 mm
1000-027-930	**XB-21900187**	Combination-wrench, 14 mm
1000-027-933	**XB-21900190**	Combination-wrench, 17 mm
1000-027-934	**XB-21900192**	Combination-wrench, 19 mm
1000-027-937	**XB-21900195**	Combination-wrench, 22 mm
1000-027-975	**XB-21900239**	Bit set, 60-pcs.
1000-027-974	**XB-21900238**	Micro-Bit set, 22-pcs.
1000-028-010	**XB-21900276**	Universal knife, 18 mm
1000-027-992	**XB-21900257**	Voltage tester / screwdriver
1000-028-019	**XB-21900285**	Pick up tool
1000-027-746	**XB-21900256**	LED torch
1000-027-967	**XB-21900231**	Screwdriver-/Bit-Holder, 210 mm
1000-027-954	**XB-21900216**	Screwdriver, Pozidriv, PZ1
1000-027-955	**XB-21900217**	Screwdriver, Pozidriv, PZ2
1000-027-711	**XB-21900221**	Screwdriver, Slotted, 5 mm
1000-027-712	**XB-21900222**	Screwdriver, Slotted, 4 mm
1000-027-959	**XB-21900223**	Screwdriver, Slotted, 3 mm
1000-027-968	**XB-21900232**	Screwdriver VDE, Pozidriv, PZ0 × 75 mm
1000-027-969	**XB-21900233**	Screwdriver VDE, Pozidriv, PZ1 × 80 mm
1000-027-970	**XB-21900234**	Screwdriver VDE, Pozidriv, PZ2 × 100 mm
1000-027-971	**XB-21900235**	Screwdriver VDE, Slotted, 2.5 × 75 mm
1000-027-972	**XB-21900236**	Screwdriver VDE, Slotted, 4 × 100 mm
1000-027-978	**XB-21900242**	Water-pump plier, 250 mm
1000-027-983	**XB-21900247**	Pincer, 205 mm
1000-028-013	**XB-21900279**	Universal scissor
1000-027-981	**XB-21900245**	Universal plier, 185 mm
1000-027-982	**XB-21900246**	Diagonal cutting plier, 165 mm
1000-027-979	**XB-21900243**	Long nose plier, 200 mm
1000-027-987	**XB-21900251**	Retaining ring plier set, 4-pcs.
1000-027-764	**XB-21900274**	Hacksaw, 300 mm
1000-028-007	**XB-21900272**	Punch and chisel set, 5-pcs.
1000-028-005	**XB-21900270**	Engineers hammer, 300 g
1000-027-976	**XB-21900240**	Hex key set, 1.5 – 10 mm, 9-pcs.
1000-027-991	**XB-21900255**	Adjustable wrench, 10", 250 mm

SAP	Model	Description
1/4"		
1000-027-857	**XB-21900109**	Ratchet, 1/4", 72 teeth
1000-027-860	**XB-21900112**	T-Handle bar, 1/4", 125 mm
1000-027-603	**XB-21900113**	Extension, 1/4", 100 mm
1000-027-861	**XB-21900114**	Extension, 1/4", 50 mm
1000-027-862	**XB-21900115**	Cardan joint, 1/4", 34 mm
1000-027-863	**XB-21900116**	Socket, 1/4", 4 mm
1000-027-864	**XB-21900117**	Socket, 1/4", 4.5 mm
1000-027-865	**XB-21900118**	Socket, 1/4", 5 mm
1000-027-866	**XB-21900119**	Socket, 1/4", 5.5 mm
1000-027-867	**XB-21900120**	Socket, 1/4", 6 mm
1000-027-868	**XB-21900121**	Socket, 1/4", 7 mm
1000-027-869	**XB-21900122**	Socket, 1/4", 8 mm
1000-027-870	**XB-21900123**	Socket, 1/4", 9 mm
1000-027-871	**XB-21900124**	Socket, 1/4", 10 mm
1000-027-615	**XB-21900125**	Socket, 1/4", 11 mm
1000-027-872	**XB-21900126**	Socket, 1/4", 12 mm
1000-027-873	**XB-21900127**	Socket, 1/4", 13 mm
1000-027-874	**XB-21900128**	Socket, 1/4", 14 mm
1000-027-919	**XB-21900174**	Adapter, 1/4"F × 1/4"F
1/2"		
1000-027-777	**XB-21900000**	Ratchet, 1/2", 72 teeth
1000-027-778	**XB-21900001**	T-Handle bar, 1/2", 250 mm
1000-027-779	**XB-21900002**	Extension, 1/2", 125 mm
1000-027-780	**XB-21900003**	Cardan joint, 1/2"
1000-027-793	**XB-21900016**	Sparkplug-Socket, 1/2", 16 mm
1000-027-794	**XB-21900017**	Sparkplug-Socket, 1/2", 21 mm
1000-027-795	**XB-21900018**	Socket, 1/2", 10 mm
1000-027-798	**XB-21900021**	Socket, 1/2", 13 mm
1000-027-799	**XB-21900022**	Socket, 1/2", 14 mm
1000-027-801	**XB-21900024**	Socket, 1/2", 16 mm
1000-027-802	**XB-21900025**	Socket, 1/2", 17 mm
1000-027-803	**XB-21900026**	Socket, 1/2", 18 mm
1000-027-804	**XB-21900027**	Socket, 1/2", 19 mm
1000-027-805	**XB-21900028**	Socket, 1/2", 20 mm
1000-027-807	**XB-21900030**	Socket, 1/2", 22 mm
1000-027-809	**XB-21900032**	Socket, 1/2", 24 mm
1000-027-810	**XB-21900033**	Socket, 1/2", 27 mm
1000-027-811	**XB-21900034**	Socket, 1/2", 30 mm
1000-027-812	**XB-21900035**	Socket, 1/2", 32 mm

ALU TOOL CASE 244-pcs.

Y-244

1000-027-267



P. 18

1/4" 1/2"

545×475×215mm

19.3kg

SAP	Model	Description
Divers		
1000-027-976	XB-21900240	Hex key set, 1.5 – 10 mm, 9-pcs.
1000-027-977	XB-21900241	Hex key set, Torx, T15 – T50, 9-pcs.
1000-028-008	XB-21900273	Impact bits with driver, 5/16", 23-pcs.
1000-027-925	XB-21900181	Combination-wrench, 8 mm
1000-027-673	XB-21900183	Combination-wrench, 10 mm
1000-027-927	XB-21900184	Combination-wrench, 11 mm
1000-027-928	XB-21900185	Combination-wrench, 12 mm
1000-027-929	XB-21900186	Combination-wrench, 13 mm
1000-027-930	XB-21900187	Combination-wrench, 14 mm
1000-027-933	XB-21900190	Combination-wrench, 17 mm
1000-027-934	XB-21900192	Combination-wrench, 19 mm
1000-027-937	XB-21900195	Combination-wrench, 22 mm
1000-027-991	XB-21900255	Adjustable wrench, 10", 250 mm
1000-027-975	XB-21900239	Bit set, 60-pcs.
1000-027-974	XB-21900238	Micro-Bit set, 22-pcs.
1000-001-344	D-19GS	Drill bit set, HSS-G, 19-pcs.
1000-027-992	XB-21900257	Voltage tester / screwdriver
1000-027-967	XB-21900231	Screwdriver-/Bit-Holder, 210 mm
1000-027-961	XB-21900225	Screwdriver, Torx, T40
1000-027-962	XB-21900226	Screwdriver, Torx, T30
1000-027-963	XB-21900227	Screwdriver, Torx, T25
1000-027-964	XB-21900228	Screwdriver, Torx, T20
1000-027-965	XB-21900229	Screwdriver, Torx, T15
1000-027-966	XB-21900230	Screwdriver, Torx, T10
1000-027-954	XB-21900216	Screwdriver, Pozidriv, PZ1
1000-027-955	XB-21900217	Screwdriver, Pozidriv, PZ2
1000-027-712	XB-21900222	Screwdriver, Slotted, 4 mm
1000-027-959	XB-21900223	Screwdriver, Slotted, 3 mm
1000-027-960	XB-21900224	Screwdriver, Slotted, 2 mm
1000-027-978	XB-21900242	Water-pump plier, 250 mm
1000-027-983	XB-21900247	Pincer, 205 mm
1000-028-013	XB-21900279	Universal scissor
1000-027-981	XB-21900245	Universal plier, 185 mm
1000-027-982	XB-21900246	Diagonal cutting plier, 165 mm
1000-027-979	XB-21900243	Long nose plier, 200 mm
1000-027-987	XB-21900251	Retaining ring plier set, 4-pcs.
1000-027-984	XB-21900248	Stripping plier, 165 mm
1000-028-010	XB-21900276	Universal knife, 18 mm
1000-028-011	XB-21900277	Spare blades, 10 pcs.
1000-027-764	XB-21900274	Hacksaw, 300 mm
1000-028-007	XB-21900272	Punch and chisel set, 5-pcs.
1000-028-016	XB-21900282	File, half-round, 200 mm
2000-023-202	X-16260101	Caliper, 150 × 0.01 mm
1000-028-005	XB-21900270	Engineers hammer, 300 g
1000-027-746	XB-21900256	LED torch
1000-027-997	XB-21900262	Measuring tape, 5 m
1000-028-000	XB-21900265	Folding rule, 2 m
1000-028-020	XB-21900286	Aluminium spirit level, 400 mm

SAP	Model	Description
1/4"		
1000-027-857	XB-21900109	Ratchet, 1/4", 72 teeth
1000-027-858	XB-21900110	Handle, 1/4"
1000-027-860	XB-21900112	T-Handle bar, 1/4", 125 mm
1000-027-603	XB-21900113	Extension, 1/4", 100 mm
1000-027-861	XB-21900114	Extension, 1/4", 50 mm
1000-027-862	XB-21900115	Cardan joint, 1/4", 34 mm
1000-027-863	XB-21900116	Socket, 1/4", 4 mm
1000-027-864	XB-21900117	Socket, 1/4", 4.5 mm
1000-027-865	XB-21900118	Socket, 1/4", 5 mm
1000-027-866	XB-21900119	Socket, 1/4", 5.5 mm
1000-027-867	XB-21900120	Socket, 1/4", 6 mm
1000-027-868	XB-21900121	Socket, 1/4", 7 mm
1000-027-869	XB-21900122	Socket, 1/4", 8 mm
1000-027-870	XB-21900123	Socket, 1/4", 9 mm
1000-027-871	XB-21900124	Socket, 1/4", 10 mm
1000-027-615	XB-21900125	Socket, 1/4", 11 mm
1000-027-872	XB-21900126	Socket, 1/4", 12 mm
1000-027-873	XB-21900127	Socket, 1/4", 13 mm
1000-027-874	XB-21900128	Socket, 1/4", 14 mm
1000-027-919	XB-21900174	Adapter, 1/4"F × 1/4"F
1/2"		
1000-027-777	XB-21900000	Ratchet, 1/2", 72 teeth
1000-027-778	XB-21900001	T-Handle bar, 1/2", 250 mm
1000-027-779	XB-21900002	Extension, 1/2", 125 mm
1000-027-780	XB-21900003	Cardan joint, 1/2"
1000-027-781	XB-21900004	Adapter, 1/2"M × 3/8"F
1000-027-793	XB-21900016	Sparkplug-Socket, 1/2", 16 mm
1000-027-794	XB-21900017	Sparkplug-Socket, 1/2", 21 mm
1000-027-795	XB-21900018	Socket, 1/2", 10 mm
1000-027-796	XB-21900019	Socket, 1/2", 11 mm
1000-027-797	XB-21900020	Socket, 1/2", 12 mm
1000-027-798	XB-21900021	Socket, 1/2", 13 mm
1000-027-799	XB-21900022	Socket, 1/2", 14 mm
1000-027-800	XB-21900023	Socket, 1/2", 15 mm
1000-027-801	XB-21900024	Socket, 1/2", 16 mm
1000-027-802	XB-21900025	Socket, 1/2", 17 mm
1000-027-803	XB-21900026	Socket, 1/2", 18 mm
1000-027-804	XB-21900027	Socket, 1/2", 19 mm
1000-027-805	XB-21900028	Socket, 1/2", 20 mm
1000-027-806	XB-21900029	Socket, 1/2", 21 mm
1000-027-807	XB-21900030	Socket, 1/2", 22 mm
1000-027-809	XB-21900032	Socket, 1/2", 24 mm
1000-027-810	XB-21900033	Socket, 1/2", 27 mm
1000-027-811	XB-21900034	Socket, 1/2", 30 mm
1000-027-812	XB-21900035	Socket, 1/2", 32 mm

SOCKET SET 46-pcs.

X-546D

1000-028-357



P. 20

1/4"

250×120×45mm

1.2kg

SAP	Model	Description
1/4"		
1000-027-857	**XB-21900109**	Ratchet, 1/4", 72 teeth
1000-027-858	**XB-21900110**	Handle, 1/4"
1000-027-859	**XB-21900111**	Extension, 1/4", flexibel, 155 mm
1000-027-860	**XB-21900112**	T-Handle bar, 1/4", 125 mm
1000-027-603	**XB-21900113**	Extension, 1/4", 100 mm
1000-027-861	**XB-21900114**	Extension, 1/4", 50 mm
1000-027-862	**XB-21900115**	Cardan joint, 1/4", 34 mm
1000-027-863	**XB-21900116**	Socket, 1/4", 4 mm
1000-027-864	**XB-21900117**	Socket, 1/4", 4.5 mm
1000-027-865	**XB-21900118**	Socket, 1/4", 5 mm
1000-027-866	**XB-21900119**	Socket, 1/4", 5.5 mm
1000-027-867	**XB-21900120**	Socket, 1/4", 6 mm
1000-027-868	**XB-21900121**	Socket, 1/4", 7 mm
1000-027-869	**XB-21900122**	Socket, 1/4", 8 mm
1000-027-870	**XB-21900123**	Socket, 1/4", 9 mm
1000-027-871	**XB-21900124**	Socket, 1/4", 10 mm
1000-027-615	**XB-21900125**	Socket, 1/4", 11 mm
1000-027-872	**XB-21900126**	Socket, 1/4", 12 mm
1000-027-873	**XB-21900127**	Socket, 1/4", 13 mm
1000-027-874	**XB-21900128**	Socket, 1/4", 14 mm
1000-027-892	**XB-21900147**	Socket, 1/4", Hex, 3 mm

SAP	Model	Description
1000-027-893	**XB-21900148**	Socket, 1/4", Hex, 4 mm
1000-027-894	**XB-21900149**	Socket, 1/4", Hex, 5 mm
1000-027-895	**XB-21900150**	Socket, 1/4", Hex, 6 mm
1000-027-896	**XB-21900151**	Socket, 1/4", Hex, 7 mm
1000-027-897	**XB-21900152**	Socket, 1/4", Hex, 8 mm
1000-027-885	**XB-21900139**	Socket, 1/4", Torx, T10
1000-027-886	**XB-21900140**	Socket, 1/4", Torx, T15
1000-027-887	**XB-21900141**	Socket, 1/4", Torx, T20
1000-027-888	**XB-21900142**	Socket, 1/4", Torx, T25
1000-027-890	**XB-21900144**	Socket, 1/4", Torx, T30
1000-027-891	**XB-21900145**	Socket, 1/4", Torx, T40
1000-027-903	**XB-21900158**	Socket, 1/4", Phillips, PH1
1000-027-904	**XB-21900159**	Socket, 1/4", Phillips, PH2
1000-027-905	**XB-21900160**	Socket, 1/4", Phillips, PH3
1000-027-899	**XB-21900154**	Socket, 1/4", Pozidriv, PZ1
1000-027-900	**XB-21900155**	Socket, 1/4", Pozidriv, PZ2
1000-027-901	**XB-21900156**	Socket, 1/4", Pozidriv, PZ3
1000-027-907	**XB-21900162**	Socket, 1/4", Slotted, 4 mm
1000-027-910	**XB-21900165**	Socket, 1/4", Slotted, 5.5 mm
1000-027-912	**XB-21900167**	Socket, 1/4", Slotted, 7 mm
1000-027-917	**XB-21900172**	Adapter. 1/4" hex M × 1/4" square M
1000-003-628	**X-12050301**	Hex key set, 4-pcs.



SOCKET SET 48-pcs.

X-48

1000-027-220



P. 20

1/4"

260 × 180 × 60 mm

1.5 kg

SAP	Model	Description
1/4"		
1000-027-857	**XB-21900109**	Ratchet, 1/4", 72 teeth
1000-027-858	**XB-21900110**	Handle, 1/4"
1000-027-859	**XB-21900111**	Extension, 1/4", flexibel, 155 mm
1000-027-860	**XB-21900112**	T-Handle bar, 1/4", 125 mm
1000-027-603	**XB-21900113**	Extension, 1/4", 100 mm
1000-027-861	**XB-21900114**	Extension, 1/4", 50 mm
1000-027-862	**XB-21900115**	Cardan joint, 1/4", 34 mm
1000-027-863	**XB-21900116**	Socket, 1/4", 4 mm
1000-027-864	**XB-21900117**	Socket, 1/4", 4.5 mm
1000-027-865	**XB-21900118**	Socket, 1/4", 5 mm
1000-027-866	**XB-21900119**	Socket, 1/4", 5.5 mm
1000-027-867	**XB-21900120**	Socket, 1/4", 6 mm
1000-027-868	**XB-21900121**	Socket, 1/4", 7 mm
1000-027-869	**XB-21900122**	Socket, 1/4", 8 mm
1000-027-870	**XB-21900123**	Socket, 1/4", 9 mm
1000-027-871	**XB-21900124**	Socket, 1/4", 10 mm
1000-027-615	**XB-21900125**	Socket, 1/4", 11 mm
1000-027-872	**XB-21900126**	Socket, 1/4", 12 mm
1000-027-873	**XB-21900127**	Socket, 1/4", 13 mm
1000-027-874	**XB-21900128**	Socket, 1/4", 14 mm
1000-027-884	**XB-21900138**	Socket, 1/4", Torx, T8
1000-027-885	**XB-21900139**	Socket, 1/4", Torx, T10
1000-027-886	**XB-21900140**	Socket, 1/4", Torx, T15
1000-027-887	**XB-21900141**	Socket, 1/4", Torx, T20

SAP	Model	Description
1000-027-888	**XB-21900142**	Socket, 1/4", Torx, T25
1000-027-889	**XB-21900143**	Socket, 1/4", Torx, T27
1000-027-890	**XB-21900144**	Socket, 1/4", Torx, T30
1000-027-891	**XB-21900145**	Socket, 1/4", Torx, T40
1000-027-892	**XB-21900147**	Socket, 1/4", Hex, 3 mm
1000-027-893	**XB-21900148**	Socket, 1/4", Hex, 4 mm
1000-027-894	**XB-21900149**	Socket, 1/4", Hex, 5 mm
1000-027-895	**XB-21900150**	Socket, 1/4", Hex, 6 mm
1000-027-896	**XB-21900151**	Socket, 1/4", Hex, 7 mm
1000-027-897	**XB-21900152**	Socket, 1/4", Hex, 8 mm
1000-027-898	**XB-21900153**	Socket, 1/4", Pozidriv, PZ0
1000-027-899	**XB-21900154**	Socket, 1/4", Pozidriv, PZ1
1000-027-900	**XB-21900155**	Socket, 1/4", Pozidriv, PZ2
1000-027-901	**XB-21900156**	Socket, 1/4", Pozidriv, PZ3
1000-027-902	**XB-21900157**	Socket, 1/4", Phillips, PH0
1000-027-903	**XB-21900158**	Socket, 1/4", Phillips, PH1
1000-027-904	**XB-21900159**	Socket, 1/4", Phillips, PH2
1000-027-905	**XB-21900160**	Socket, 1/4", Phillips, PH3
1000-027-906	**XB-21900161**	Socket, 1/4", Slotted, 3 mm
1000-027-907	**XB-21900162**	Socket, 1/4", Slotted, 4 mm
1000-027-908	**XB-21900163**	Socket, 1/4", Slotted, 4.5 mm
1000-027-909	**XB-21900164**	Socket, 1/4", Slotted, 5 mm
1000-027-911	**XB-21900166**	Socket, 1/4", Slotted, 6 mm
1000-027-917	**XB-21900172**	Adapter, 1/4"M × 1/4"M
1000-027-919	**XB-21900174**	Adapter, 1/4"F × 1/4"F



SOCKET SET 61-pcs.

X-61

1000-027-221



P. 21

3/8"

345×275×80mm
4.5kg

SAP	Model	Description
3/8"		
1000-027-813	XB-21900036	Ratchet, 3/8", 72 teeth
1000-027-816	XB-21900039	Extension, 3/8", 250 mm
1000-027-815	XB-21900038	Extension, 3/8", 75 mm
1000-027-818	XB-21900041	Adapter, 3/8"M × 1/4"F
1000-027-819	XB-21900042	Cardan joint, 3/8", 55 mm
1000-027-820	XB-21900043	Socket, 3/8", 5.5 mm
1000-027-821	XB-21900044	Socket, 3/8", 6 mm
1000-027-822	XB-21900045	Socket, 3/8", 7 mm
1000-027-823	XB-21900046	Socket, 3/8", 8 mm
1000-027-824	XB-21900047	Socket, 3/8", 9 mm
1000-027-825	XB-21900048	Socket, 3/8", 10 mm
1000-027-826	XB-21900049	Socket, 3/8", 11 mm
1000-027-827	XB-21900050	Socket, 3/8", 12 mm
1000-027-541	XB-21900051	Socket, 3/8", 13 mm
1000-027-542	XB-21900052	Socket, 3/8", 14 mm
1000-027-828	XB-21900053	Socket, 3/8", 15 mm
1000-027-829	XB-21900054	Socket, 3/8", 16 mm
1000-027-830	XB-21900055	Socket, 3/8", 17 mm
1000-027-831	XB-21900056	Socket, 3/8", 18 mm
1000-027-832	XB-21900057	Socket, 3/8", 19 mm
1000-027-833	XB-21900058	Socket, 3/8", 20 mm
1000-027-834	XB-21900059	Socket, 3/8", 21 mm
1000-027-550	XB-21900060	Socket, 3/8", 22 mm
1000-027-835	XB-21900061	Socket, 3/8", 24 mm
1000-027-836	XB-21900062	Socket, 3/8", L = 63 mm, 8 mm
1000-027-837	XB-21900063	Socket, 3/8", L = 63 mm, 9 mm
1000-027-838	XB-21900064	Socket, 3/8", L = 63 mm, 10 mm
1000-027-839	XB-21900065	Socket, 3/8", L = 63 mm, 11 mm
1000-027-840	XB-21900066	Socket, 3/8", L = 63 mm, 12 mm
1000-027-841	XB-21900067	Socket, 3/8", L = 63 mm, 13 mm
1000-027-842	XB-21900068	Socket, 3/8", L = 63 mm, 14 mm
1000-027-843	XB-21900069	Socket, 3/8", L = 63 mm, 15 mm
1000-027-844	XB-21900070	Socket, 3/8", L = 63 mm, 17 mm
1000-027-845	XB-21900071	Socket, 3/8", L = 63 mm, 19 mm

SAP	Model	Description
1000-027-578	XB-21900088	Socket, 3/8", Torx, T8
1000-027-579	XB-21900089	Socket, 3/8", Torx, T10
1000-027-580	XB-21900090	Socket, 3/8", Torx, T15
1000-027-581	XB-21900091	Socket, 3/8", Torx, T20
1000-027-582	XB-21900092	Socket, 3/8", Torx, T25
1000-027-583	XB-21900093	Socket, 3/8", Torx, T27
1000-027-584	XB-21900094	Socket, 3/8", Torx, T30
1000-027-585	XB-21900095	Socket, 3/8", Torx, T40
1000-027-586	XB-21900096	Socket, 3/8", Torx, T45
1000-027-587	XB-21900097	Socket, 3/8", Torx, T50
1000-027-851	XB-21900079	Socket, 3/8", Slotted, 5.5 mm
1000-027-570	XB-21900081	Socket, 3/8", Slotted, 7 mm
1000-027-571	XB-21900081	Socket, 3/8", Slotted, 8 mm
1000-027-846	XB-21900072	Socket, 3/8", Hex, 3 mm
1000-027-847	XB-21900073	Socket, 3/8", Hex, 4 mm
1000-027-848	XB-21900074	Socket, 3/8", Hex, 5 mm
1000-027-849	XB-21900075	Socket, 3/8", Hex, 6 mm
1000-027-566	XB-21900076	Socket, 3/8", Hex, 7 mm
1000-027-567	XB-21900077	Socket, 3/8", Hex, 8 mm
1000-027-850	XB-21900078	Socket, 3/8", Hex, 10 mm
1000-027-852	XB-21900098	Sparkplug-Socket, 3/8", 16 mm
1000-027-853	XB-21900099	Sparkplug-Socket, 3/8", 21 mm
1000-027-572	XB-21900082	Socket, 3/8", Pozidriv, PZ1
1000-027-573	XB-21900083	Socket, 3/8", Pozidriv, PZ2
1000-027-574	XB-21900084	Socket, 3/8", Pozidriv, PZ3
1000-027-575	XB-21900085	Socket, 3/8", Phillips, PH1
1000-027-576	XB-21900086	Socket, 3/8", Phillips, PH2
1000-027-577	XB-21900087	Socket, 3/8", Phillips, PH3

SOCKET SET 31-pcs.

X-31

1000-027-222

345×275×80mm
5.2kg



1/2"

P. 21

SAP	Model	Description
1/2"		
1000-027-777	**XB-21900000**	Ratchet, 1/2", 72 teeth
1000-027-778	**XB-21900001**	T-Handle bar, 1/2", 250 mm
1000-027-779	**XB-21900002**	Extension, 1/2", 125 mm
1000-027-780	**XB-21900003**	Cardan joint, 1/2"
1000-027-781	**XB-21900004**	Adapter, 1/2"M × 3/8"F
1000-027-796	**XB-21900019**	Socket, 1/2", 11 mm
1000-027-797	**XB-21900020**	Socket, 1/2", 12 mm
1000-027-798	**XB-21900021**	Socket, 1/2", 13 mm
1000-027-799	**XB-21900022**	Socket, 1/2", 14 mm
1000-027-800	**XB-21900023**	Socket, 1/2", 15 mm
1000-027-801	**XB-21900024**	Socket, 1/2", 16 mm
1000-027-802	**XB-21900025**	Socket, 1/2", 17 mm
1000-027-803	**XB-21900026**	Socket, 1/2", 18 mm
1000-027-804	**XB-21900027**	Socket, 1/2", 19 mm
1000-027-807	**XB-21900030**	Socket, 1/2", 22 mm

SAP	Model	Description
1000-027-809	**XB-21900032**	Socket, 1/2", 24 mm
1000-027-810	**XB-21900033**	Socket, 1/2", 27 mm
1000-027-811	**XB-21900034**	Socket, 1/2", 30 mm
1000-027-812	**XB-21900035**	Socket, 1/2", 32 mm
1000-027-793	**XB-21900016**	Sparkplug-Socket, 1/2", 16 mm
1000-027-794	**XB-21900017**	Sparkplug-Socket, 1/2", 21 mm
1000-027-783	**XB-21900006**	Socket, 1/2", L = 78 mm, 10 mm
1000-027-784	**XB-21900007**	Socket, 1/2", L = 78 mm, 12 mm
1000-027-785	**XB-21900008**	Socket, 1/2", L = 78 mm, 13 mm
1000-027-786	**XB-21900009**	Socket, 1/2", L = 78 mm, 14 mm
1000-027-787	**XB-21900010**	Socket, 1/2", L = 78 mm, 15 mm
1000-027-788	**XB-21900011**	Socket, 1/2", L = 78 mm, 17 mm
1000-027-789	**XB-21900012**	Socket, 1/2", L = 78 mm, 19 mm
1000-027-790	**XB-21900013**	Socket, 1/2", L = 78 mm, 21 mm
1000-027-791	**XB-21900014**	Socket, 1/2", L = 78 mm, 22 mm
1000-027-792	**XB-21900015**	Socket, 1/2", L = 78 mm, 24 mm



SOCKET SET 82-pcs.

X-582C

1000-027-227

425×305×90mm
6.4kg



1/4" 1/2" 5/16"

P. 22

SAP	Model	Description
1/4"		
1000-027-857	**XB-21900109**	Ratchet, 1/4", 72 teeth
1000-027-858	**XB-21900110**	Handle, 1/4"
1000-027-859	**XB-21900111**	Extension, 1/4", flexibel, 155 mm
1000-027-860	**XB-21900112**	T-Handle bar, 1/4", 125 mm
1000-027-603	**XB-21900113**	Extension, 1/4", 100 mm
1000-027-861	**XB-21900114**	Extension, 1/4", 50 mm
1000-027-862	**XB-21900115**	Cardan joint, 1/4", 34 mm
1000-027-863	**XB-21900116**	Socket, 1/4", 4 mm
1000-027-864	**XB-21900117**	Socket, 1/4", 4.5 mm
1000-027-865	**XB-21900118**	Socket, 1/4", 5 mm
1000-027-866	**XB-21900119**	Socket, 1/4", 5.5 mm
1000-027-867	**XB-21900120**	Socket, 1/4", 6 mm
1000-027-868	**XB-21900121**	Socket, 1/4", 7 mm
1000-027-869	**XB-21900122**	Socket, 1/4", 8 mm
1000-027-870	**XB-21900123**	Socket, 1/4", 9 mm
1000-027-871	**XB-21900124**	Socket, 1/4", 10 mm
1000-027-615	**XB-21900125**	Socket, 1/4", 11 mm
1000-027-872	**XB-21900126**	Socket, 1/4", 12 mm
1000-027-873	**XB-21900127**	Socket, 1/4", 13 mm
1000-027-874	**XB-21900128**	Socket, 1/4", 14 mm
1000-027-899	**XB-21900154**	Socket, 1/4", Pozidriv, PZ1
1000-027-900	**XB-21900155**	Socket, 1/4", Pozidriv, PZ2
1000-027-903	**XB-21900158**	Socket, 1/4", Phillips, PH1
1000-027-904	**XB-21900159**	Socket, 1/4", Phillips, PH2
1000-027-884	**XB-21900138**	Socket, 1/4", Torx, T8
1000-027-885	**XB-21900139**	Socket, 1/4", Torx, T10
1000-027-886	**XB-21900140**	Socket, 1/4", Torx, T15
1000-027-887	**XB-21900141**	Socket, 1/4", Torx, T20
1000-027-888	**XB-21900142**	Socket, 1/4", Torx, T25
1000-027-890	**XB-21900144**	Socket, 1/4", Torx, T30
1000-027-907	**XB-21900162**	Socket, 1/4", Slotted, 4 mm
1000-027-910	**XB-21900165**	Socket, 1/4", Slotted, 5.5 mm
1000-027-912	**XB-21900167**	Socket, 1/4", Slotted, 7 mm
1000-027-892	**XB-21900147**	Socket, 1/4", Hex, 3 mm
1000-027-893	**XB-21900148**	Socket, 1/4", Hex, 4 mm
1000-027-894	**XB-21900149**	Socket, 1/4", Hex, 5 mm
1000-027-895	**XB-21900150**	Socket, 1/4", Hex, 6 mm
1000-027-917	**XB-21900172**	Adapter, 1/4"M × 1/4"M

SAP	Model	Description
1/2"		
1000-027-777	**XB-21900000**	Ratchet, 1/2", 72 teeth
1000-027-778	**XB-21900001**	T-Handle bar, 1/2", 250 mm
1000-027-779	**XB-21900002**	Extension, 1/2", 125 mm
1000-027-780	**XB-21900003**	Cardan joint, 1/2"
1000-027-782	**XB-21900005**	Adapter, 1/2"F × 5/16"F
1000-027-798	**XB-21900021**	Socket, 1/2", 13 mm
1000-027-799	**XB-21900022**	Socket, 1/2", 14 mm
1000-027-800	**XB-21900023**	Socket, 1/2", 15 mm
1000-027-801	**XB-21900024**	Socket, 1/2", 16 mm
1000-027-802	**XB-21900025**	Socket, 1/2", 17 mm
1000-027-803	**XB-21900026**	Socket, 1/2", 18 mm
1000-027-804	**XB-21900027**	Socket, 1/2", 19 mm
1000-027-807	**XB-21900030**	Socket, 1/2", 22 mm
1000-027-809	**XB-21900032**	Socket, 1/2", 24 mm
1000-027-810	**XB-21900033**	Socket, 1/2", 27 mm
1000-027-811	**XB-21900034**	Socket, 1/2", 30 mm
1000-027-812	**XB-21900035**	Socket, 1/2", 32 mm
1000-027-793	**XB-21900016**	Sparkplug-Socket, 1/2", 16 mm
1000-027-794	**XB-21900017**	Sparkplug-Socket, 1/2", 21 mm
5/16"		
2000-023-323	**X-15070108**	Bit, 5/16", Hex, 8.0 mm
2000-023-483	**X-15070110**	Bit, 5/16", Hex, 10.0 mm
2000-023-248	**X-15070114**	Bit, 5/16", Hex, 14.0 mm
2000-023-319	**X-15070203**	Bit, 5/16", Phillips, PH3
2000-023-246	**X-15070204**	Bit, 5/16", Phillips, PH4
2000-023-321	**X-15070303**	Bit, 5/16", Pozidriv, PZ3
2000-023-245	**X-15070304**	Bit, 5/16", Pozidriv, PZ4
2000-023-327	**X-15070408**	Bit, 5/16", Slotted, 8.0 mm
2000-023-249	**X-15070410**	Bit, 5/16", Slotted, 10.0 mm
2000-023-250	**X-15070412**	Bit, 5/16", Slotted, 12.0 mm
2000-023-414	**X-15070540**	Bit, 5/16", Torx, T40
2000-023-331	**X-15070545**	Bit, 5/16", Torx, T45
2000-023-485	**X-15070550**	Bit, 5/16", Torx, T50
2000-023-251	**X-15070555**	Bit, 5/16", Torx, T55

SOCKET SET 111-pcs.

X-111

1000-027-223

425×305×90mm
6.4kg



1/4" 1/2" 5/16"

P. 23

SAP	Model	Description
1/4"		
1000-027-857	XB-21900109	Ratchet, 1/4", 72 teeth
1000-027-858	XB-21900110	Handle, 1/4"
1000-027-859	XB-21900111	Extension, 1/4", flexibel, 155 mm
1000-027-860	XB-21900112	T-Handle bar, 1/4", 125 mm
1000-027-603	XB-21900113	Extension, 1/4", 100 mm
1000-027-861	XB-21900114	Extension, 1/4", 50 mm
1000-027-862	XB-21900115	Cardan joint, 1/4", 34 mm
1000-027-917	XB-21900172	Adapter, 1/4"M × 1/4"M
1000-027-919	XB-21900174	Adapter, 1/4"F × 1/4"F
1000-027-920	XB-21900175	Adapter, 1/4"M × 1/2"M
1000-027-863	XB-21900116	Socket, 1/4", 4 mm
1000-027-864	XB-21900117	Socket, 1/4", 4.5 mm
1000-027-865	XB-21900118	Socket, 1/4", 5 mm
1000-027-866	XB-21900119	Socket, 1/4", 5.5 mm
1000-027-867	XB-21900120	Socket, 1/4", 6 mm
1000-027-868	XB-21900121	Socket, 1/4", 7 mm
1000-027-869	XB-21900122	Socket, 1/4", 8 mm
1000-027-870	XB-21900123	Socket, 1/4", 9 mm
1000-027-871	XB-21900124	Socket, 1/4", 10 mm
1000-027-615	XB-21900125	Socket, 1/4", 11 mm
1000-027-872	XB-21900126	Socket, 1/4", 12 mm
1000-027-873	XB-21900127	Socket, 1/4", 13 mm
1000-027-874	XB-21900128	Socket, 1/4", 14 mm
1000-027-875	XB-21900129	Socket, 1/4", L = 50 mm, 4 mm
1000-027-876	XB-21900130	Socket, 1/4", L = 50 mm, 5 mm
1000-027-877	XB-21900131	Socket, 1/4", L = 50 mm, 6 mm
1000-027-878	XB-21900132	Socket, 1/4", L = 50 mm, 7 mm
1000-027-879	XB-21900133	Socket, 1/4", L = 50 mm, 8 mm
1000-027-880	XB-21900134	Socket, 1/4", L = 50 mm, 9 mm
1000-027-881	XB-21900135	Socket, 1/4", L = 50 mm, 10 mm
1000-027-882	XB-21900136	Socket, 1/4", L = 50 mm, 11 mm
1000-027-883	XB-21900137	Socket, 1/4", L = 50 mm, 12 mm
1000-027-906	XB-21900161	Socket, 1/4", Slotted, 3 mm
1000-027-907	XB-21900162	Socket, 1/4", Slotted, 4 mm
1000-027-909	XB-21900164	Socket, 1/4", Slotted, 5 mm
1000-027-911	XB-21900166	Socket, 1/4", Slotted, 6 mm
1000-027-902	XB-21900157	Socket, 1/4", Phillips, PH0
1000-027-903	XB-21900158	Socket, 1/4", Phillips, PH1
1000-027-904	XB-21900159	Socket, 1/4", Phillips, PH2
1000-027-898	XB-21900153	Socket, 1/4", Pozidriv, PZ0
1000-027-899	XB-21900154	Socket, 1/4", Pozidriv, PZ1
1000-027-900	XB-21900155	Socket, 1/4", Pozidriv, PZ2
1000-027-892	XB-21900147	Socket, 1/4", Hex, 3 mm
1000-027-893	XB-21900148	Socket, 1/4", Hex, 4 mm
1000-027-894	XB-21900149	Socket, 1/4", Hex, 5 mm
1000-027-895	XB-21900150	Socket, 1/4", Hex, 6 mm
1000-027-896	XB-21900151	Socket, 1/4", Hex, 7 mm
1000-027-897	XB-21900152	Socket, 1/4", Hex, 8 mm
1000-027-884	XB-21900138	Socket, 1/4", Torx, T8
1000-027-885	XB-21900139	Socket, 1/4", Torx, T10
1000-027-886	XB-21900140	Socket, 1/4", Torx, T15
1000-027-887	XB-21900141	Socket, 1/4", Torx, T20
1000-027-888	XB-21900142	Socket, 1/4", Torx, T25
1000-027-889	XB-21900143	Socket, 1/4", Torx, T27
1000-027-890	XB-21900144	Socket, 1/4", Torx, T30
1000-027-891	XB-21900145	Socket, 1/4", Torx, T40

SAP	Model	Description
1/2"		
1000-027-777	XB-21900000	Ratchet, 1/2", 72 teeth
1000-027-778	XB-21900001	T-Handle bar, 1/2", 250 mm
1000-027-779	XB-21900002	Extension, 1/2", 125 mm
1000-027-780	XB-21900003	Cardan joint, 1/2"
1000-027-782	XB-21900005	Adapter, 1/2"F × 5/16"F
1000-027-795	XB-21900018	Socket, 1/2", 10 mm
1000-027-796	XB-21900019	Socket, 1/2", 11 mm
1000-027-797	XB-21900020	Socket, 1/2", 12 mm
1000-027-798	XB-21900021	Socket, 1/2", 13 mm
1000-027-799	XB-21900022	Socket, 1/2", 14 mm
1000-027-800	XB-21900023	Socket, 1/2", 15 mm
1000-027-801	XB-21900024	Socket, 1/2", 16 mm
1000-027-802	XB-21900025	Socket, 1/2", 17 mm
1000-027-803	XB-21900026	Socket, 1/2", 18 mm
1000-027-804	XB-21900027	Socket, 1/2", 19 mm
1000-027-805	XB-21900028	Socket, 1/2", 20 mm
1000-027-806	XB-21900029	Socket, 1/2", 21 mm
1000-027-807	XB-21900030	Socket, 1/2", 22 mm
1000-027-808	XB-21900031	Socket, 1/2", 23 mm
1000-027-809	XB-21900032	Socket, 1/2", 24 mm
1000-027-810	XB-21900033	Socket, 1/2", 27 mm
1000-027-811	XB-21900034	Socket, 1/2", 30 mm
1000-027-812	XB-21900035	Socket, 1/2", 32 mm
1000-027-785	XB-21900008	Socket, 1/2", L = 78 mm, 13 mm
1000-027-786	XB-21900009	Socket, 1/2", L = 78 mm, 14 mm
1000-027-787	XB-21900010	Socket, 1/2", L = 78 mm, 15 mm
1000-027-788	XB-21900011	Socket, 1/2", L = 78 mm, 17 mm
1000-027-789	XB-21900012	Socket, 1/2", L = 78 mm, 19 mm
1000-027-793	XB-21900016	Sparkplug-Socket, 1/2", 16 mm
1000-027-794	XB-21900017	Sparkplug-Socket, 1/2", 21 mm
5/16"		
2000-023-322	X-15070107	Bit, 5/16", Hex, 7.0 mm
2000-023-323	X-15070108	Bit, 5/16", Hex, 8.0 mm
2000-023-324	X-15070109	Bit, 5/16", Hex, 9.0 mm
2000-023-483	X-15070110	Bit, 5/16", Hex, 10.0 mm
2000-023-247	X-15070112	Bit, 5/16", Hex, 12.0 mm
2000-023-317	X-15070201	Bit, 5/16", Phillips, PH1
2000-023-318	X-15070202	Bit, 5/16", Phillips, PH2
2000-023-319	X-15070203	Bit, 5/16", Phillips, PH3
2000-023-246	X-15070204	Bit, 5/16", Phillips, PH4
2000-023-320	X-15070301	Bit, 5/16", Pozidriv, PZ1
2000-023-376	X-15070302	Bit, 5/16", Pozidriv, PZ2
2000-023-321	X-15070303	Bit, 5/16", Pozidriv, PZ3
2000-023-245	X-15070304	Bit, 5/16", Pozidriv, PZ4
2000-023-325	X-15070405	Bit, 5/16", Slotted, 5.0 mm
2000-023-326	X-15070407	Bit, 5/16", Slotted, 7.0 mm
2000-023-327	X-15070408	Bit, 5/16", Slotted, 8.0 mm
2000-023-249	X-15070410	Bit, 5/16", Slotted, 10.0 mm
2000-023-250	X-15070412	Bit, 5/16", Slotted, 12.0 mm
2000-023-328	X-15070520	Bit, 5/16", Torx, T20
2000-023-329	X-15070525	Bit, 5/16", Torx, T25
2000-023-330	X-15070530	Bit, 5/16", Torx, T30
2000-023-331	X-15070545	Bit, 5/16", Torx, T45
2000-023-485	X-15070550	Bit, 5/16", Torx, T50
2000-023-251	X-15070555	Bit, 5/16", Torx, T55

SOCKET SET 165-pcs.

X-165

1000-027-224

476×388×108mm
9.9 kg



P. 24

1/4" 1/2"

SAP	Model	Description
Divers		
1000-027-992	XB-21900257	Voltage tester / screwdriver
1000-027-973	XB-21900237	Micro-Bit set, 32-pcs.
1000-027-942	XB-21900200	Double open end wrench, 5 × 5.5 mm
1000-027-943	XB-21900201	Double open end wrench, 6 × 7 mm
1000-027-692	XB-21900202	Double open end wrench, 8 × 9 mm
1000-027-944	XB-21900203	Double open end wrench, 10 × 11 mm
1000-027-694	XB-21900204	Double open end wrench, 12 × 13 mm
1000-027-695	XB-21900205	Double open end wrench, 14 × 15 mm
1000-027-945	XB-21900206	Double open end wrench, 16 × 17 mm
1000-027-946	XB-21900207	Double open end wrench, 18 × 19 mm
1000-027-991	XB-21900255	Adjustable wrench, 10", 250 mm
1000-027-976	XB-21900240	Hex key set, 1.5 – 10 mm, 9-pcs.
1000-027-978	XB-21900242	Water-pump plier, 250 mm
1000-027-981	XB-21900245	Universal plier, 185 mm
1000-028-010	XB-21900276	Universal knife, 18 mm
1000-028-011	XB-21900277	Spare blades, 10 pcs.
1000-028-013	XB-21900279	Universal scissor
1000-027-997	XB-21900262	Measuring tape, 5 m
1/4"		
1000-027-857	XB-21900109	Ratchet, 1/4", 72 teeth
1000-027-858	XB-21900110	Handle, 1/4"
1000-027-859	XB-21900111	Extension, 1/4", flexibel, 155 mm
1000-027-860	XB-21900112	T-Handle bar, 1/4", 125 mm
1000-027-603	XB-21900113	Extension, 1/4", 100 mm
1000-027-861	XB-21900114	Extension, 1/4", 50 mm
1000-027-862	XB-21900115	Cardan joint, 1/4", 34 mm
1000-027-917	XB-21900172	Adapter, 1/4"M × 1/4"M
1000-027-919	XB-21900174	Adapter, 1/4"F × 1/4"F
1000-027-863	XB-21900116	Socket, 1/4", 4 mm
1000-027-864	XB-21900117	Socket, 1/4", 4.5 mm
1000-027-865	XB-21900118	Socket, 1/4", 5 mm
1000-027-866	XB-21900119	Socket, 1/4", 5.5 mm
1000-027-867	XB-21900120	Socket, 1/4", 6 mm
1000-027-868	XB-21900121	Socket, 1/4", 7 mm
1000-027-869	XB-21900122	Socket, 1/4", 8 mm
1000-027-870	XB-21900123	Socket, 1/4", 9 mm
1000-027-871	XB-21900124	Socket, 1/4", 10 mm
1000-027-615	XB-21900125	Socket, 1/4", 11 mm
1000-027-872	XB-21900126	Socket, 1/4", 12 mm
1000-027-873	XB-21900127	Socket, 1/4", 13 mm
1000-027-874	XB-21900128	Socket, 1/4", 14 mm
1000-027-225	BC-53TC	Bit set, 1/4", 25 + 50 mm, 53-pcs.
1/2"		
1000-027-777	XB-21900000	Ratchet, 1/2", 72 teeth
1000-027-778	XB-21900001	T-Handle bar, 1/2", 250 mm
1000-027-779	XB-21900002	Extension, 1/2", 125 mm
1000-027-780	XB-21900003	Cardan joint, 1/2"
1000-027-795	XB-21900018	Socket, 1/2", 10 mm
1000-027-796	XB-21900019	Socket, 1/2", 11 mm
1000-027-797	XB-21900020	Socket, 1/2", 12 mm
1000-027-798	XB-21900021	Socket, 1/2", 13 mm
1000-027-799	XB-21900022	Socket, 1/2", 14 mm
1000-027-800	XB-21900023	Socket, 1/2", 15 mm
1000-027-801	XB-21900024	Socket, 1/2", 16 mm
1000-027-802	XB-21900025	Socket, 1/2", 17 mm
1000-027-803	XB-21900026	Socket, 1/2", 18 mm
1000-027-804	XB-21900027	Socket, 1/2", 19 mm
1000-027-805	XB-21900028	Socket, 1/2", 20 mm
1000-027-806	XB-21900029	Socket, 1/2", 21 mm
1000-027-807	XB-21900030	Socket, 1/2", 22 mm
1000-027-808	XB-21900031	Socket, 1/2", 23 mm
1000-027-809	XB-21900032	Socket, 1/2", 24 mm
1000-027-810	XB-21900033	Socket, 1/2", 27 mm
1000-027-811	XB-21900034	Socket, 1/2", 30 mm
1000-027-812	XB-21900035	Socket, 1/2", 32 mm
1000-027-793	XB-21900016	Sparkplug-Socket, 1/2", 16 mm
1000-027-794	XB-21900017	Sparkplug-Socket, 1/2", 21 mm



BIT SET 22-pcs.

BT-22B

1000-027-238



P. 27

1/4"

90×53×20mm
0.16kg

SAP	Model	Description
1/4"		
1000-028-275	**XB-21900317**	Bit, PZ1, with color code
1000-028-276	**XB-21900318**	Bit, PZ2, with color code (2×)
1000-028-279	**XB-21900321**	Bit, PH1, with color code
1000-028-280	**XB-21900322**	Bit, PH2, with color code (2×)
1000-028-315	**XB-21900357**	Bit, Torx, T10, with bore/color code (2×)
1000-028-316	**XB-21900358**	Bit, Torx, T15, with bore/color code (2×)

SAP	Model	Description
1000-028-317	**XB-21900359**	Bit, Torx, T20, with bore/color code (2×)
1000-028-318	**XB-21900360**	Bit, Torx, T25, with bore/color code (2×)
1000-028-320	**XB-21900362**	Bit, Torx, T30, with bore/color code (2×)
1000-028-321	**XB-21900363**	Bit, Torx, T40, with bore/color code (2×)
1000-027-917	**XB-21900172**	Adapter, hex M × 1/4" square M, 25 mm
1000-028-355	**XB-21900397**	Magnetic bit holder, 1/4", with autom. lock system

BIT SET 25-pcs.

B-25B

1000-027-239



P. 27

1/4"

215×125×50mm
1.07kg

SAP	Model	Description
1/4"		
–	**auf Anfrage**	Bit, Torx, T5, 125 mm
1000-001-037	**BTT-6D**	Bit, Torx, T6, 125 mm
–	**auf Anfrage**	Bit, Torx, T7, 125 mm
1000-001-029	**BTT-8D**	Bit, Torx, T8, 125 mm
–	**auf Anfrage**	Bit, Torx, T9, 125 mm
1000-001-032	**BTT-10D**	Bit, Torx, T10, 125 mm
1000-028-348	**XB-21900390**	Bit, Torx, T15, 125 mm
1000-001-030	**BTT-20D**	Bit, Torx, T20, 125 mm
1000-001-034	**BTT-25D**	Bit, Torx, T25, 125 mm
1000-028-351	**XB-21900393**	Bit, Torx, T27, 125 mm
1000-028-352	**XB-21900394**	Bit, Torx, T30, 125 mm
1000-001-036	**BTT-40D**	Bit, Torx, T40, 125 mm

SAP	Model	Description
1000-001-044	**BSL-3-5D**	Bit, Slotted, 3.5 mm, 125 mm
–	**auf Anfrage**	Bit, Slotted, 4.5 mm, 125 mm
1000-001-045	**BSL-5-5D**	Bit, Slotted, 5.5 mm, 125 mm
–	**auf Anfrage**	Bit, Slotted, 6.5 mm, 125 mm
1000-028-339	**XB-21900381**	Bit, Phillips, PH0, 125 mm
1000-028-340	**XB-21900382**	Bit, Phillips, PH1, 125 mm
1000-001-040	**BPH-2D**	Bit, Phillips, PH2, 125 mm
1000-028-342	**XB-21900384**	Bit, Phillips, PH3, 125 mm
1000-028-343	**XB-21900385**	Bit, Pozidriv, PZ0, 125 mm
1000-028-344	**XB-21900386**	Bit, Pozidriv, PZ1, 125 mm
1000-028-345	**XB-21900387**	Bit, Pozidriv, PZ2, 125 mm
1000-028-346	**XB-21900388**	Bit, Pozidriv, PZ3, 125 mm

BIT SET 31-pcs.

B-31D

1000-027-235



P. 28

1/4"

105×70×45mm
0.28kg

SAP	Model	Description
1/4"		
1000-028-262	**XB-21900304**	Bit, Hex, 3.0 mm
1000-028-263	**XB-21900305**	Bit, Hex, 4.0 mm
1000-028-264	**XB-21900306**	Bit, Hex, 5.0 mm
1000-028-265	**XB-21900307**	Bit, Hex, 6.0 mm
1000-028-253	**XB-21900295**	Bit, Slotted, 3.0 mm
1000-028-254	**XB-21900296**	Bit, Slotted, 4.0 mm
1000-028-256	**XB-21900298**	Bit, Slotted, 5.0 mm
1000-028-258	**XB-21900300**	Bit, Slotted, 6.0 mm
1000-028-250	**XB-21900292**	Bit, Phillips, PH1
1000-028-251	**XB-21900293**	Bit, Phillips, PH2 (2×)
1000-028-252	**XB-21900294**	Bit, Phillips, PH3

SAP	Model	Description
1000-028-246	**XB-21900288**	Bit, Pozidriv, PZ1
1000-028-247	**XB-21900289**	Bit, Pozidriv, PZ2 (2×)
1000-028-248	**XB-21900290**	Bit, Pozidriv, PZ3
1000-028-267	**XB-21900309**	Bit, Torx, T10 (2×)
1000-028-268	**XB-21900310**	Bit, Torx, T15 (2×)
1000-028-269	**XB-21900311**	Bit, Torx, T20 (2×)
1000-028-270	**XB-21900312**	Bit, Torx, T25 (2×)
1000-028-271	**XB-21900313**	Bit, Torx, T27 (2×)
1000-028-272	**XB-21900314**	Bit, Torx, T30 (2×)
1000-028-273	**XB-21900315**	Bit, Torx, T40 (2×)
1000-027-917	**XB-21900172**	Adapter, 1/4" hex M × 1/4" square M
1000-028-354	**XB-21900396**	Magnetic bit holder, 1/4"

BIT SET 31-pcs.

B-31DB

1000-027-234



P. 28

1/4"

105×70×45mm
0.28kg

SAP	Model	Description
1/4"		
1000-028-262	**XB-21900304**	Bit, Hex, 3.0 mm
1000-028-263	**XB-21900305**	Bit, Hex, 4.0 mm
1000-028-264	**XB-21900306**	Bit, Hex, 5.0 mm
1000-028-265	**XB-21900307**	Bit, Hex, 6.0 mm
1000-028-253	**XB-21900295**	Bit, Slotted, 3.0 mm
1000-028-254	**XB-21900296**	Bit, Slotted, 4.0 mm
1000-028-256	**XB-21900298**	Bit, Slotted, 5.0 mm
1000-028-258	**XB-21900300**	Bit, Slotted, 6.0 mm
1000-028-250	**XB-21900292**	Bit, Phillips, PH1
1000-028-251	**XB-21900293**	Bit, Phillips, PH2 (2×)
1000-028-252	**XB-21900294**	Bit, Phillips, PH3

SAP	Model	Description
1000-028-246	**XB-21900288**	Bit, Pozidriv, PZ1
1000-028-247	**XB-21900289**	Bit, Pozidriv, PZ2 (2×)
1000-028-248	**XB-21900290**	Bit, Pozidriv, PZ3
1000-028-308	**XB-21900350**	Bit, Torx, with bore, T10 (2×)
1000-028-309	**XB-21900351**	Bit, Torx, with bore, T15 (2×)
1000-028-310	**XB-21900352**	Bit, Torx, with bore, T20 (2×)
1000-028-311	**XB-21900353**	Bit, Torx, with bore, T25 (2×)
1000-028-312	**XB-21900354**	Bit, Torx, with bore, T27 (2×)
1000-028-313	**XB-21900355**	Bit, Torx, with bore, T30 (2×)
1000-028-314	**XB-21900356**	Bit, Torx, with bore, T40 (2×)
1000-027-917	**XB-21900172**	Adapter, hex M × 1/4" square M
1000-028-354	**XB-21900396**	Magnetic bit holder, 1/4"

BIT SET 32-pcs.

BC-32D

1000-027-232



P. 28

1/4"

105×72×45mm
0.26kg

SAP	Model	Description
1/4"		
1000-028-292	**XB-21900334**	Bit, Hex, 3.0 mm, with color code
1000-028-293	**XB-21900335**	Bit, Hex, 4.0 mm, with color code
1000-028-294	**XB-21900336**	Bit, Hex, 5.0 mm, with color code
1000-028-295	**XB-21900337**	Bit, Hex, 6.0 mm, with color code
1000-028-282	**XB-21900324**	Bit, Slotted, 3.0 mm, with color code
1000-028-284	**XB-21900326**	Bit, Slotted, 4.0 mm, with color code
1000-028-286	**XB-21900328**	Bit, Slotted, 5.0 mm, with color code
1000-028-288	**XB-21900330**	Bit, Slotted, 6.0 mm, with color code
1000-028-279	**XB-21900321**	Bit, Phillips, PH1, with color code
1000-028-280	**XB-21900322**	Bit, Phillips, PH2 (2×), with color code
1000-028-281	**XB-21900323**	Bit, Phillips, PH3, with color code

SAP	Model	Description
1000-028-275	**XB-21900317**	Bit, Pozidriv, PZ1, with color code
1000-028-276	**XB-21900318**	Bit, Pozidriv, PZ2 (2×), with color code
1000-028-277	**XB-21900319**	Bit, Pozidriv, PZ3, with color code
1000-028-301	**XB-21900343**	Bit, Torx, T10 (2×), with color code
1000-028-302	**XB-21900344**	Bit, Torx, T15 (2×), with color code
1000-028-303	**XB-21900345**	Bit, Torx, T20 (2×), with color code
1000-028-304	**XB-21900346**	Bit, Torx, T25 (2×), with color code
1000-028-305	**XB-21900347**	Bit, Torx, T27 (2×), with color code
1000-028-306	**XB-21900348**	Bit, Torx, T30 (2×), with color code
1000-028-307	**XB-21900349**	Bit, Torx, T40 (2×), with color code
1000-027-917	**XB-21900172**	Adapter, hex M × 1/4" square M
1000-028-354	**XB-21900396**	Magnetic bit holder, 1/4"



BIT SET 32-pcs.

BC-32DB

1000-027-230



P. 28

1/4"

105 × 72 × 45 mm

0.26 kg

SAP	Model	Description
1/4"		
1000-028-292	**XB-21900334**	Bit, Hex, 3.0 mm, with color code
1000-028-293	**XB-21900335**	Bit, Hex, 4.0 mm, with color code
1000-028-294	**XB-21900336**	Bit, Hex, 5.0 mm, with color code
1000-028-295	**XB-21900337**	Bit, Hex, 6.0 mm, with color code
1000-028-282	**XB-21900324**	Bit, Slotted, 3.0 mm, with color code
1000-028-284	**XB-21900326**	Bit, Slotted, 4.0 mm, with color code
1000-028-286	**XB-21900328**	Bit, Slotted, 5.0 mm, with color code
1000-028-288	**XB-21900330**	Bit, Slotted, 6.0 mm, with color code
1000-028-279	**XB-21900321**	Bit, Phillips, PH1, with color code
1000-028-280	**XB-21900322**	Bit, Phillips, PH2 (2×), with color code
1000-028-281	**XB-21900323**	Bit, Phillips, PH3, with color code

SAP	Model	Description
1000-028-275	**XB-21900317**	Bit, Pozidriv, PZ1, with color code
1000-028-276	**XB-21900318**	Bit, Pozidriv, PZ2 (2×), with color code
1000-028-277	**XB-21900319**	Bit, Pozidriv, PZ3, with color code
1000-028-315	**XB-21900357**	Bit, Torx, T10 (2×), with bore / color code
1000-028-316	**XB-21900358**	Bit, Torx, T15 (2×), with bore / color code
1000-028-317	**XB-21900359**	Bit, Torx, T20 (2×), with bore / color code
1000-028-318	**XB-21900360**	Bit, Torx, T25 (2×), with bore / color code
1000-028-319	**XB-21900361**	Bit, Torx, T27 (2×), with bore / color code
1000-028-320	**XB-21900362**	Bit, Torx, T30 (2×), with bore / color code
1000-028-321	**XB-21900363**	Bit, Torx, T40 (2×), with bore / color code
1000-027-917	**XB-21900172**	Adapter, hex M × 1/4" square M
1000-028-354	**XB-21900396**	Magnetic bit holder, 1/4"

BIT SET 38-pcs.

BC-38

1000-027-241



P. 29

1/4"

155 × 104 × 59 mm

0.8 kg

SAP	Model	Description
1/4"		
1000-027-597	**XB-21900107**	Ratchet, 1/4", 72 teeth
1000-027-598	**XB-21900108**	Handle, 1/4"
1000-027-603	**XB-21900113**	Extension, 1/4", 100 mm
1000-027-861	**XB-21900114**	Extension, 1/4", 50 mm
1000-027-862	**XB-21900115**	Cardan joint, 1/4", 34 mm
1000-027-919	**XB-21900174**	Adapter, 1/4"F × 1/4"F
1000-027-866	**XB-21900119**	Socket, 1/4", 5.5 mm
1000-027-867	**XB-21900120**	Socket, 1/4", 6.0 mm
1000-027-868	**XB-21900121**	Socket, 1/4", 7.0 mm
1000-027-869	**XB-21900122**	Socket, 1/4", 8.0 mm
1000-027-870	**XB-21900123**	Socket, 1/4", 9.0 mm
1000-027-871	**XB-21900124**	Socket, 1/4", 10.0 mm
1000-027-615	**XB-21900125**	Socket, 1/4", 11.0 mm
1000-027-872	**XB-21900126**	Socket, 1/4", 12.0 mm
1000-027-873	**XB-21900127**	Socket, 1/4", 13.0 mm
1000-027-874	**XB-21900128**	Socket, 1/4", 14.0 mm
1000-028-285	**XB-21900327**	Bit, Slotted, 4.5 mm, with color code
1000-028-287	**XB-21900329**	Bit, Slotted, 5.5 mm, with color code

SAP	Model	Description
1000-028-288	**XB-21900330**	Bit, Slotted, 6.0 mm, with color code
1000-028-292	**XB-21900334**	Bit, Hex, 3.0 mm, with color code
1000-028-293	**XB-21900335**	Bit, Hex, 4.0 mm, with color code
1000-028-294	**XB-21900336**	Bit, Hex, 5.0 mm, with color code
1000-028-295	**XB-21900337**	Bit, Hex, 6.0 mm, with color code
1000-028-296	**XB-21900338**	Bit, Hex, 8.0 mm, with color code
1000-028-279	**XB-21900321**	Bit, Phillips, PH1, with color code
1000-028-280	**XB-21900322**	Bit, Phillips, PH2 (2×), with color code
1000-028-281	**XB-21900323**	Bit, Phillips, PH3, with color code
1000-028-275	**XB-21900317**	Bit, Pozidriv, PZ1, with color code
1000-028-276	**XB-21900318**	Bit, Pozidriv, PZ2, with color code
1000-028-277	**XB-21900319**	Bit, Pozidriv, PZ3, with color code
1000-028-301	**XB-21900343**	Bit, Torx, T10, with color code
1000-028-302	**XB-21900344**	Bit, Torx, T15, with color code
1000-028-303	**XB-21900345**	Bit, Torx, T20, with color code
1000-028-304	**XB-21900346**	Bit, Torx, T25, with color code
1000-028-305	**XB-21900347**	Bit, Torx, T27, with color code
1000-028-306	**XB-21900348**	Bit, Torx, T30, with color code
1000-028-307	**XB-21900349**	Bit, Torx, T40, with color code

BIT SET 53-pcs.

BC-53TC

1000-027-225



P. 29

1/4"

155×104×59mm
0.7kg

SAP	Model	Description
1/4"		
1000-028-292	**XB-21900334**	Bit, Hex, 3.0 mm, with color code
1000-028-293	**XB-21900335**	Bit, Hex, 4.0 mm, with color code
1000-028-294	**XB-21900336**	Bit, Hex, 5.0 mm, with color code
1000-028-295	**XB-21900337**	Bit, Hex, 6.0 mm, with color code
1000-028-282	**XB-21900324**	Bit, Slotted, 3.0 mm, with color code
1000-028-284	**XB-21900326**	Bit, Slotted, 4.0 mm, with color code (2×)
1000-028-286	**XB-21900328**	Bit, Slotted, 5.0 mm, with color code
1000-028-288	**XB-21900330**	Bit, Slotted, 6.0 mm, with color code
1000-028-279	**XB-21900321**	Bit, Phillips, PH1, with color code (2×)
1000-028-280	**XB-21900322**	Bit, Phillips, PH2, with color code (2×)
1000-028-281	**XB-21900323**	Bit, Phillips, PH3, with color code
1000-028-275	**XB-21900317**	Bit, Pozidriv, PZ1, with color code (2×)
1000-028-276	**XB-21900318**	Bit, Pozidriv, PZ2, with color code (2×)
1000-028-277	**XB-21900319**	Bit, Pozidriv, PZ3, with color code
1000-028-301	**XB-21900343**	Bit, Torx, T10, with color code
1000-028-302	**XB-21900344**	Bit, Torx, T15, with color code
1000-028-303	**XB-21900345**	Bit, Torx, T20, with color code (2×)
1000-028-304	**XB-21900346**	Bit, Torx, T25, with color code (2×)
1000-028-305	**XB-21900347**	Bit, Torx, T27, with color code
1000-028-306	**XB-21900348**	Bit, Torx, T30, with color code (2×)
1000-028-307	**XB-21900349**	Bit, Torx, T40, with color code (2×)

SAP	Model	Description
–	–	Bit, Hex, 3.0 mm, 75 mm, with color code
–	–	Bit, Hex, 4.0 mm, 75 mm, with color code
–	–	Bit, Hex, 5.0 mm, 75 mm, with color code
–	–	Bit, Hex, 6.0 mm, 75 mm, with color code
–	–	Bit, Slotted, 3.0 mm, 75 mm, with color code
–	–	Bit, Slotted, 4.0 mm, 75 mm, with color code
–	–	Bit, Slotted, 5.0 mm, 75 mm, with color code
–	–	Bit, Slotted, 6.0 mm, 75 mm, with color code
1000-028-333	**XB-21900375**	Bit, Phillips, PH1, 75 mm, with color code
1000-028-334	**XB-21900376**	Bit, Phillips, PH2, 75 mm, with color code
1000-028-335	**XB-21900377**	Bit, Phillips, PH3 ,75 mm, with color code
1000-028-336	**XB-21900378**	Bit, Pozidriv, PZ1, 75 mm, with color code
1000-028-337	**XB-21900379**	Bit, Pozidriv, PZ2, 75 mm, with color code
1000-028-338	**XB-21900380**	Bit, Pozidriv, PZ3, 75 mm, with color code
1000-028-326	**XB-21900368**	Bit, Torx, T10, 75 mm, with color code
1000-028-327	**XB-21900369**	Bit, Torx, T15, 75 mm, with color code
1000-028-328	**XB-21900370**	Bit, Torx, T20, 75 mm, with color code
1000-028-329	**XB-21900371**	Bit, Torx, T25, 75 mm, with color code (2×)
1000-028-330	**XB-21900372**	Bit, Torx, T27, 75 mm, with color code
1000-028-331	**XB-21900373**	Bit, Torx, T30, 75 mm, with color code
1000-028-332	**XB-21900374**	Bit, Torx, T40, 75 mm, with color code
1000-028-355	**XB-21900397**	Magnetic bit holder, 1/4", with autom. lock system

BIT SET 71-pcs.

BC-71D

1000-027-236



P. 30

1/4"

155×115×35mm
0.72kg

SAP	Model	Description
1/4"		
1000-028-279	**XB-21900321**	Bit, Phillips, PH1, with color code (3×)
1000-028-280	**XB-21900322**	Bit, Phillips, PH2, with color code (6×)
1000-028-281	**XB-21900323**	Bit, Phillips, PH3, with color code (3×)
1000-028-275	**XB-21900317**	Bit, Pozidriv, PZ1, with color code (3×)
1000-028-276	**XB-21900318**	Bit, Pozidriv, PZ2, with color code (6×)
1000-028-277	**XB-21900319**	Bit, Pozidriv, PZ3, with color code (3×)
1000-028-284	**XB-21900326**	Bit, Slotted, 4.0 mm, with color code (3×)
1000-028-288	**XB-21900330**	Bit, Slotted, 6.0 mm, with color code (3×)
1000-028-293	**XB-21900335**	Bit, Hex, 4.0 mm, with color code (3×)
1000-028-294	**XB-21900336**	Bit, Hex, 5.0 mm, with color code (3×)
1000-028-295	**XB-21900337**	Bit, Hex, 6.0 mm, with color code (3×)
1000-028-301	**XB-21900343**	Bit, Torx, T10, with color code (3×)
1000-028-302	**XB-21900344**	Bit, Torx, T15, with color code (2×)
1000-028-303	**XB-21900345**	Bit, Torx, T20, with color code (2×)
1000-028-304	**XB-21900346**	Bit, Torx, T25, with color code (2×)
1000-028-305	**XB-21900347**	Bit, Torx, T27, with color code (2×)
1000-028-306	**XB-21900348**	Bit, Torx, T30, with color code (2×)
1000-028-307	**XB-21900349**	Bit, Torx, T40, with color code (2×)

SAP	Model	Description
1000-028-316	**XB-21900358**	Bit, Torx, T15, with bore / color code
1000-028-317	**XB-21900359**	Bit, Torx, T20, with bore / color code
1000-028-318	**XB-21900360**	Bit, Torx, T25, with bore / color code
1000-028-319	**XB-21900361**	Bit, Torx, T27, with bore / color code
1000-028-320	**XB-21900362**	Bit, Torx, T30, with bore / color code
1000-028-321	**XB-21900363**	Bit, Torx, T40, with bore / color code
1000-028-333	**XB-21900375**	Bit, Phillips, PH1, 75 mm, with color code
1000-028-334	**XB-21900376**	Bit, Phillips, PH2, 75 mm, with color code
1000-028-335	**XB-21900377**	Bit, Phillips, PH3 ,75 mm, with color code
1000-028-336	**XB-21900378**	Bit, Pozidriv, PZ1, 75 mm, with color code
1000-028-337	**XB-21900379**	Bit, Pozidriv, PZ2, 75 mm, with color code
–	–	Bit, Slotted, 4.0 mm, 75 mm, with color code
–	–	Bit, Slotted, 6.0 mm, 75 mm, with color code
1000-028-328	**XB-21900370**	Bit, Torx, T20, 75 mm, with color code
1000-028-329	**XB-21900371**	Bit, Torx, T25, 75 mm, with color code
1000-028-355	**XB-21900397**	Magnetic bit holder, 1/4", with autom. lock system
1000-028-356	**XB-21900398**	Magnetic bit holder, 1/4"

BIT SET 86-pcs.

BC-86D

1000-027-237



P. 31

1/4"

210×165×45mm

1.27kg

SAP	Model	Description
1/4"		
1000-028-279	**XB-21900321**	Bit, Phillips, PH1, with color code (5×)
1000-028-280	**XB-21900322**	Bit, Phillips, PH2, with color code (5×)
1000-028-281	**XB-21900323**	Bit, Phillips, PH3, with color code (5×)
1000-028-275	**XB-21900317**	Bit, Pozidriv, PZ1, with color code (5×)
1000-028-276	**XB-21900318**	Bit, Pozidriv, PZ2, with color code (5×)
1000-028-277	**XB-21900319**	Bit, Pozidriv, PZ3, with color code (5×)
1000-028-284	**XB-21900326**	Bit, Slotted, 4.0 mm, with color code (5×)
1000-028-288	**XB-21900330**	Bit, Slotted, 6.0 mm, with color code (5×)
1000-028-293	**XB-21900335**	Bit, Hex, 4.0 mm, with color code (5×)
1000-028-294	**XB-21900336**	Bit, Hex, 5.0 mm, with color code (5×)
1000-028-295	**XB-21900337**	Bit, Hex, 6.0 mm, with color code (5×)
1000-028-301	**XB-21900343**	Bit, Torx, T10, with color code (2×)
1000-028-302	**XB-21900344**	Bit, Torx, T15, with color code (2×)
1000-028-303	**XB-21900345**	Bit, Torx, T20, with color code (2×)
1000-028-304	**XB-21900346**	Bit, Torx, T25, with color code (2×)
1000-028-306	**XB-21900348**	Bit, Torx, T30, with color code (2×)


SAP	Model	Description
1000-028-315	**XB-21900357**	Bit, Torx, T10, with bore / color code
1000-028-316	**XB-21900358**	Bit, Torx, T15, with bore / color code
1000-028-317	**XB-21900359**	Bit, Torx, T20, with bore / color code
1000-028-318	**XB-21900360**	Bit, Torx, T25, with bore / color code
1000-028-320	**XB-21900362**	Bit, Torx, T30, with bore / color code
–	–	Bit, Phillips, PH2, 90 mm, with color code (3×)
–	–	Bit, Pozidriv, PZ2, 90 mm, with color code (3×)
–	–	Bit, Torx, T10, 90 mm, with color code
–	–	Bit, Torx, T15, 90 mm, with color code
–	–	Bit, Torx, T20, 90 mm, with color code (3×)
–	–	Bit, Torx, T25, 90 mm, with color code
–	–	Bit, Torx, T30, 90 mm, with color code
1000-003-715	**BH-12-BULK**	Teleskop-Bit-Holder, 1/4", magnetisch
1000-028-355	**XB-21900397**	Magnetic bit holder, 1/4", with autom. lock system
1000-028-356	**XB-21900398**	Magnetic bit holder, 1/4"



COMBINATION-WRENCH SET 18-pcs.

X-518

1000-027-244



P. 33

SAP	Model	Description
1000-027-922	XB-21900178	Combination-wrench, 5.5 mm
1000-027-923	XB-21900179	Combination-wrench, 6 mm
1000-027-924	XB-21900180	Combination-wrench, 7 mm
1000-027-925	XB-21900181	Combination-wrench, 8 mm
1000-027-926	XB-21900182	Combination-wrench, 9 mm
1000-027-673	XB-21900183	Combination-wrench, 10 mm
1000-027-927	XB-21900184	Combination-wrench, 11 mm
1000-027-928	XB-21900185	Combination-wrench, 12 mm
1000-027-929	XB-21900186	Combination-wrench, 13 mm

SAP	Model	Description
1000-027-930	XB-21900187	Combination-wrench, 14 mm
1000-027-931	XB-21900188	Combination-wrench, 15 mm
1000-027-932	XB-21900189	Combination-wrench, 16 mm
1000-027-933	XB-21900190	Combination-wrench, 17 mm
1000-027-681	XB-21900191	Combination-wrench, 18 mm
1000-027-934	XB-21900192	Combination-wrench, 19 mm
1000-027-935	XB-21900193	Combination-wrench, 20 mm
1000-027-936	XB-21900194	Combination-wrench, 21 mm
1000-027-937	XB-21900195	Combination-wrench, 22 mm

COMBINATION-WRENCH SET 4-pcs.

X-504

1000-027-245



P. 33

SAP	Model	Description
1000-027-938	XB-21900196	Combination-wrench, 24 mm
1000-027-939	XB-21900197	Combination-wrench, 27 mm

SAP	Model	Description
1000-027-940	XB-21900198	Combination-wrench, 30 mm
1000-027-941	XB-21900199	Combination-wrench, 32 mm

RATCHETING COMBINATION-WRENCH SET 6-pcs.

P. 33

Q-6

1000-027-243



SAP	Model	Description
1000-027-949	XB-21900210	Ratcheting Combination-wrench, 8 mm
1000-027-950	XB-21900211	Ratcheting Combination-wrench, 10 mm
1000-027-951	XB-21900212	Ratcheting Combination-wrench, 12 mm

SAP	Model	Description
1000-027-703	XB-21900213	Ratcheting Combination-wrench, 13 mm
1000-027-952	XB-21900214	Ratcheting Combination-wrench, 17 mm
1000-027-953	XB-21900215	Ratcheting Combination-wrench, 19 mm



SCREWDRIVER SET 6-pcs.

S-6-SL-PZ

1000-027-272



P. 35

SAP	Model	Description
1000-027-954	**XB-21900216**	Screwdriver, Pozidriv, PZ1
1000-027-955	**XB-21900217**	Screwdriver, Pozidriv, PZ2
1000-027-960	**XB-21900224**	Screwdriver, Slotted, 2 mm

SAP	Model	Description
1000-027-959	**XB-21900223**	Screwdriver, Slotted, 3 mm
1000-027-712	**XB-21900222**	Screwdriver, Slotted, 4 mm
1000-027-711	**XB-21900221**	Screwdriver, Slotted, 5 mm

SCREWDRIVER SET 6-pcs.

S-6-TX

1000-027-273



P. 35

SAP	Model	Description
1000-027-966	**XB-21900230**	Screwdriver, Torx, T10
1000-027-965	**XB-21900229**	Screwdriver, Torx, T15
1000-027-964	**XB-21900228**	Screwdriver, Torx, T20

SAP	Model	Description
1000-027-963	**XB-21900227**	Screwdriver, Torx, T25
1000-027-962	**XB-21900226**	Screwdriver, Torx, T30
1000-027-961	**XB-21900225**	Screwdriver, Torx, T40

VDE-SCREWDRIVER SET 5-pcs.

S-5-SL-PZ-VDE

1000-027-274



P. 35

SAP	Model	Description
1000-027-968	**XB-21900232**	Screwdriver VDE, Pozidriv, PZ0 × 75 mm
1000-027-969	**XB-21900233**	Screwdriver VDE, Pozidriv, PZ1 × 80 mm
1000-027-970	**XB-21900234**	Screwdriver VDE, Pozidriv, PZ2 × 100 mm

SAP	Model	Description
1000-027-971	**XB-21900235**	Screwdriver VDE, Slotted, 2.5 × 75 mm
1000-027-972	**XB-21900236**	Screwdriver VDE, Slotted, 4 × 100 mm

PLIER SET 4-pcs.

X-4

1000-027-246



P. 39

SAP	Model	Description
1000-027-978	**XB-21900242**	Water-pump plier, 250 mm
1000-027-979	**XB-21900243**	Long nose plier, 200 mm

SAP	Model	Description
1000-027-981	**XB-21900245**	Universal plier, 185 mm
1000-027-982	**XB-21900246**	Diagonal cutting plier, 165 mm



CATALOGUE 2019/20

JET

CATALOGUE
CONCEPT & DESIGN
IN SWITZERLAND

YOUR SPECIALTY RETAILER

AD-786E

JPW INDUSTRIES

JPW (Tool) AG
Switzerland
Ackerstrasse 45
8610 Uster
T: +41 44 806 59 59
tool.ch@jpwindustries.com

TOOL France SARL
France
9 Rue des Pyrénées
91090 LISSES
T: +33 169 11 37 37
tool.fr@jpwindustries.com